



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 1**

**Public Information Centre #1**

**Notice of Commencement**


**November 2015**



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of the future bridge rehabilitation activities. This study includes public and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 1

Two (2) PIC sessions will be held in association with this Study. The PIC No. 1 is scheduled for:

**Date:** November 5, 2015  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued October 29th and November 5, 2015.



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 2**

**Public Information Centre #1**

**Sign-in Sheet**

**November 2015**



Hamilton

City of Hamilton  
City Hall, 71 Main Street West,  
Hamilton, Ontario,  
Canada L8P 4Y5  
www.hamilton.ca

Environment & Sustainable Infrastructure Division, Public Works Department  
Physical Address: 77 James Street North, Suite 400, Hamilton ON L8R 2K3  
Phone: 905.546.2424 ext. 4092 Fax: 905.546.4491  
Email: winston.wang@hamilton.ca

**Utility Relocation Schedule "B" Class Environmental Assessment**  
**Public Information Centre No 1**  
(6:00 PM ~ 8:00 PM; November 5, 2015)

**SIGN IN SHEET**

Thank you for attending the Public Information Centre. Please print legibly.

Name	Address	Phone	E-mail
[Redacted]	FERN [Redacted]	[Redacted]	[Redacted]
[Redacted]	Dundas St E	[Redacted]	
[Redacted]	Church	[Redacted]	
[Redacted]	Hillcrest.	[Redacted]	[Redacted]
[Redacted]	DUNDAS STE.	[Redacted]	[Redacted]
[Redacted]	Dundas St E	[Redacted]	[Redacted]
[Redacted]	McKnight Ave	[Redacted]	[Redacted]@il.com
[Redacted]	Barca St Review	[Redacted]	[Redacted]

Personal information on this form is collected in accordance with the Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. Questions regarding the collection of this information may be forwarded to Co-ordinator, Elections and Freedom of Information, City Clerk's Division, 2<sup>nd</sup> Floor, Hamilton City Hall, 71 Main Street West, Hamilton, ON L8P 4Y5. Phone (905) 546-2424 x 7966 Fax: (905) 546-2095 E-mail: [clerk@hamilton.ca](mailto:clerk@hamilton.ca)



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 3**

**Public Information Centre #1**

**Comment Sheets**

**November 2015**



**Comment Sheet**  
**Utility Relocation Municipal Class EA**  
**Public Information Centre No 1**  
**6:00~8:00 PM, November 5, 2015; 80 Mill St N, Waterdown**

The City of Hamilton is interested in your comments and suggestions regarding this project. Please take a few minutes to complete this comment sheet. All comments will be considered. For more information about this project, please contact the Project Mangers below.

**PUBLIC INFORMATION CENTRE QUESTIONNAIRE**

Your answers to the following questions will help ensure future meetings take into account any concerns you may have.

**How did you hear about this public meeting?**


Newspaper ad     Notice in mail     Other, please specify: \_\_\_\_\_

**Please indicate your satisfaction with the following:**

	Satisfied (Y/N)	If not Satisfied, please specify your preference here
<i>Location of Meeting</i>		
<i>Time of Meeting</i>		
<i>Day of the Week</i>		

On a scale of 1 to 5, where “1” is “very” and “5” is “not at all”, please rate the following by circling the appropriate number:

How informative was the














# Municipal Class Environmental Assessment Process

This study is being undertaken as a Schedule B project under the Municipal Class Environmental Assessment (EA) Process. The flow chart illustrates the key stages to be undertaken as part of the Class EA process.




# Problem and Opportunity

## Definition of the Problem

Constructed in 1966, the Highway 5 Grindstone Creek bridge in Waterdown is reaching the end of its life span. The City of Hamilton will initiate reconstruction or rehabilitation of the bridge within 10 years. Prior to the commencement of work, this Class EA will identify and evaluate the alternative solutions to permit the replacement and/or potential relocation of existing utilities (water, wastewater, hydro, telephone, etc.) as part of the future bridge rehabilitation works.

Completing these options will require making potential arrangements including consultation with approval agencies, new bridge construction, and land purchasing. Current City land ownership can be seen in the figure on the right.




# Existing Infrastructure

## Existing Utilities

- 500mm Ø sanitary forcemain
- 200mm Ø insulated asbestos cement pipe watermain supported below the deck
- 250mm Ø sanitary sewer
- Bell telecommunications
  - 8 embedded 108mm diameter Bell ducts in the north sidewalk
  - 89mm diameter Bell duct supported on the southern exterior girder that was installed in 2009
- One (1) 76mm diameter electrical duct (transite) in each sidewalk

## Other Infrastructure Notes

- Existing pumping station approximately 300m upstream
- Sanitary system is relatively new
- Watermain - 1 of 4 feeds to the east side of Waterdown
- CP Rail infrastructure, includes CP communications lines and Fiber-optic located approximately 5 feet from the edge of the railway tie/rail



# Existing Environmental Conditions

In 2015, Dougan and Associates completed a natural heritage feature characterization of lands within 120 metres of the bridge over Grindstone Creek. Supporting studies included surveys for breeding birds, reptiles, amphibians, odonates, vegetation communities, flora, fish, and fish habitat as well as an assessment of Significant Wildlife Habitat. In addition, available background information from the City of Hamilton, Conservation Halton, and Ministry of Natural Resources and Forestry (MNR) were reviewed.

## Key Findings

### Biophysical Surveys

- 11 common species of breeding birds were recorded.
- All of the 3 vegetation communities recorded within the study area are common in Southern Ontario.
- Of the 109 species of flora documented, 4 are considered locally significant.
- Eastern Gartersnake was the only reptile species found in the study area.
- Frogs and toads are not breeding within the study area; red-backed salamanders are present in the forest north east of the bridge.
- 3 common species of odonates (dragonflies and damselflies) were recorded, indicating that minimal breeding habitat is present in the study area.
- Fish habitat in the vicinity of Bridge 451 exhibits low-medium fish diversity.

### Natural Heritage Assessment

- Natural heritage features/functions associated with the study area include: Significant Wildlife Habitat, Fish Habitat, and potentially Significant Valleylands (pictured, right)
- A portion of the study area is designated as Escarpment Natural Area and is subject to the Niagara Escarpment Plan.




(Dougan and Associates, 2015)

## Recommendations and Next Steps

The preferred option under the EA will take into consideration the natural heritage features and functions of the surrounding environment and will seek to avoid, minimize, and mitigate potential impacts to the ecological form and function of natural heritage features.

# Archaeological Findings

A Stage 1: Archaeological Background Research report for the Grindstone Creek bridge study area was completed in 2015 by Historic Horizon Inc. This stage of the archaeological assessment involves background research and property inspection, in order to determine the potential for the presence of archaeological heritage resources and known cultural heritage resources.



## Key Findings

- The study area has intermittent archaeological potential in part of the creek ravine, around remaining 19<sup>th</sup> century buildings, and under old parking areas (as illustrated by green shading in the figure).
- A search of the Ontario Sites Database shows 42 registered archaeological sites or findspots within a one kilometre radius of the bridge, the majority being of Aboriginal origin.
- 19<sup>th</sup> century structures include:
  - Probable mills on the islands north and south of the bridge,
  - The Vances' house and barn, and
  - A structure on the east bank of the ravine.

## Recommendations and Next Steps

The proposed works will not result in subsurface impacts and therefore the Stage 2 archaeological assessment would not have to be completed before the conclusion of this study. This study will make a recommendation as to whether a Stage 2 study is required for areas that may have subsurface impacts.




























































































## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of the future bridge rehabilitation activities. This study includes public and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 1

Two (2) PIC sessions will be held in association with this Study. The PIC No. 1 is scheduled for:

**Date:** November 5, 2015  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

Please contact the Project Manager regarding disability accommodation requirements.

This Notice Issued October 29th and November 5, 2015.



Hamilton

**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: \_\_\_\_\_

2. Ministry/Agency/Office: \_\_\_\_\_

3. Address: \_\_\_\_\_

\_\_\_\_\_ Postal Code: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes \_\_\_\_\_ No \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager

City of Hamilton

77 James Street North, Suite 400

Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092

Fax: 905-546-4491

Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

*Thank you for your participation in this study.*

**From:** [Dave Maunder](mailto:Dave.Maunder@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Highway 5 Grindstone Creek bridge  
**Date:** September-26-16 13:59:58

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Friday, August 26, 2016 11:25 AM  
**To:** 'Dave Maunder'  
**Subject:** FW: Highway 5 Grindstone Creek bridge

FYI.....for EA Report and documentation.

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Mott, Nancy (MNRF) [<mailto:Nancy.Mott@ontario.ca>]  
**Sent:** October-30-15 10:17 AM  
**To:** Wang, Winston  
**Subject:** Highway 5 Grindstone Creek bridge

Hello Winston:

After I sent in the NEC response form, our file went missing and I could not find this EA on your website. Would you mind re-sending me the map and the notice regarding this EA?

Thank you so much,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363  
Fax: 905-873-7452  
Cell: 289-839-0106  
Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

Visit the [Niagara Escarpment Commission](#)

**From:** [Katie Jane Harris](#)  
**To:** [Wang, Winston](#)  
**Subject:** Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
**Date:** November-03-15 11:22:48  
**Attachments:** [November 2, 2015 Initial Letter.pdf](#)

---

Good Morning,

Please see attached, Conservation Halton's comments regarding the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design.

Best Regards,

**Katie Jane Harris, B.E.S.**

Environmental Planner

**Conservation Halton**

2596 Britannia Road West, Burlington, ON L7P 0G3

905.336.1158 ext. 2231 | Fax 905.336.7014 | [kjharris@hrca.on.ca](mailto:kjharris@hrca.on.ca)

[conservationhalton.ca](http://conservationhalton.ca)

**Please be advised Conservation Halton's *new* office hours are 8:30-4:00 Mon-Fri as of July 1, 2015**

*Thank you for thinking about the environment before printing this e-mail. If you are not an intended recipient, you must not disclose, copy, or distribute its contents or use them in any way. Please advise the sender immediately and delete this e-mail.*



Hamilton

RESPONSE FORM
City of Hamilton
Municipal Class Environmental Assessment Study
Highway 5 Grindstone Creek Bridge Utility Relocation
And Conceptual Design

1. Contact Name: Katie Jane Harris
2. Ministry/Agency/Office: Conservation Halton
3. Address: 25916 Britannia Rd W
Postal Code: L7P 0G3
Phone No.: 905 336 1158 ext 2231
Email: kjharris@hrea.on.ca

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):
please see attached letter and enclosure

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes [X] No

Signature: Katie Jane Harris Date: Oct 30/15

Please return this form to:
Winston Wang, M. A. Sc., P. Eng.
Project Manager
City of Hamilton
77 James Street North, Suite 400
Hamilton, ON L8R 2K3
Phone: 905-546-2424 ext. 4092
Fax: 905-546-4491
Email: Winston.Wang@hamilton.ca

Thank you for your participation in this study.



905.336.1158  
Fax: 905.336.7014  
2596 Britannia Road West  
Burlington, Ontario L7P 0G3  
conservationhalton.ca

Protecting the Natural  
Environment from  
Lake to Escarpment

November 2, 2015

Mr. Winston Wang, M. A. Sc. P. Eng.  
Water & Wastewater Planning  
City of Hamilton  
71 Main Street West  
Hamilton, ON  
L8P 4Y5

Dear. Mr. Wang:

Re: **Notice of Commencement and Public Information Centre #1  
Schedule 'B' Municipal Class Environmental Assessment  
Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
Conservation Halton File: MPR 686**

Staff of Conservation Halton have reviewed the above noted application as per the following checklist, which includes: Conservation Halton's regulatory responsibilities; the Memorandum of Understanding (MOU) between MNR, MMAH and Conservation Authorities with respect to providing the provincial interest comments related to natural hazards; the MOU between the City of Hamilton and Conservation Halton; and, the Hamilton Harbour Remedial Action Plan Agreement. **The following comments relate strictly to this specific application. Additional items not marked as "applicable" may apply to future applications:**

	<u>Applicable</u>
<b>Conservation Halton Regulation</b>	
Ontario Regulation 162/06	<input checked="" type="checkbox"/>
<b>MNR/MMAH/CA MOU</b>	
Flooding Hazards	<input checked="" type="checkbox"/>
Erosion Hazards	<input checked="" type="checkbox"/>
Dynamic Beach Hazards	<input type="checkbox"/>
Unstable Soil	<input checked="" type="checkbox"/>
Unstable Bedrock	<input checked="" type="checkbox"/>
<b>CA/Hamilton MOA</b>	
Subwatershed/Master Drainage Planning	<input type="checkbox"/>
Endangered and Threatened Species	<input checked="" type="checkbox"/>
Wetlands	<input type="checkbox"/>
Significant Valleylands	<input checked="" type="checkbox"/>
Significant Wildlife Habitat	<input checked="" type="checkbox"/>
Areas of Natural and Scientific Interest	<input type="checkbox"/>
Fish and Fish Habitat	<input checked="" type="checkbox"/>
Sensitive Surface Water Features	<input checked="" type="checkbox"/>
Sensitive Groundwater Features	<input type="checkbox"/>
Stormwater Management	<input checked="" type="checkbox"/>
<b><u>Hamilton Harbour RAP</u></b>	<input checked="" type="checkbox"/>

### Proposal

It is Conservation Halton's understanding that the purpose of this EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of the future bridge rehabilitation activities.

### Ontario Regulation 162/06

As stated within the Notice of Commencement, the bridge traverses a tributary of Grindstone Creek and the hazard lands associated with that watercourse including valleylands and floodplain. Conservation Halton's regulation limit in this area is 15 metres from the limit of the greatest hazard associated with Grindstone Creek. As such, a portion of the subject area is regulated by Conservation Halton pursuant to Ontario Regulation 162/06.

Please note, development within Conservation Halton's regulated area can be restricted and, in some cases, not permitted subject to Conservation Halton's regulatory policies as approved by the Board of Directors. For development that meets Conservation Halton's policies, Ontario Regulation 162/06 requires that a Permit be obtained from Conservation Halton prior to development, interference with wetlands or alterations to shorelines and watercourses.

### MNR/MMAH/CA MOU

Conservation Halton's mandate pursuant to Ontario Regulation 162/06 includes regulating development in hazardous areas such as flooding, erosion, unstable soil and unstable bedrock (karst). Comments pertaining to these categories will be provided under the heading Ontario Regulation 162/06 upon review of the first submission.

### CA/Hamilton MOA

Within Conservation Halton's Memorandum of Agreement with the City of Hamilton, staff have a responsibility to provide technical input on a number of issues. Based on a review of the brief description of works proposed, staff can confirm the following areas of interest: *Endangered and Threatened Species, Significant Valleylands, Significant Wildlife Habitat, Fish and Fish Habitat, Sensitive Surface Water Features and Stormwater Management.*

### Hamilton Harbour Remedial Action Plan


Grindstone Creek is a tributary that outlets into Hamilton Harbour. As such, any proposed development is reviewed in the context of the HHRAP strategies.

### Conclusion

In summary, Conservation Halton looks forward to our continued involvement in the project process, up to and including project implementation.

Staff trust the above is of assistance and would be pleased to meet with the Town to discuss our comments, should that be required.

Best Regards,



Katie Jane Harris  
Environmental Planner  
Encl. 1



**PROTECTING THE NATURAL ENVIRONMENT FROM LAKE TO ESCARPMENT**


2596 Britannia Road West  
Burlington, Ontario L7P 0G3  
Internet Address:  
[www.conservationhalton.on.ca](http://www.conservationhalton.on.ca)

Phone: (905) 336-1158  
Fax: (905) 336-7014  
Email Address:  
[enserv@hrca.on.ca](mailto:enserv@hrca.on.ca)

(ONTARIO REGULATION 97/04)  
REGULATION FOR DEVELOPMENT, INTERFERENCE WITH WETLANDS  
AND ALTERATIONS TO SHORELINES AND WATERCOURSES


**(ONTARIO REGULATION 162/06)  
APPROXIMATE REGULATION LIMIT**

Map Sheet - **0142**



**LEGEND**

- Approximate Regulation Limit / Screening Area
- Regulated Watercourse
- Hydrologic Connection
- HRCA Jurisdiction Limit
- Teranet Property Boundary



**Note on Stream Type Definitions:**  
"Regulated Watercourses" identify surface and subsurface water features that are regulated by Conservation Halton under Ont. Reg. 162/06. "Hydrologic Connections" identify creek features that may/may not be considered fish habitat (direct or indirect) as defined by the Fisheries Act. Conservation Halton does not regulate these connections under Ont. Reg. 162/06.

The text of the Regulation takes precedence over the Approximate Regulation Limit. Some regulated features may not appear on the Approximate Regulation Limit mapping. This mapping should be used for information purposes only and should not be used as a navigation aid. The data displayed are derived from sources with different accuracies and all boundaries should therefore be considered approximate. Data on this map is used under license and is protected by copyright for different organizations, including but not limited to Teranet Enterprises Inc. and The Regional Municipality of Halton. Includes material copyright 2012 of the Queen's Printer for Ontario. All rights reserved. This map is not a plan of survey, nor is it intended for use as a navigation aid. This mapping may not be reproduced without the express written consent of The Halton Region Conservation Authority. Copyright Conservation Halton, May 2012.

**Revision History:**  
Last Update: May, 14th, 2012  
Print Date: May, 15, 2012.

**Previous Updates:**  
• Approximate Regulation Limit - Nov, 10th, 2011  
• Approximate Regulation Limit - Jan, 28th, 2008  
• Approximate Regulation Limit - June 7th, 2007  
• Approximate Regulation Limit - July 25th, 2006  
• Approximate Regulation Limit - April 24th, 2006

**0142**

**From:** [Dave Maunder](mailto:Dave.Maunder@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Grindstone EA Newspaper Ad  
**Date:** September-26-16 13:57:34  
**Attachments:** [20151104111533.pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Wednesday, November 4, 2015 11:18 AM  
**To:** 'Dave Maunder'; 'Chris Denich'  
**Subject:** FW: Grindstone EA Newspaper Ad

FYI.....colorful newspaper ad.....

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

**From:** Wang, Winston  
**Sent:** November-04-15 11:15 AM  
**To:** Wang, Winston  
**Subject:**



Honestly driven.



**A FULL SERVICE AUTOMOTIVE REPAIR FACILITY.** Vehicle safety and emission test centre. Automotive tires and parts centre along with custom racing parts and equipment.




400 Brock Road, Dundas • Ph: 905-627-0224  
 Fax: 905-627-1119 www.grisdale.com

## Utility Relocation Schedule "B" Class Environmental Assessment

### Project Background

The City of Hamilton has initiated a Schedule "B" Class Environmental Assessment (EA) for the relocation of utilities located on the Highway 5 bridge spanning Grindstone Creek and the Canadian Pacific Railway in Waterdown. The purpose of this Class EA is to identify and evaluate alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate yet to be designed future bridge rehabilitation activities. This study includes public, First Nations and Aboriginal Peoples, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study, a Project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the Municipal Engineers Association- Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011).

### Public Information Centre (PIC) No. 1

Two (2) PIC sessions will be held in association with this study. PIC No. 1 is scheduled for:  
 Date: November 5, 2015  
 Time: 6:00 pm to 8:00 pm  
 Location: Knox Presbyterian Church, 80 Mill Street North, Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this project. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

**Winston Wang, M. A. Sc., P. Eng.**  
 Project Manager, City of Hamilton  
 77 James Street North, Suite 400 Hamilton, ON L8R 2K3  
 Phone: 905-546-2424 ext. 4092 Fax: 905-546-4491  
 Email: Winston.Wang@hamilton.ca

Please contact the Project Manager regarding disability accommodation requirements.

This Notice issued on October 29 and November 5, 2015.



## Police Services Board chairman welcomes ban on random checks

by Laura Lennie  
 METROLAND WEST MEDIA GROUP

The chair of Hamilton's police services board says he "absolutely" agrees with the Minister of Community Safety and Correctional Services' plan to outlaw arbitrary, random street checks by the end of the year.

Lloyd Ferguson said the service is on the same page as Yasir Naqvi, who delivered a public statement opposing "any arbitrary or random stops by police simply to collect information when there are no grounds or reason to do so."

"There's got to be a police reason and the police are trained what to look for," Ferguson said on Oct. 23, after watching a YouTube video of Naqvi's comment in the legislature. "This is what the Hamilton police already practise."

Naqvi's declaration was made during an Oct. 22 debate in the legislature, which saw MPPs from across the province speak out against street checks, also known as carding. At the time, they were considering a private member's motion from an NDP MPP to ban arbitrary and random street checks.

"We have heard from the community that street checks, by definition, are arbitrary as well as discriminatory and therefore cannot be regulated; they must simply be ended," said Naqvi, who at the beginning of the summer started a province-wide consultation on how to regulate street checks. "The province agrees that these

types of stops must end."

Naqvi's statement also came after the Hamilton police services board unanimously passed a motion prohibiting random street checks the same day.



Street checks without a clear purpose are prohibited.



Mayor Fred Eisenberger  
 City of Hamilton

The police services board does not condone the unfounded, random and discriminatory stops and street checks of residents," member and Mayor Fred Eisenberger said in support of his motion. "Street checks without a clear purpose are prohibited."

Police Chief Glenn De Caire,

who has insisted interactions with the public are critical to effective policing, "absolutely" supported the motion.

"Our police officers must not activate any of their policing authorities based on race . . . We do not train our officers to participate in the random, indiscriminate stopping of our citizens for information based on race or any of the

see Police pg. 15

ALL RISKS INSURANCE  
 Brokers Limited



Your New  
 Local Source for

Home, Auto and Life Insurance

Call Lynn to compare and **SAVE!!**

Lynn Choma, Managing Partner

311 Dundas St. E., Waterdown • 905-548-3677 • www.allriskswaterdown.com

**From:** [Dave Maunder](mailto:he.s@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Cultural Heritage Comments for Hwy 5 Grinstone Creek Bridge (EA)  
**Date:** September-26-16 13:58:46  
**Attachments:** [Highway 5 Grindstone Creek Bridge Utility Relocation.doc](#)  
[Response Form \(see memo as well\).pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Wednesday, September 7, 2016 9:20 AM  
**To:** 'Dave Maunder'  
**Subject:** FW: Cultural Heritage Comments for Hwy 5 Grinstone Creek Bridge (EA)

Hi Dave,

I may have forgotten to send this information as an attachment.

Thanks,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Tyers, Chelsey  
**Sent:** November-04-15 4:08 PM  
**To:** Wang, Winston  
**Cc:** Smith, Erin  
**Subject:** Cultural Heritage Comments for Hwy 5 Grinstone Creek Bridge (EA)

Hello Winston,

Here are cultural heritage comments for the Hwy 5 Grindstone Creek Bridge Utility Relocation EA.

Let me know if you have any questions. Thanks!

Chelsey Tyers  
Cultural Heritage Planner

Development Planning, Heritage and Design  
City of Hamilton

71 Main Street West, 5th Floor  
Hamilton, ON L8P 4Y5

*Phone:* 905.546.2424 ext. 1202

*E-mail:* [chelsey.tyers@hamilton.ca](mailto:chelsey.tyers@hamilton.ca)



**Hamilton**

Planning and Economic  
Development Department

## Memorandum

**To:** Winston Wang, Project Manager  
Water & Wastewater Planning, Infrastructure Planning & Systems Design

**From:** Chelsey Tyers, Cultural Heritage Planner

**Date:** November 3, 2015 **File:** N/A

**Subject:** Cultural Heritage Comments Regarding Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

---

### Archaeology:

The subject property meets five (5) of the ten criteria used by the City of Hamilton and Ministry of Tourism, Culture and Sport for determining archaeological potential:

- 1) Within 300 metres of a primary watercourse or permanent waterbody, 200 metres of a secondary watercourse or seasonal waterbody, or 300 metres of a prehistoric watercourse or permanent waterbody;
- 2) In an area of sandy soil in areas of clay or stone;
- 3) In areas of pioneer EuroCanadian settlement;
- 4) Along historic transportation routes; and
- 5) Within a property designated under the *Ontario Heritage Act*.

These criteria define the subject area as having archaeological potential. As such an archaeological assessment should be conducted to determine if there are any archaeological concerns.

Staff have reviewed the Stage 1 Archaeological Background Study Report (P042-0438-2015) and concur with the portions of the study area that require a Stage 2 archaeological assessment. Staff request a copy of the letter from the Ministry of Tourism, Culture and Sport when available.

### Built Heritage:

The subject study area boundary includes properties that are located within the Mill Street Heritage Conservation District, designated under Part V of the *Ontario Heritage Act*.

**Subject:** Cultural Heritage Comments Regarding Highway 5  
Grindstone Bridge Utility Relocation Class EA and  
Conceptual Design

**November 3, 2015**  
**Page 2 of 2**

*Act*, and a “protected heritage property” under the Provincial Policy Statement. The heritage attributes of a Heritage Conservation District generally comprise the exterior of all buildings and structures, streetscapes and landscapes.

The properties that fall within the study area boundary include:

- 5 Mill Street South
- 11 Mill Street South
- 15 Mill Street South
- 327 Dundas Street East
- 6 Mill Street north

Any impact upon these protected heritage properties should be considered during the Environmental Study and all negative impact mitigated.



Hamilton

RESPONSE FORM  
City of Hamilton  
Municipal Class Environmental Assessment Study  
Highway 5 Grindstone Creek Bridge Utility Relocation  
And Conceptual Design

- Contact Name: Chelsey Tyers, Cultural Heritage Planner
- Ministry/Agency/Office: Development Planning - Heritage & Design
- Address: 71 Main St West, 5th floor  
Hamilton Postal Code: L8P4Y5  
Phone No.: 905-546-2424 ext. 1202  
Email: chelsey.tyers@hamilton.ca
- Please note specific comments and/or concerns (please attach additional sheets if necessary):  
see attached memo.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes  No

Signature

Date Nov. 3/15

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: Winston.Wang@hamilton.ca

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Grindstone EA - Horizon Comments  
**Date:** September-26-16 13:57:16  
**Attachments:** [20151105115746.pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Thursday, November 5, 2015 12:12 PM  
**To:** 'Dave Maunder'; 'Chris Denich'  
**Subject:** FW: Grindstone EA - Horizon Comments

FYI.....

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

**From:** Wang, Winston  
**Sent:** November-05-15 12:04 PM  
**To:** Wang, Winston  
**Subject:**



October 28, 2015

City of Hamilton  
City Hall  
77 James St N, Suite 400  
Hamilton, ON  
L8R 2K3

Attention: Winston Wang

Re: Environmental Assessment Study for the Highway 5 Grindstone Creek Bridge

In response to your correspondence(s) dated October 9, 2015, please be advised that our Engineering Design Department have reviewed the information concerning the above noted Consent Application and our comment are as follows:

- We have NO objection(s).
- Please be advised, Horizon Utilities would like to be involved in planning for this project.

However, we would like to stipulate the following:

- Do not excavate within two metres of hydro poles and anchors.
- Excavation within one metre of underground hydro plant is not permitted unless approval is granted by a Horizon Utilities representative and is present to provide direct supervision. Cost associated with this task shall be at the owner's expense.
- Horizon Utilities must be contacted if the removal, isolation or relocation of existing plant is required, all cost associated with this work will be at the owners expense.
- CALL BEFORE YOU DIG, arrange for underground hydro cable locate(s) before beginning construction by contacting Ontario One Call @ 1-800-400-2255.
- Clearances from Overhead and Underground existing electrical distribution system must be maintained in according to:
  - Ontario Building Code (1997) Section 3.1 (3.1.18.1)
  - Electrical Safety Code Rule 75-312
  - Occupational Health and Safety Act (OH&SA) - Construction Projects (Electrical Hazards)
  - CAN/CSA-C22.3 No. 1-10, Overhead System
  - C22.3 No. 7- 10 Underground Systems

We trust that you will find this information satisfactory and that the information contained within will be provided to the owner of this project. Should you have any questions regarding this response, please contact Paul Wardell at 905-522-6611 ext 4724 in our Engineering Design Department.

Sincerely,

A handwritten signature in cursive script, appearing to read "Scott Beaudrie".

Scott Beaudrie  
Supervisor, Engineering Design

**From:** [Slattery, Barbara \(MOECC\)](#)  
**To:** [Wang, Winston](#)  
**Cc:** [Whitelaw, Clarissa \(MOECC\)](#)  
**Subject:** Acknowledgement letter for NOC, Grindstone Bridge Utility Relocation EA  
**Date:** November-05-15 13:02:07  
**Attachments:** [image001.gif](#)  
[GrindstoneBridgeBacklet.docx](#)  
[Attachment\\_Template Response to Notice of Commencement\\_2015.May.7.docx](#)

---

Attached to this email, please find an acknowledgement letter which provides some guidance for undertaking the EA study.

Best Regards,

Barb Slattery, EA/Planning Coordinator  
[Ministry of the Environment and Climate Change](#)  
West Central Region  
(905) 521-7864



November 5, 2015

Mr. W. Wang  
Water and Wastewater Planning  
Hamilton Water Division, Public Works Department  
77 James Street North, Suite 400  
Hamilton, Ontario  
L8R 2K3

Dear Mr. Wang:

Re: **Response to Notice of Commencement  
Schedule "B" MEA Study  
Highway 5 Grindstone Creek Bridge Utility Relocation**

This letter is our response to the Notice of Commencement for the above noted project. This response acknowledges that the City of Hamilton has indicated that its study is following the Schedule "B" process under the MEA Class EA in order to identify, evaluate and determine the preferred alternative for addressing the state of this bridge and associated infrastructure. Thank you for the opportunity to comment on this project.

Based on the information submitted, we have identified the following key project details with respect to the proposed undertaking:

As this is a water crossing, the following may be relevant:

- If the construction involves any dewatering, storage or diversion of water in excess of 50,000 litres per day a Permit to Take Water is required from this office. This could include dewatering behind coffer dams, diversion of creek flow to allow work in the dry, or creation of a settling pond.
- Guidance on nearshore construction and dredging may be obtained from this Ministry's *Guidelines for Evaluating Construction Activities Impacting on Water Resources* dated January 1995 and *Evaluating Construction Activities Impacting on Water Resources, Part III A, Part III B, and Part III C* dated February 1994. Where dredging is required, consideration should be given to appropriate storage, handling, dewatering and disposal of excavated material.
- Appropriate mitigation measures should be considered prior to construction. For example: machinery should not operate directly in a watercourse; refuelling of all vehicles and equipment should be done away from watercourses; adequate

erosion and sedimentation controls must be incorporated into the planning and construction for the project; the time of excavation to restoration must be kept to a minimum; disturbed shoreline should be stabilized as soon as possible; removal of vegetation from the right-of-way should be kept to a minimum; materials removed and stockpiled such as excavated soil, sediment and backfill material must be placed above the high water mark and contained in a manner to ensure sediment does not enter the waterway; all fill must be composed of clean, coarse material acceptable for open water disposal. Long term erosion and water quality impairment must not occur as a result of this project.

- Tarpaulins, traps or enclosures should be used during bridge demolition to prevent debris from entering the watercourse. Any debris inadvertently dropped in the water must be collected and deposited onshore in an approved location expeditiously. Cutting or drilling fluids must be prevented from entering the watercourse and must be properly disposed of.
- Any fill must be in accordance with this Ministry's *Fill Quality Guidelines for Lakefilling in Ontario*.
- Waste materials generated during the course of construction must be handled in accordance with this Ministry's *Protocol for the Management of Excess Materials in Road Construction and Maintenance*. The principles of this protocol are included in OPSS 180.
- All spills that could potentially cause damage to the environment should be reported to the Spills Action Centre of the Ministry of Environment and Energy at 1-800-268-6060.

Also, depending upon the bridge's age, it is strongly recommended that you ensure that a Notice of Commencement has been sent to the Ministry of Tourism, Culture and Sport to ensure that you are advised of any requirements that may be triggered due to age, for the assessment of heritage and cultural resource value.

### **Consultation with First Nation and Métis Communities**

Your proposed project may have the potential to affect Aboriginal communities who hold or claim Aboriginal or treaty rights protected under Section 35 of Canada's *Constitution Act* 1982. The Crown has a duty to consult First Nation and Métis communities when it knows about established or credibly asserted Aboriginal or treaty rights, and contemplates decisions or actions that may adversely affect them.

Although the Crown remains responsible for ensuring the adequacy of consultation with potentially affected Aboriginal communities, it may delegate procedural aspects of the consultation process to project proponents.

The environmental assessment process requires proponents to consult with interested persons and government agencies, including those potentially affected by the proposed project. This includes a responsibility to conduct adequate consultation with First Nation and Métis communities. The Ministry relies on consultation conducted by proponents when it assesses the Crown's obligations and directs proponents during the regulatory process. Where the Crown's duty to consult is triggered in relation to your proposed project, the Ontario Ministry of the Environment is delegating the procedural aspects of rights-based consultation to you through this letter.

Steps that you may need to take in relation to Aboriginal consultation for your proposed project are outlined in the attached "Aboriginal Consultation Information" document. Please complete the checklist contained there, and keep related notes as part of your consultation record. Doing so will help you assess your project's potential adverse effects on Aboriginal or treaty rights.

You must contact the Director, Environmental Approvals Branch if you have reason to believe that your proposed project may **adversely affect an Aboriginal or treaty right, consultation has reached an impasse**, or if a **Part II Order request** is anticipated. The Ministry will then assess the extent of any Crown duty to consult in the circumstances, and will consider whether additional steps should be taken and what role you will be asked to play in them.

Should you or any members of your project team have any questions regarding the material above, please contact me at (905) 521-7864 or at [Barbara.slattery@ontario.ca](mailto:Barbara.slattery@ontario.ca)

Yours truly,



Barbara Slattery  
EA/Planning Coordinator

Attachment

cc. Clarissa Whitelaw, HDO

## ABORIGINAL CONSULTATION INFORMATION

### *Consultation with Interested Persons under the Ontario Environmental Assessment Act*

Proponents subject to the Ontario *Environmental Assessment Act* are required to consult with interested persons, which may include First Nations and Métis communities. In some cases, special efforts may be required to ensure that Aboriginal communities are made aware of the project and are afforded opportunities to provide comments. Direction about how to consult with interested persons/communities is provided in the Code of Practice: Consultation in Ontario's Environmental Assessment Process available on the Ministry's website:

<https://www.ontario.ca/environment-and-energy/consultation-ontarios-environmental-assessment-process>

As an early part of the consultation process, proponents are required to contact the Ontario Ministry of Aboriginal Affairs' Consultation Unit and visit Aboriginal Affairs and Northern Development Canada's Aboriginal and Treaty Rights Information System (ATRIS) to help identify which First Nation and Métis communities may be interested in or potentially impacted by their proposed projects.

ATRIS can be accessed through the Aboriginal Affairs and Northern Development Canada website:

[http://sidait-atris.aadnc-aandc.gc.ca/atris\\_online/](http://sidait-atris.aadnc-aandc.gc.ca/atris_online/)

For more information in regard Aboriginal consultation as part of the Environmental Assessment process, refer to the Ministry's website:

[www.ontario.ca/government/environment-assessments-consulting-aboriginal-communities](http://www.ontario.ca/government/environment-assessments-consulting-aboriginal-communities)

You are advised to provide notification directly to all of the First Nation and Métis communities who may be interested in the project. You should contact First Nation communities through their Chief and Band Council, and Metis communities through their elected leadership.

### ***Rights-based consultation with First Nation and Métis Communities***

Proponents should note that, in addition to requiring interest-based consultation as described above, certain projects may have the potential to adversely affect the ability of First Nation or Métis communities to exercise their established or credibly asserted Aboriginal or treaty rights. In such cases, Ontario may have a duty to consult those Aboriginal communities.

Activities which may restrict or reduce access to unoccupied Crown lands, or which could result in a potential adverse impact to land or water resources in which harvesting rights are exercised, may have the potential to impact Aboriginal or treaty rights. For assistance in determining whether your proposed project could affect these rights, please refer to the attached "Preliminary Assessment Checklist: First Nation and Métis Community Interest."

If there is likely to be an adverse impact to Aboriginal or treaty rights, accommodation may be required to avoid or minimize the adverse impacts. Accommodation is an outcome of consultation and includes any mechanism used to avoid or minimize adverse impacts to Aboriginal or treaty rights and traditional uses. Solutions could include mitigation such as

adjustments in the timing or geographic location of the proposed activity. Accommodation may in certain circumstances involve the provision of financial compensation, but does not necessarily require it.

For more information about the duty to consult, please see the Ministry's website at:

[www.ontario.ca/government/duty-consult-aboriginal-peoples-ontario](http://www.ontario.ca/government/duty-consult-aboriginal-peoples-ontario)

The proponent must contact the Director, Environmental Approvals Branch if a project may adversely affect an Aboriginal or treaty right, consultation has reached an impasse, or if a Part II Order or an elevation request is anticipated; the Ministry will then determine whether the Crown has a duty to consult.

The Director of the Environmental Approvals Branch can be notified either by email with the subject line "Potential Duty to Consult" to [EAASIBgen@ontario.ca](mailto:EAASIBgen@ontario.ca) or by mail or fax at the address provided below:

<b>Email:</b>	<a href="mailto:EAASIBGen@ontario.ca">EAASIBGen@ontario.ca</a> Subject: Potential Duty to Consult
<b>Fax:</b>	416-314-8452
<b>Address:</b>	Environmental Approvals Branch 135 St. Clair Avenue West, 1 <sup>st</sup> Floor Toronto, ON, M4V 1P5

### ***Delegation of Procedural Aspects of Consultation***

Proponents have an important and direct role in the consultation process, including a responsibility to conduct adequate consultation with First Nation and Métis communities as part of the environmental assessment process. This is laid out in existing environmental assessment codes of practice and guides that can be accessed from the Ministry's environmental assessment website at

[www.ontario.ca/environmentalassessments](http://www.ontario.ca/environmentalassessments)

The Ministry relies on consultation conducted by proponents when it assesses the Crown's obligations and directs proponents during the regulatory process. Where the Crown's duty to consult is triggered, various additional procedural steps may also be asked of proponents as part of their delegated duty to consult responsibilities. In some situations, the Crown may also become involved in consultation activities.

Ontario will have an oversight role as the consultation process unfolds but will be relying on the steps undertaken and information you obtain to ensure adequate consultation has taken place. To ensure that First Nation and Métis communities have the ability to assess a project's potential to adversely affect their Aboriginal or treaty rights, Ontario requires proponents to undertake certain procedural aspects of consultation.

The proponent's responsibilities for procedural aspects of consultation include:

- Providing notice to the elected leadership of the First Nation and/or Métis communities (e.g., First Nation Chief) as early as possible regarding the project;

- Providing First Nation and/or Métis communities with information about the proposed project including anticipated impacts, information on timelines and your environmental assessment process;
- Following up with First Nation and/or Métis communities to ensure they received project information and that they are aware of the opportunity to express comments and concerns about the project. If you are unable to make the appropriate contacts (e.g. are unable to contact the Chief) please contact the Environmental Assessment and Planning Coordinator at the Ministry's appropriate regional office for further direction.
- Providing First Nation and/or Métis communities with opportunities to meet with appropriate proponent representatives to discuss the project;
- Gathering information about how the project may adversely impact the relevant Aboriginal and/or Treaty rights (for example, hunting, fishing) or sites of cultural significance (for example, burial grounds, archaeological sites);
- Considering the comments and concerns provided by First Nation and/or Métis communities and providing responses;
- Where appropriate, discussing potential mitigation strategies with First Nation and/or Métis communities;
- Bearing the reasonable costs associated with these procedural aspects of consultation, which may include providing support to help build communities' capacity to participate in consultation about the proposed project.
- Maintaining a Consultation Record to show evidence that you, the proponent, completed all the steps itemized above or at a minimum made meaningful attempts to do so.
- Upon request, providing copies of the Consultation Record to the Ministry. The Consultation Record should:
  - summarize the nature of any comments and questions received from First Nation and/or Métis communities
  - describe your response to those comments and how their concerns were considered
  - include a communications log indicating the dates and times of all communications; and
  - document activities in relation to consultation.

Successful consultation depends, in part, on early engagement by proponents with First Nation and Métis communities. Information shared with communities must be clear, accurate and complete, and in plain language where possible. The consultation process must maintain sufficient flexibility to respond to new information, and we trust you will make all reasonable efforts to build positive relationships with all First Nation and Métis communities contacted. If you need more specific guidance on Aboriginal consultation steps in relation to your proposed project, or if you feel consultation has reached an impasse, please contact the Environmental Assessment and Planning Coordinator at the Ministry's appropriate regional office.

## Preliminary Assessment Checklist: First Nation and Métis Community Interests and Rights

In addition to other interests, some main concerns of First Nation and Métis communities may pertain to established or asserted rights to hunt, gather, trap, and fish – these activities generally occur on Crown land or water bodies. As such, projects related to Crown land or water bodies, or changes to how lands and water are accessed, may be of concern to Aboriginal communities.

Please answer the following questions and keep related notes as part of your consultation record. “Yes” responses will indicate a potential adverse impact on Aboriginal or treaty rights.

Where you have identified that your project may trigger rights-based consultation through the following questions, you should arrange for a meeting between you and the Environmental Assessment and Planning Coordinator at the Ministry's appropriate regional office to provide an early opportunity to confirm whether Ontario's duty to consult is triggered and to discuss roles and responsibilities in that event.

	YES	NO
<p>1. Are you aware of concerns from First Nation and Métis communities about your project or a similar project in the area?</p> <p>The types of concerns can range from interested inquiries to environmental complaints, and even to land use concerns. You should consider whether the interest represents on-going, acute and/or widespread concern.</p>		
2. Is your project occurring on Crown land, or is it close to a water body? Might it change access to either?		
3. Is the project located in an open or forested area where hunting or trapping could take place?		
4. Does the project involve the clearing of forested land?		
5. Is the project located away from developed, urban areas?		
<p>6. Is your project close to, or adjacent to, an existing reserve?</p> <p>Projects in areas near reserves may be of interest to the First Nation and Métis communities living there.</p>		
7. Will the project affect First Nations and/or Métis ability to access areas of significance to them?		
<p>8. Is the area subject to a land claim?</p> <p>Information about land claims filed in Ontario is available from the Ministry of Aboriginal Affairs; information about land claims filed with the federal government is available from Aboriginal Affairs and Northern Development Canada.</p>		
9. Does the project have the potential to impact any archaeological sites?		

**From:** [Dave Maunder](mailto:Dave.Maunder@hamilton.ca)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Commencement and Public Information Centre 1 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:56:32  
**Attachments:** [image001.jpg](#)

---

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Friday, November 6, 2015 11:55 AM  
**To:** 'Dave Maunder'; 'Chris Denich'  
**Subject:** FW: Notice of Commencement and Public Information Centre 1 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

FYI.....

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Mark LaForme [<mailto:Mark.LaForme@newcreditfirstnation.com>]  
**Sent:** November-06-15 11:48 AM  
**To:** Wang, Winston  
**Cc:** Megan DeVries  
**Subject:** RE: Notice of Commencement and Public Information Centre 1 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Hello Winston, it was a pleasure speaking with you.

Would you please sent the Phase 1 Archaeological Report Regarding this project to: Megan DeVries, MNCFN Department of Consultation and Accommodation Archaeological Coordinator. Her email is: [megan.devries@newcreditfirstnation.com](mailto:megan.devries@newcreditfirstnation.com)

Thank you Winston,

Mark

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Friday, October 09, 2015 11:31 AM  
**Cc:** 'Dave Maunder'  
**Subject:** Notice of Commencement and Public Information Centre 1 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

The City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge rehabilitation activities.

We have enclosed for your information a copy of the Notice of Commencement and Public Information Centre (PIC) 1, which will appear in the Flamborough Review on October 29 and November 5, 2015. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **November 5, 2015**.

Thanks,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Stage 1 Archaeological Study Report for Highway 5 Grindstone Bridge Utility Relocation Class EA  
**Date:** September-26-16 13:55:39  
**Attachments:** [image001.jpg](#)

---

**From:** Wang, Winston [mailto:[Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)]  
**Sent:** Friday, August 26, 2016 11:17 AM  
**To:** 'Dave Maunder'  
**Subject:** FW: Stage 1 Archaeological Study Report for Highway 5 Grindstone Bridge Utility Relocation Class EA

FYI.....for EA Report appendix.

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Megan DeVries [mailto:[Megan.DeVries@newcreditfirstnation.com](mailto:Megan.DeVries@newcreditfirstnation.com)]  
**Sent:** November-06-15 11:58 AM  
**To:** Wang, Winston  
**Subject:** RE: Stage 1 Archaeological Study Report for Highway 5 Grindstone Bridge Utility Relocation Class EA

Thank you!

Megan DeVries, M.A.  
Archaeological Coordinator  
Department of Consultation and Accommodation  
Mississaugas of the New Credit First Nation

**Phone:** (905) 768-4260  
**Cell:** (289) 527-2763  
**Email:** [megan.devries@newcreditfirstnation.com](mailto:megan.devries@newcreditfirstnation.com)

*This e-mail and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this e-mail are*

*solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.*

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Friday, November 06, 2015 11:54 AM  
**To:** Megan DeVries  
**Subject:** Stage 1 Archaeological Study Report for Highway 5 Grindstone Bridge Utility Relocation Class EA

Good Morning Megan,

Please find the attached Stage 1 Archaeological Study Final Report for Highway 5 Grindstone Bridge Utility Relocation Class Environmental Assessment (EA). If you have any concerns, please let me know.

Thanks,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Minkin, Dan \(MTCS\)](#)  
**To:** [Wang, Winston](#)  
**Subject:** Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design - MTCS Comments  
**Date:** November-20-15 11:08:22  
**Attachments:** [2015-11-19 - Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design - MTCS Coments.pdf](#)

---

Please see attached.

**Dan Minkin**

Heritage Planner

Ministry of Tourism, Culture and Sport

Culture Division | Programs and Services Branch | Culture Services Unit

401 Bay Street, Suite 1700

Toronto, Ontario M7A 0A7

Tel. 416.314.7147 | Fax. 416.314.7175

**Ministry of Tourism,  
Culture and Sport**

Culture Services Unit  
Programs and Services Branch  
401 Bay Street, Suite 1700  
Toronto ON M7A 0A7  
Tel: 416 314 7147  
Fax: 416 212 1802

**Ministère du Tourisme,  
de la Culture et du Sport**

Unité des services culturels  
Direction des programmes et des services  
401, rue Bay, Bureau 1700  
Toronto ON M7A 0A7  
Tél: 416 314 7147  
Télé: 416 212 1802



November 19, 2015 (EMAIL ONLY)

Winston Wang, M. A. Sc., P. Eng.  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON P0P 0P0  
E: Winston.Wang@hamilton.ca

**RE: MTCS file #: 0003811**  
**Proponent: City of Hamilton**  
**Subject: Notice of Commencement**  
**Highway 5 Grindstone Creek Bridge Utility Reocation and Conceptual Design**  
**Location: City of Hamilton, Ontario**

---

Dear Mr. Wang:

Thank you for providing the Ministry of Tourism, Culture and Sport (MTCS) with the Notice of Commencement for your project. MTCS's interest in this EA project relates to its mandate of conserving Ontario's cultural heritage, which includes:

- Archaeological resources, including land-based and marine;
- Built heritage resources, including bridges and monuments; and,
- Cultural heritage landscapes.

Under the EA process, the proponent is required to determine a project's potential impact on cultural heritage resources.

While some cultural heritage resources may have already been formally identified, others may be identified through screening and evaluation. Aboriginal communities may have knowledge that can contribute to the identification of cultural heritage resources, and we suggest that any engagement with Aboriginal communities includes a discussion about known or potential cultural heritage resources that are of value to these communities. Municipal Heritage Committees, historical societies and other local heritage organizations may also have knowledge that contributes to the identification of cultural heritage resources.

#### **Archaeological Resources**

Your EA project may impact archaeological resources and you should screen the project with the MTCS [Criteria for Evaluating Archaeological Potential](#) to determine if an archaeological assessment is needed. MTCS archaeological sites data are available at [archaeologicalsites@ontario.ca](mailto:archaeologicalsites@ontario.ca). If your EA project area exhibits archaeological potential, then an archaeological assessment (AA) should be undertaken by an archaeologist licenced under the *OHA*, who is responsible for submitting the report directly to MTCS for review.

#### **Built Heritage and Cultural Heritage Landscapes**

The MTCS [Criteria for Evaluating Potential for Built Heritage Resources and Cultural Heritage Landscapes](#) should be completed to help determine whether your EA project may impact cultural heritage resources. The Clerk for the City of Hamilton can provide information on property registered or

designated under the *Ontario Heritage Act*. Municipal Heritage Planners can also provide information that will assist you in completing the checklist.

If potential or known heritage resources exist, MTCS recommends that a Heritage Impact Assessment (HIA), prepared by a qualified consultant, should be completed to assess potential project impacts. Our Ministry's [Info Sheet #5: Heritage Impact Assessments and Conservation Plans](#) outlines the scope of HIAs. Please send the HIA to MTCS for review, and make it available to local organizations or individuals who have expressed interest in heritage.

### **Environmental Assessment Reporting**

All technical heritage studies and their recommendations are to be addressed and incorporated into EA projects. Please advise MTCS whether any technical heritage studies will be completed for your EA project, and provide them to MTCS before issuing a Notice of Completion. If your screening has identified no known or potential cultural heritage resources, or no impacts to these resources, please include the completed checklists and supporting documentation in the EA report or file.

Thank you for consulting MTCS on this project: please continue to do so through the EA process, and contact me for any questions or clarification.

Sincerely,

Dan Minkin  
Heritage Planner  
Dan.Minkin@Ontario.ca

It is the sole responsibility of proponents to ensure that any information and documentation submitted as part of their EA report or file is accurate. MTCS makes no representation or warranty as to the completeness, accuracy or quality of the any checklists, reports or supporting documentation submitted as part of the EA process, and in no way shall MTCS be liable for any harm, damages, costs, expenses, losses, claims or actions that may result if any checklists, reports or supporting documents are discovered to be inaccurate, incomplete, misleading or fraudulent.

Please notify MTCS if archaeological resources are impacted by EA project work. All activities impacting archaeological resources must cease immediately, and a licensed archaeologist is required to carry out an archaeological assessment in accordance with the Ontario Heritage Act and the Standards and Guidelines for Consultant Archaeologists.

If human remains are encountered, all activities must cease immediately and the local police as well as the Cemeteries Regulation Unit of the Ministry of Government and Consumer Services must be contacted. In situations where human remains are associated with archaeological resources, MTCS should also be notified to ensure that the site is not subject to unlicensed alterations which would be a contravention of the Ontario Heritage Act.

**From:** [Ontario Region / Région d'Ontario \(CEAA/ACEE\)](#)  
**To:** [Wang, Winston](#)  
**Subject:** E-mail- Hwy 5 Grindstone Creek -11-19-2015  
**Date:** December-10-15 14:34:04  
**Attachments:** [Letter- Hwy 5 Grindstone Creek -11-19-2015.pdf](#)

---

Dear Mr. Wang,

Please find letter attached.

Regards,

**RHIYA SINGH**

Ontario Region | Région de l'Ontario •

Canadian Environmental Assessment Agency | Agence canadienne d'évaluation environnementale •

55 St. Clair Avenue East, Suite 907 Toronto ON M4T 1M2 | 55 avenue St. Clair Est pièce 907 Toronto ON M4T 1M2 •

Government of Canada | Gouvernement du Canada •



Canadian Environmental  
Assessment Agency

Agence canadienne  
d'évaluation environnementale

55 St. Clair Avenue East,  
Room 907  
Toronto ON M4T 1M2

55, avenue St. Clair Est,  
pièce 907  
Toronto ON M4T 1M2

November 19, 2015

Sent by e-mail

Mr. Winston Wang, M.A. Sc., P. Eng.  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R2K3  
[Winston.wang@hamilton.ca](mailto:Winston.wang@hamilton.ca)

Dear Mr. Wang,

**Re: Information on the *Canadian Environmental Assessment Act, 2012***

Thank you for your correspondence regarding Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design.

The *Canadian Environmental Assessment Act, 2012* (CEAA 2012) focuses federal environmental reviews on projects that have the potential to cause significant adverse environmental effects in areas of federal jurisdiction and applies to physical activities described in the *Regulations Designating Physical Activities* (the Regulations). Based on the information provided, your project does not appear to be described in the Regulations. **Kindly review the Regulations to confirm applicability to the proposed project.**

According to section 25 (c) of the Regulations the construction, operation, decommissioning and abandonment of a new all-season public highway that requires a total of 50 km or more of new right of way may require a Federal Environmental Assessment.

If you believe the project is not subject to a federal environmental assessment, and do not submit a project description, we kindly request that you remove the Agency from your distribution list. If you have questions, please get in touch with our office through the switchboard at 416-952-1576. The attachment that follows provides web links to useful legislation, regulation, and guidance documents.

Sincerely,

Anjala Puvananathan  
Director, Ontario Region  
Canadian Environmental Assessment Agency

Attachment – Useful Legislation, Regulation, and Guidance Documents

## **Attachment – Useful Legislation, Regulation, and Guidance Documents**

For more information on CEAA 2012, please access the following links on the Canadian Environmental Assessment Agency's (the Agency) website:

Overview of CEAA 2012

<http://www.ceaa.gc.ca/default.asp?lang=En&n=16254939-1>

Regulations Designating Physical Activities, and  
Prescribed Information for a Description of a Designated Project Regulations

<http://www.ceaa.gc.ca/default.asp?lang=En&n=9EC7CAD2-1>

If your project is in a federally designated wildlife area or migratory bird sanctuary please check section 1 of the Regulations, which details the designated projects specific to those locations.

If it appears that CEAA 2012 may apply to your proposed project, you must provide the Agency with a description of the proposed project. Please see the link below to the Agency's guide to preparing a project description.

Guide to Preparing a Description of a Designated Project

[http://www.ceaa.gc.ca/63D3D025-2236-49C9-A169-DD89A36DA0E6/Guide to Preparing a Description of a Designated Project under CEAA 2012.pdf](http://www.ceaa.gc.ca/63D3D025-2236-49C9-A169-DD89A36DA0E6/Guide%20to%20Preparing%20a%20Description%20of%20a%20Designated%20Project%20under%20CEAA%202012.pdf)



Hamilton

City of Hamilton  
City Hall, 71 Main Street West  
Hamilton, Ontario,  
Canada L8P 4Y5  
www.hamilton.ca

Hamilton Water Division, Public Works Department  
Physical Address: 77 James Street North, Suite 400, Hamilton, Ontario, L8R 2K3  
Phone: 905-546-2424 ext. 2087 Fax: 905-546-4491  
Email: Sharon.MacPherson-Nemeth@hamilton.ca

October 9, 2015

Ms. Louise Knox  
Canadian Environmental  
Assessment Agency  
55 St. Clair Ave. E., Room 907  
Toronto, ON M4T 1M2

**Re: Notice of Commencement and Public Information Centre (PIC) #1  
Schedule 'B' Municipal Class Environmental Assessment Study for the  
Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual  
Design**

Dear Ms. Knox:

The City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment study (Class EA) for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge rehabilitation activities.

We have enclosed for your information a copy of the Notice of Commencement, which will appear in the Flamborough Review on October 29 and November 5, 2015. If your agency/office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **November 5, 2015**.

For further information or if you wish to provide input regarding this project, please contact the undersigned at 905-546-2424 ext. 4092 or via email at ([winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)).

Yours truly,

Winston Wang, M. A. Sc., P. Eng.  
Project Manager, Water & Wastewater Planning



Hamilton

**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: \_\_\_\_\_

2. Ministry/Agency/Office: \_\_\_\_\_

3. Address: \_\_\_\_\_

\_\_\_\_\_ Postal Code: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes \_\_\_\_\_ No \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092

Fax: 905-546-4491

Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)


*Thank you for your participation in this study.*



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of the future bridge rehabilitation activities. This study includes public and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 1

Two (2) PIC sessions will be held in association with this Study. The PIC No. 1 is scheduled for:

**Date:** November 5, 2015  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued October 29th and November 5, 2015.

**From:** [Dave Maunder](mailto:Dave.Maunder@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Shapefiles?  
**Date:** September-26-16 13:52:44

---

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Friday, August 26, 2016 11:19 AM  
**To:** 'Dave Maunder'  
**Subject:** FW: Shapefiles?

FYI.....for EA Report appendix.

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Melanie Vincent [<mailto:melanievincent21@yahoo.ca>]  
**Sent:** January-04-16 5:42 PM  
**To:** Wang, Winston  
**Subject:** Shapefiles?

Hi Winston, our mapping expert needs more information, can you please provide the GPS coordinates of the area? (the 4 "corners" of the area)?  
Thanks!

**Mélanie Vincent, M.Sc.AJS**  
**Cell / SMS: (418) 580-4442**  
[melanievincent21@yahoo.ca](mailto:melanievincent21@yahoo.ca)  
*Gestion MV Management*  
*Gestion de projets / Project Management*

----- Forwarded Message -----

**From:** "Wang, Winston" <[Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)>  
**To:** 'Melanie Vincent' <[melanievincent21@yahoo.ca](mailto:melanievincent21@yahoo.ca)>  
**Sent:** Monday, January 4, 2016 9:57 AM  
**Subject:** RE: Shapefiles?

Hi Melanie,

Since this project lies in a big area and there is no specific boundary for such a small patch in Shapefiles, please see the attached pdf file to get a clear picture where the study area is at. Basically it is the red line boundary in the pdf file, and the green boundary is the main focus, though.

Is this OK?

Winston

---

**From:** Melanie Vincent [<mailto:melanievincent21@yahoo.ca>]  
**Sent:** January-04-16 9:14 AM  
**To:** Wang, Winston  
**Subject:** Re: Shapefiles?

Hi Winston, I am not very familiar with this, but basically, just a simple layer that shows the exact boundaries of the area, this would suffice. Is that possible?

**Mélanie Vincent, M.Sc.AJS**  
**Cell / SMS: (418) 580-4442**  
[melanievincent21@yahoo.ca](mailto:melanievincent21@yahoo.ca)  
*Gestion MV Management*  
*Gestion de projets / Project Management*

---

**From:** "Wang, Winston" <[Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)>  
**To:** 'Melanie Vincent' <[melanievincent21@yahoo.ca](mailto:melanievincent21@yahoo.ca)>  
**Sent:** Monday, January 4, 2016 8:12 AM  
**Subject:** RE: Shapefiles?

Good Morning Melanie,

Happy New Year!

I am wondering which layer(s) of the shapefiles you are interested in for the study area. Could you please be specific as the shapefiles are too large and we can only supply files in certain size?

Regards,

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Melanie Vincent [<mailto:melanievincent21@yahoo.ca>]

**Sent:** January-02-16 3:02 PM

**To:** Wang, Winston

**Subject:** Shapefiles?

Good Day mr. Wang, sorry for the delay in response, we are a very small team and we are overloaded. Concerning the attached letter and further to your call a few week ago, yes we are interested to and we would like to know if the shapefiles of the study area can be sent to us so that we can determine if we have any archaeological sites in the area or its buffer zone. Can we receive them please? Thank you,

**Mélanie Vincent, M.Sc.AJS**

**Cell / SMS: (418) 580-4442**

[melanievincent21@yahoo.ca](mailto:melanievincent21@yahoo.ca)

*Gestion MV Management*

*Gestion de projets / Project Management*

Tina Durand

Secrétaire exécutive du Conseil et du Grand Chef

Conseil de la Nation huronne-wendat

255, Place Chef Michel Laveau

Wendake (Québec) G0A 4V0

418-843-3767



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 8**

**Public Information Centre #1**

**Public Communications**

**November 2015**

**From:** [Dave Maunder](mailto:Dave.Maunder@hamilton.ca)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Replace of Grindstone Bridge Dundas St. Waterdown  
**Date:** September-26-16 14:03:06  
**Attachments:** [\\_WRD000.jpg](#)  
[image001.jpg](#)  
[image002.jpg](#)  
[image003.jpg](#)  
[image004.jpg](#)  
[image005.jpg](#)  
[image006.jpg](#)  
[image007.jpg](#)  
[image008.jpg](#)

---

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Tuesday, October 13, 2015 1:59 PM  
**To:** 'Dave Maunder'  
**Subject:** FW: Replace of Grindstone Bridge Dundas St. Waterdown

FYI.....

---

**From:** [REDACTED]  
**Sent:** October-13-15 1:55 PM  
**To:** Wang, Winston  
**Cc:** Partridge, Judi  
**Subject:** RE: Replace of Grindstone Bridge Dundas St. Waterdown

Thanks for the update Winston. I trust that all of the necessary road infrastructure outlined in Councillor Partridge's e-mail will be in place prior to the bridge replacement in 2018/2019. If this cannot be achieved, the City has a responsibility to advise its taxpayers at the Nov. 5<sup>th</sup> PIC.

Regards,

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** October-13-15 1:26 PM  
**To:** Partridge, Judi <[Judi.Partridge@hamilton.ca](mailto:Judi.Partridge@hamilton.ca)>; [REDACTED]  
**Cc:** Moore, Gary <[Gary.Moore@hamilton.ca](mailto:Gary.Moore@hamilton.ca)>; Yong-Lee, Sally <[Sally.Yong-Lee@hamilton.ca](mailto:Sally.Yong-Lee@hamilton.ca)>; Morrison, Alison <[Alison.Morrison@hamilton.ca](mailto:Alison.Morrison@hamilton.ca)>  
**Subject:** RE: Replace of Grindstone Bridge Dundas St. Waterdown

Hello All,

Thanks Councillor Partridge and Brad for your concerns regarding traffic mitigation during the rehabilitation of the bridge in Waterdown. This is why we are having Public Information Centre (PIC) regarding this project. We will review all the potential options for mitigating traffic issue for each alternative and during each stage of bridge rehab. Therefore, I will be working with our consultants and contacting staff who handling bypass projects for their inputs. Having said this, you are welcome to come to our first PIC on Nov. 5<sup>th</sup> at 80 Mill Street N, Waterdown, from 6:00pm to 8:00pm.

Regards,

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Partridge, Judi  
**Sent:** October-13-15 12:20 PM

**To:** [REDACTED]  
**Cc:** Moore, Gary; Yong-Lee, Sally; Morrison, Alison; Wang, Winston  
**Subject:** RE: replace of Grindstone Bridge dundas St. Waterdown

Hello [REDACTED]

Thank you for the email. I appreciate you taking the time to send your concerns regarding the timing of the replacement of the bridge on Dundas St., just east of Mill St. Waterdown. I'll ask staff on this email to review the email below and respond with how the traffic mitigation will be handled, especially with the timing of the construction of the new East West Bypass corridors, North South Bypass Corridor and upgrade to Parkside Drive. As you have indicated, closing Dundas St. to replace the bridge would create traffic chaos in Waterdown where it is already an issue.

Note, we are in the process of setting up a public meeting for the bridge replacement for a date in November. I'll ask that staff handling the Bypass projects also attend this public meeting as I know there will be lots of concerned residents.

Kind regards,  
Judi

Councillor Judi Partridge  
Ward 15 East Flamborough  
Waterdown, Carlisle, Millgrove  
West to Sydenham Rd ~ North to Conc. 14  
City of Hamilton 905-546-2713  
Admin Alison Morrison 905-546-3944  
[www.hamilton.ca](http://www.hamilton.ca) [www.judipartridge.ca](http://www.judipartridge.ca)

The city of Hamilton Lobbyist Registry is now in effect. Anyone who does not live or own a business in the Ward Councillors riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information:  
[www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)

---

**From:** [REDACTED]  
**Sent:** October-01-15 5:34 PM  
**To:** Partridge, Judi  
**Subject:** RE: Councillor Partridge's September / October 2015 E-NEWS

Hi Judy,

Hope all is well. I have just learned of the need to replace the Dundas St. bridge in 2018/2019. What assurances do the residents of Waterdown have that the proposed road infrastructure (i.e. Parkside Drive, Waterdown Rd. Mountain Brow) will be completed prior to the closure of Dundas Street? I would also like to know if the bridge replacement is time sensitive and whether it can be delayed until such time as 2 very large road projects are completed? Based on the timing in your newsletter, I would be very surprised if both projects can be completed in time.

One last concern Judi, with the Dundas Street closure, how will emergency services (e.g. fire, ambulance) can access to neighbourhoods east of the Grindstone Creek if there is an accident on Parkside Drive? How will the at-grade crossing of the CPR line be dealt with in the event that emergency vehicles need access? There are some serious potential logistical issues here that will need to be addressed so that the residents can have some peace of mind moving forward. Thank you in advance for your consideration of these questions and concerns Judi.

Best regards,

[REDACTED]

---

**From:** Councillor Judi Partridge [<mailto:judi.partridge@hamilton.ca>]  
**Sent:** September-17-15 11:52 AM  
**To:** [REDACTED]  
**Subject:** Councillor Partridge's September / October 2015 E-NEWS

|

[REDACTED]

# Flamborough E-NEWS

Image removed by sender. header



Thursday Sept. 17, 2015

## Dear Residents,


Welcome to the September/October 2015 E-NEWS update. For the next few weeks, with Mayor Fred out of the country, I am honoured to be your Deputy Mayor representing the citizens of Hamilton.

Construction for the Waterdown Rotary Memorial Park Ice Loop began on Sept. 14. Everyone is invited to join me for a **Ground Breaking BBQ Saturday September 19th at 11am**. This is a free community celebration with the Waterdown Rotary Club to celebrate the Ice Loop, which will provide year-round seasonal activities for all ages from winter ice skating to summer rollerblading/basketball. I am pleased to see this project underway. See Community Events for more information.

**All-day bus service has arrived.** Waterdown's Route 18 now features two-way pick-ups running every 30 minutes on weekdays with Saturday hours. See Community Updates for more details.

**Waterdown Library and Flamborough Seniors Centre opening.** The opening of the new Waterdown Library and Flamborough Seniors Recreation Centre will again be delayed for another six weeks. Although the opening is delayed, furnishings and other details are moving forward.

**Carlisle Arena Upgrades.** The Federal Government through MP David Sweet has announced funding for Carlisle and Beverley Arenas for new elevator towers. The elevator construction slated for 2016 will provide access for more people, especially our elderly and disabled, to enjoy community events. David Sweet was a huge help in securing this



[Sign Up For E-NEWS](#)



[Forward To A Friend](#)



## Stay Connected



## Videos



funding, and we are all very grateful.

**New Stop Lights.** A stop light is being added to the Flamborough Centre intersection of Centre Road and Concession 6. The project has a projected completion date of mid-October. It will include a fully functioning light with wide ladder crosswalks for added pedestrian safety. The next phase of improvements will include sidewalks down to the elementary school in 2016. Flamborough Centre, Parent Council, Businesses and Residents in the area have been requesting much needed safety improvements, and I am pleased to see these improvements underway. A new full functioning stop light is also being installed on Dundas St. at Riley Street, to be completed by the end of October. This will allow for the proper flow of traffic and access from Riley St. onto Dundas St. In Community Updates, you will see the upgrades to Parkside Drive coming in spring 2016, which will include additional stoplights and pedestrian crosswalks.

**Rural roads being upgraded.** Several rural roads will be resurfaced and upgraded, with bridge work, new stop signs and caution lights. These adjustments are being made in response to resident requests for added safety features. The upgrades to Centre Road/Carlisle Road will move forward to completion with construction to close William Street and final paving and curb work. New intersection lines will also be added to the Carlisle Road intersection at Highway 6.

**Police issuing speeding tickets in rural areas.** Hamilton Police are monitoring vehicle speeds on rural roads in Flamborough, Millgrove, Carlisle, and other areas of Ward 15. In meetings with police, I have expressed that speeding is a resident concern in this Ward, and should remain a priority. Speeders will be ticketed over the next several weeks - please slow down.

**Flamborough Chili Festival is fast approaching.** Mark your calendars for next Tuesday Sept. 22 from 4pm to 8pm to join your community for some great chili and entertainment in support of the Flamborough Women's Resource Centre. Ten local restaurants will prepare their best Chili to compete for awards, so please come and support them. All proceeds will directly support the various FWRC programs for disadvantaged women and their families in Flamborough. See Community Events for more details, and I hope to see you all there!

**We have a number of exciting community developments in the works for 2015/2016, including road work, sidewalks, renovations, and new builds.** For a detailed list, please click [here](#).

With warm regards,

Councillor Judi Partridge  
Flamborough Ward 15  
(905)-546-2713

### **[Ward 15 Community Profile](#)**

Please select the link below to view the City of Hamilton Ward Profile for Ward 15 Flamborough.


The Profile contains an overview of the ward's features, assets and various indicators of socio-demographic characteristics.

[Ward 15 Profile](#)

### **[Police Updates](#)**

Please select the link below to view up-to-date police reports for our community.

[Police Updates](#)



[2015 Community Updates for  
Ward 15](#)



[2015 Waterdown Oh Canada  
Ribfest](#)



[Waterdown Farmers' Market](#)

## **Community Updates**

### **Waterdown Transit**

Tuesday Sept. 8 marked the first day Waterdown's improved all-day bus service.

The new service includes two-way pickups running every 30-minutes on Waterdown Rd., Mill St., Dundas St., Horseshoe Cres., Clappison Ave., Hollybush Dr., Parkside Dr., Spring Creek Dr., Burke St., and service to the Walmart Supercentre. Small commuter buses will be used, and Saturday daytime service times have been added.

Both routes will travel to the Aldershot GO/VIA Station, with connections to Burlington Transit for trips into Burlington and Hamilton. More information and a transit map is available [here](#).

### **New Waterdown Library and Flamborough Seniors Recreation Centre**

The grand opening of the new Waterdown Library and Flamborough Seniors Recreation Centre (163 Dundas Street East) has been delayed. Staff are currently awaiting a shipment of doors for the new facility, which could push the project's expected completion date to November 2015.

The 23,500 square foot, multi-use facility will contain:


- Flamborough Seniors Recreation Centre
- Flamborough Archives run by the Flamborough Heritage Society
- Flamborough Information and Community Service
- Flamborough Municipal Service Centre

The new Waterdown Library's facility has been described by some residents as "a jewel" with "exceptional lighting". We look forward to the grand opening! More information and pictures of the construction are available [here](#).

The current Waterdown Library and the Millgrove Library will remain open until the new facility is ready to open. Once Millgrove Library closes, a Bookmobile will open every Tuesday from 6-8pm outside Millgrove Public School. More information can be found [here](#).

### **Road Improvements in Waterdown**

Image removed by sender.



### **Parkside Drive Improvements**

Construction for the Parkside Drive Improvement Plan will begin in 2015/2016. It will include a three-lane upgrade with continuous centre turning between Main Street West and Highway #6. Further updates will include new sidewalks, bike lanes, three new stoplight intersections and pedestrian crossings. Currently City staff members are designing the plan and negotiating land acquisitions. [Click here for more information.](#)

### **Waterdown East-West Corridor**

Construction for the corridor will begin in 2016/2017 in phases. The corridor will run north from Dundas Street East with a new road up to Parkside Drive between Spring Creek and Evans Road. It will run west on Parkside Drive curving north behind Alexander Place, then west again over to connect with Highway #6 just south of the 5th Concession. The project is currently in the detail design phase. [Click here for more information.](#)

#### **Waterdown North-South Corridor**

Construction for the corridor will begin in 2016/2017. The corridor will run from Craven Avenue in Burlington to Dundas Street East in Waterdown. The project will initially widen Waterdown Road to three lanes, and will also widen Mountain Brow Road to four lanes. In order to complete the project, portions of land will need to be purchased along the corridor. [Click here for more information.](#)

#### **Replacing the Dundas St. CP Pacific bridge**

Construction will start in 2018/2019, and this will be the final phase of the corridor projects. Construction will require road closure, and therefore the construction above must be completed first. This project will include the resurfacing of Dundas St. from the bridge up Vinegar Hill.

#### **Highway 5 & 6 Interchange**

Twelve properties on the west side of Highway 6, south of Parkside Drive, have been purchased by the Ministry of Transportation in preparation for the future Highway 5 and 6 Interchange. The purpose of these improvements is to enhance traffic flow and address future capacity issues within the area. The project's completion is driven by the Ministry of Transportation's Provincial Budget, and therefore the City has no authority over construction timelines. The project is currently in the detail design phase. [Click here for more information.](#)

#### **Keep Hamilton Warm**

Fall is fast approaching, which means that cooler weather is on its way. As you go through your closets for the fall season and back to school, please keep in mind those in need.

If you have any new, gently loved or handmade clothing still in good shape that can be donated, please contact Keep Hamilton Warm. Men's clothing has been going to the Salvation Army Soup Truck. Women's and babies' clothing has been going to the Good Shepherd Women's and Family Shelters. Winter kids clothing will go to Lake Avenue School and Elizabeth Bagshaw School. Donations of wool and knitting supplies are also needed for the knitting group, who knit items for the Good Shepherd Shelters in Hamilton.

Please email [keephamiltonwarm@gmail.com](mailto:keephamiltonwarm@gmail.com) to discuss a donation, and thank you in advance for your support.

#### **Hamilton's One-Stop for Business**

Located on the first floor of City Hall (71 Main Street West), One-Stop for Business contains resources and assistance for small and medium-sized businesses looking to open and grow in Hamilton. One-Stop includes business licensing and facilitation staff, as well as the Small Business Enterprise Centre (SBEC).

The SBEC, a division of the Economic Development Department, offers guidance, programs and materials for entrepreneurs wishing to start, run or expand their businesses. Through a network of sponsors including the City of Hamilton and the Ministry of Economic Trade and Employment, the SBEC is able to offer access to professionals (lawyers, accountants, marketing consultants, etc.), free consultation sessions, business development seminars, workshops, and programs for entrepreneurs.

For more information on workshops and programs, click [here](#).

#### **Community Events**

##### **Millgrove School Carnival**

**When:** Thursday September 17th, 2015

**Time:** 4pm - 8pm

**Where:** Millgrove Elementary School, 375 Concession 5 West

Everyone is invited to attend the Millgrove School Carnival on Thursday September 17th from 4 - 8pm! The school hopes to raise enough funds at the carnival for resources and school activities for the 2015-2016 school year. The School Council will use the money for school trip subsidies, educational resources and playground maintenance and improvement. Money will also be used to fund two long held Millgrove School traditions - the annual Christmas Dinner & Skate and the annual Go-for-Green Day.

So come on out for amazing food, games and inflatable fun in support of Millgrove students!

### **Waterdown Farmers' Market**

**When:** Every Saturday from May 30th to October 24th

**Time:** 8am - 1pm

**Where:** Parking lot of the Waterdown Royal Canadian Legion, 79 Hamilton Street North

The highly anticipated Waterdown Farmers' Market will be back again this spring, bringing urban and rural communities together. Local vendors bring products ranging from fruit, vegetables, artisan cheese, organic wine, free-range eggs, tea, artisan bread, pastries and ethically raised antibiotic and hormone-free meat. The market offers an even mix of organic and conventional vendors, an on-site fair trade organic coffee cafe, live music and free parking. Come one, come all!

### **Waterdown Rotary Memorial Park Ice Loop**

**When:** Saturday September 19th, 2015

**Time:** 11am

**Where:** Memorial Park, 200 Hamilton Street

Everyone is invited to attend a special Ground Breaking Ceremony for the much anticipated construction of the Waterdown Rotary Memorial Park Ice Loop on **Saturday Sept. 19 at 11am** in Memorial Park.

Construction of the Waterdown Rotary Memorial Park Ice Loop is being funded in partnership by the City of Hamilton and the Waterdown Rotary Club. The artificial Ice Loop is a multi-use recreational facility, which will host various seasonal activities throughout the year including skating in the winter and rollerblading/basketball in the warmer months. Following the ground breaking ceremony, please stay and enjoy a free barbecue hosted by the Waterdown Rotary to celebrate the Ice Loop!

### **Waterdown Creative Crawl**

**When:** Saturday September 19th, 2015

**Time:** 10am - 4pm

**Where:** Creativworks Art Studio - 23 Main Street South, Waterdown

Everyone is invited to tour local businesses in downtown Waterdown this Saturday as part of the Waterdown Creative Crawl! Visit participating merchants to receive a passport and stamps at each location. All passports will be entered into a draw to receive 1 of 8 free fall programs!

#### **Participating merchants include:**

- Beanermonkey chocolates - chocolate making classes
- Yoga Shala - yoga classes
- Bliss Resturant- health and wellness food
- The Creative Hub
  - Creative insight pottery - pottery classes
  - Creativworks art studio- visual art classes
- Kinstruct Health - wellness services
- Waterdown Jewellers - jewelry classes
- Copper Kettle Cafe - entertainment

Ice cream from Laurel's freezer will be available at the Waterdown Farmers' Market. Face painting, henna, art and pottery demonstrations as well as food and refreshments will also be offered along the crawl. We hope to see you there!

### **Waterdown Terry Fox Run**

**When:** Sunday September 20th, 2015

**Time:** Registration will begin at 7:30am and the run will commence at 9am

**Where:** Memorial Park, 200 Hamilton Street

Join your community and run, walk, ride or wheel for cancer research in the annual Terry Fox Run. The route will begin at 9am at Memorial Park and run through Waterdown on a 2.5km and 5km path. All are welcome, and there is no entry fee or minimum pledge. For route information, click [here](#).

### **The Flamborough Women's Resource Centre's Annual Chili Fest**

**When:** Tuesday Sept. 22nd, 2015

**Time:** 4-8pm

**Where:** The Waterdown Legion, 79 Hamilton St N, Waterdown

Everyone is invited to join the Flamborough Women's Resource Centre for their 3rd annual Chili Fest on Tuesday September 22nd, 2015 at the Waterdown Legion. The funds raised will go directly to maintaining and advancing the resources, support, legal advocacy and counselling programs available at the FWRC for women in the Flamborough community.

Last year, over 500 people attended Chili Fest, and the FWRC received tremendous feedback about the evening. This year's event promises to be full of friendly competition and family fun. So please join us for an evening of delicious chili in support a great cause!

### **2015 Annual Sport Volunteer Appreciation Awards Banquet**

**When:** Thursday September 24th, 2015

**Time:** 6pm

**Location:** Hamilton Convention Centre, 1 Summers Lane, Hamilton

The City of Hamilton and SportHamilton are very happy to recognize the many dedicated sport volunteers in the Hamilton Community, including coaches, team builders and event contributors.

More about the event, its criteria, guidelines, nomination process and nomination form for these awards are listed on the SportHamilton Website under Awards & Recognition or by the link below:

<http://www.sporthamilton.com/page/show/1146367-awards-criteria>

### **Carlisle Optimist Club's Learn to Skate Program**

**When:** Friday September 25th from 5-7pm & Saturday September 26th from 9-11am

**Where:** Carlisle Arena, 1496 Centre Road

Boys and girls aged 3-12 are invited to attend the Carlisle Optimist Club's Learn to Skate Program. Please bring your health card, and we look forward to seeing you there!

### **Animal Adoptions of Flamborough 25th Anniversary Celebrations Fundraiser**

**When:** Saturday September 26th, 2015

**Time:** 6pm - 11pm

**Location:** Waterdown Legion Hall, 78 Hamilton St. North, Waterdown

Everyone is invited to attend the Animal Adoptions of Flamborough's 25th Anniversary Celebration Fundraiser on September 26th at the Waterdown Legion! The night will include a dinner buffet, cash bar, silent auction and lots of dancing!

Tickets are on sale for \$20 until September 1st. All Tickets purchased will be eligible to win the door prize, a diamond ring valued at \$2900.00!

FOR TICKETS: contact either [Anadoptflam@bell.net](mailto:Anadoptflam@bell.net) or call 905-689-4972

So come on out and support an incredible cause!

For more information [click here](#).

### **Stride for Strays 2015!**

**When:** Saturday October 3rd, 2015

**Time:** Registration begins at 10:30am and the walk begins at 11am

**Where:** Joe Sam's Leisure Park, 752 Centre Road

Clappison Animal Hospital is hosting its annual 5km charity dog walk on Saturday October 3rd. All proceeds go to the Animal Adoptions of Flamborough. All dogs must be on a leash, and walkers without dogs are welcome. Participant bags will be given out at registration, and prizes will be awarded for several walking categories including first place, oldest dog, youngest dog, generosity award for top donor, underdog award for the last one to finish, and more.

Following the dog walk, please join Clappison Animal Hospital for their **Annual Open House from 1pm-4pm** at their clinic at 780 Hwy 6 North, Waterdown. The Open House will include raffles, pet portraits, clinic tours, agility, dancing, and advanced demonstrations from McCann's and K9 Case.

A shuttle service will be available from Clappison Animal Hospital, leaving at 10:30am to the park. It will then leave the park at 12:30pm to go back to Clappison Animal Hospital.

More information available [here](#). Come on out in support of a great cause!

### **Roast Beef Dinner at the Millgrove United Church**

**When:** Saturday October 3rd, 2015

**Time:** 6pm

**Where:** Millgrove United Church, 370 Concession 5 West, Millgrove

Come on out and enjoy a delicious roast beef dinner at the Millgrove United Church! Tickets cost \$18 for general admission and \$8 for children under 10 years.

Call Shirley at 905-689-8617 for tickets today!

### **All Candidates Federal Election Debate - Waterdown High School**

**When:** Wednesday October 7th, 2015

**Time:** 7pm

**Where:** Waterdown District High School, 215 Parkside Drive

Everyone is invited to attend the Federal Election All Candidates Debate hosted by the Flamborough Chamber of Commerce in partnership with

COGECO Community Television and the Flamborough Review. The debate will be taped for broadcast before the October 19 election by TV COGECO in Burlington, and has been timed purposely to allow extensive coverage in the last edition of the Flamborough Review before election day.

This is a community debate, and the public is invited to attend and participate with questions for the candidates.

### **Flamborough Food Bank Thanksgiving Food Drive**

**When:** Thanksgiving weekend October 9th-12th

**Time:** During Rockton World Fair hours ([details here](#))

**Where:** Rockton World Fair - 812 Old Hwy 8, Rockton

The Flamborough Food Bank in partnership with the Rockton World Fair will be accepting food donations at the fair to support families in need. Please bring your donations to the fair in support of this great cause!

In addition, the Flamborough Food Bank is seeking volunteers for the weekend at the fair as well as a space to sort the food collected. Please call (905)-690-1036 or email [flamborough1@hotmail.com](mailto:flamborough1@hotmail.com) if you can help!

### **Flamborough AM Rotary Club's 10th Annual Oktoberfest**

**When:** Saturday October 17th, 2015

**Time:** 6pm

**Where:** St. Thomas Church Hall - 715 Centre Road

Have you picked up your tickets yet for the Flamborough AM Rotary Club's 10th Annual Oktoberfest celebration? Join the Flamborough AM Rotary for great food, music and lots of fun. All funds raised go to support Rotary projects in our community and around the world.

Tickets are only \$50 and are available at Canadian Tire (11 Clappison Avenue) or call 905-689-7479. For more information, click [here](#).

### **Flamborough Horticultural Society Annual October Meeting**

**When:** Wednesday October 21st, 2015

**Time:** 7:30pm

**Where:** Strabane United Church Hall - 1565 Brock Rd

The Flamborough Horticultural Society meets once a month on the third Wednesday of every month except in July, August and December. They have speakers every month, bus trips, garden tours throughout the summer, and flower show contests for members. Membership is just \$12.00 a year with an Early Bird special in October and November of \$10.00. All ages over 15 are welcome - come one come all!

### **Waterdown - East Flamborough Heritage Society Annual Book Fair**

**When:** Saturday November 7th, 2015

**Time:** 9:30 am - 2:30 pm

**Where:** St. James United Church Fellowship Hall, 306 Parkside Drive

Everyone is invited to attend the Waterdown-East Flamborough Heritage Society's Annual Book Fair. The event will include two seminars on Genealogy by Ruth Blair entitled 'Beginning Your Genealogy' and 'Researching Your Halton and Wentworth County

Ancestors'. She will begin at 10am. Admission is free, parking is free and lunch will be made available. Hope to see you there!

### **Pursapalooza!**

**When:** Thursday November 12th, 2015

**Where:** The Bay City Music Hall - 50 Leander Drive, Hamilton

Hamilton's Phoenix Place would like to invite everyone to attend their fabulous fundraising event - Pursapalooza! All proceeds from the event will go directly to supporting their programs for disadvantaged women and children in Hamilton. The evening will consist of amazing food, entertainment, prizes and a celebrity purse auction! Hope to see everyone out in support of a great cause! For tickets and additional details, please contact the Phoenix Place at (905) 527-2238.

### **Christmas Tree Lighting**

**When:** Saturday November 21st, 2015

**Time:** 3pm - 7pm

**Where:** Sobeys Plaza, 255 Dundas Street East

Join your community and the Waterdown BIA for the annual Christmas Tree Lighting celebration outside the Sobeys plaza. More details to come!

### **Flamborough Santa Claus Parade**

**When:** Saturday November 28th, 2015

**Time:** 6:30pm

**Where:** [Click here for route information](#)

Join your community for the annual Flamborough Santa Claus Parade! The parade starts at 6:30pm on Hamilton Street at Rockhaven Lane, and will wind through beautiful downtown Waterdown, ending at the corner of Hamilton Street and Parkside Drive. Bring your family, friends and blankets, and cozy up to enjoy holiday floats, entertainment and delicious treats.

The parade is always in need of volunteers and donors. To contribute, please click [here](#).

### **Flamborough Women's Resource Centre**

The Flamborough Women's Resource Centre (FWRC) has a variety of services and programs for women. To begin, individual Counselling supports women in making life decisions that are good for them. Specialized counselling for women who have, or are experiencing, mental or physical abuse is also available. The Transitional Support Program is available to link women to a variety of Flamborough community resources including assistance with housing supports. Legal advocacy assists women in navigating today's complicated legal systems including police, legal aid, family law, custody issues and immigration law. All of these services are private and confidential and located at the FWRC in Waterdown.

Contact Chelsea Clark-Martin for further details at (289)-895-8580.

### **Flamborough Food Bank**

**Location:** Carlisle United Church  
1432 Centre Road, Carlisle

**Hours:** Every Wednesday from 1pm-3pm and 7pm-8:30pm

The Flamborough Food Bank (FFB) is a not-for-profit, community based organization that supplements individual and family household food and personal care needs through community donations and resources.

The FFB is open to anyone who is in need of food or personal care supplements. It also offers holiday assistance including Easter,

Thanksgiving and Christmas food hampers.

Clients can only be registered with one food bank in the Hamilton area.  
Clients are welcome to come in every two weeks.

To register as a client, please fill out a registration form at the Carlisle United Church. The registration process requires: Photo ID, proof of residency, proof of income and major expenses.

For more information, please click [here](#).

### **Food With Grace, Waterdown Food Bank**

**Location:** Grace Anglican Church  
157 Mill Street North, Waterdown

The Waterdown Food Bank is open to those in need every Tuesday from 2-6pm or by appointment. The Waterdown Food Bank has helped many residents over the years through difficult times, and continues to be a valued community service.

To contact the organization, please call (905)-966-7900 or email [foodwgrace@graceanglicanwaterdown.org](mailto:foodwgrace@graceanglicanwaterdown.org)

### **BizConX Networking**

BizConX - Waterdown is a FREE business to business networking group. Every month we host a FREE business networking event that gives you the opportunity to meet other local business professionals, executives, business owners and entrepreneurs.

If you are looking to grow your business, make new connections, and meet potential new clients, then this is the MUST ATTEND event for you!

At BizConX - Waterdown our goal is to connect, promote and support local Hamilton businesses by offering a no obligation, no pressure, FREE monthly networking event.

Join our MeetUp group today and come to our next event to see why this is the place for you!

To sign-up, please click [here](#).

For more local events, please visit:

The Flamborough Review's Events Calendar  
<http://www.flamboroughreview.com/whats-on/events/>

The Waterdown Legion Events  
<http://www.waterdownlegion.ca/16769/Whats-Going-On.htm>

Sincerely,

Councillor Judi Partridge  
Ward 15  
(905)-546-2713  
[www.judipartridge.ca](http://www.judipartridge.ca)  
Building Flamborough Together



Councillor Judi Partridge | [judi.partridge@hamilton.ca](mailto:judi.partridge@hamilton.ca)



[Forward this email](#)



This email was sent to [bbricker@cogeco.ca](mailto:bbricker@cogeco.ca) by [judi.partridge@hamilton.ca](mailto:judi.partridge@hamilton.ca) | [Update Profile/Email Address](#) | Rapid removal with [SafeUnsubscribe™](#) | [About our service provider](#).



Councillor Judi Partridge | 71 Main Street West | Hamilton | L8P 4Y5 | Canada



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 9**

**Public Information Centre #2**

**Notice of Commencement**


**April 2016**



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of the future bridge rehabilitation activities. This study includes public and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued April 21 and April 28, 2016.



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 10**

**Public Information Centre #2**

**Sign-in Sheet**

**April 2016**



Hamilton

City of Hamilton  
City Hall, 71 Main Street West,  
Hamilton, Ontario,  
Canada L8P 4Y5  
www.hamilton.ca

Hamilton Water Division, Public Works Department  
Physical Address: 77 James Street North, Suite 400, Hamilton ON L8R 2K3  
Phone: 905.546.2424 ext. 4092 Fax: 905.546.4491  
Email: winston.wang@hamilton.ca

**Utility Relocation Schedule "B" Class Environmental Assessment**  
**Public Information Centre No 2**  
(6:00 PM ~ 8:00 PM; May 3, 2016)

**SIGN IN SHEET**

Thank you for attending the Public Information Centre. Please print legibly.

Name	Address	Phone	E-mail
[Redacted]	James St N	[Redacted]	
[Redacted]	"	"	
[Redacted]	George St	[Redacted]	
[Redacted]	ssauga	[Redacted]	r
[Redacted]	James St. N.	[Redacted]	
[Redacted]	Borough Review	[Redacted]	[Redacted] rough review.com
[Redacted]	EDAR ST.	[Redacted]	[Redacted]
[Redacted]	MILL ST. N	[Redacted]	[Redacted]

Personal information on this form is collected in accordance with the Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. Questions regarding the collection of this information may be forwarded to Co-ordinator, Elections and Freedom of Information, City Clerk's Division, 2<sup>nd</sup> Floor, Hamilton City Hall, 71 Main Street West, Hamilton, ON L8P 4Y5. Phone (905) 546-2424 x 7966 Fax: (905) 546-2095 E-mail: [clerk@hamilton.ca](mailto:clerk@hamilton.ca)



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 11**

**Public Information Centre #2**

**Comment Sheets**

**April 2016**





**Comment Sheet**  
**Utility Relocation Municipal Class EA**  
**Public Information Centre No 1**  
**6:00~8:00 PM, May 3, 2016; 80 Mill St N, Waterdown**

The City of Hamilton is interested in hearing the community's comments, questions, concerns and suggestions regarding the Highway 5 Grindstone Creek Utility Bridge Relocation Environmental Assessment Study. Please take a few minutes to complete this brief comment sheet. All comments will be carefully considered in the Environmental Assessment Process.

1. Do you have any comments related to the **evaluation process** used to select the preferred alternative?

---

---

---

---

---

2. Are these any other **alternatives** (other than those shown) that should be considered?

---

---

---

---

---

3. Do you have any comments, concerns, questions or suggestions regarding the **preferred alternative**?

---

---

---

---

---

4. Do you have any comments, concerns, questions or suggestions related to the **potential impacts** and/or **proposed mitigation measures** to address the impacts for this project?

---

---

---

---

---

**PUBLIC INFORMATION CENTRE QUESTIONNAIRE**

Your answers to the following questions will help ensure future meetings take into account any concerns you may have.

**How did you hear about this public meeting?**

Newspaper ad     Notice in mail     Other, please specify: \_\_\_\_\_

**Please indicate your satisfaction with the following:**

	Satisfied (Y/N)	If not Satisfied, please specify your preference here
<i>Location of Meeting</i>		
<i>Time of Meeting</i>		
<i>Day of the Week</i>		

**On a scale of 1 to 5, where "1" is "very" and "5" is "not at all", please rate the following by circling the appropriate number:**

**How informative were the display materials?**

1 (very)    2    3 (somewhat)    4    5 (not at all)

**How helpful were the staff and consultants in attendance?**

1 (very)    2    3 (somewhat)    4    5 (not at all)

**Were all your questions answered satisfactorily?**

Yes       No

Other comments:

---

---

---

---

---

**Thank you for participating in this study!**

*Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information all comments will become part of the public record.*

Please return this completed **Comment Sheet** to our staff at the Registration Table or place in the "Comment Box". You can also mail/fax/email your comments to the Project Managers by **June 3, 2016**:

**Winston Wang, P. Eng., Project Manager**

City of Hamilton

77 James Street North, Suite 400

Hamilton, Ontario L8R 2K3

Phone: 905 546-2424 ext. 4092

Fax: 905 546-4491

Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**Dave Maunder, P. Eng., Project Manager**

Aquafor Beech Ltd.

2600 Skymark Ave, Building 6, Suite 202

Mississauga, Ontario, L4W 5B2

Phone: 905 629-0099 ext. 290

Fax: 905 629-0089

Email: [maunder.d@aquaforbeech.com](mailto:maunder.d@aquaforbeech.com)



**Comment Sheet**  
**Utility Relocation Municipal Class EA**  
**Public Information Centre No 2**  
**6:00~8:00 PM, May 3, 2016; 80 Mill St N, Waterdown, ON**

The City of Hamilton is interested in your comments and suggestions regarding this project. Please take a few minutes to complete this comment sheet. All comments will be considered. For more information about this project, please contact the Project Managers below.

Do you have any general comments? Please let us know your thoughts.

*Supportive of the preferred alternative. However, consideration must be given in the traffic plan to ensure traffic volumes do not increase on the residential streets north of Dundas St. during the construction phase.*

**Thank you for participating in this study.**

Comments and information regarding this study are being collected to assist the City of Hamilton in meeting the requirements of the Environmental Assessment Act. This material will be maintained on file for use during the study and may be included in project documentation. *Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information all comments will become part of the public record.*

Please provide your contact information below should you wish to be added to our Project Mailing List.


Name: \_\_\_\_\_  
 (please print)

Address: \_\_\_\_\_  
 CEDAR ST.  
 PO BOX \_\_\_\_\_  
 WATERDOWN, ON L9R 2H0

Please return this completed **Comment Sheet** to our staff at the Registration Table or place in the 'Comment Box'. You can also mail/fax/email your comments to the Project Managers by **June 3, 2016**:

**Winston Wang, P. Eng., Project Manager**  
 City of Hamilton

**Dave Maunder, P. Eng., Project Manager**  
 Aquafor Beech Ltd.



























# Alternative #2 – Relocation of Existing Utilities

## Description:

For this alternative, all existing utilities would be relocated to a separate utility bridge in advance of the bridge rehabilitation. Relocation of the utilities will allow for an expedited rehabilitation of the bridge.




Approximate Cost: \$2.5 million

Opportunities	Constraints
<ul style="list-style-type: none"> <li>• Reduced bridge closure time during rehabilitation thereby minimizing impact to businesses, residents and traffic</li> <li>• Ease and cost of long term operation and maintenance of utilities is improved (or reduced)</li> <li>• Lowest capital cost of the three alternatives</li> </ul>	<ul style="list-style-type: none"> <li>• Short term partial closures of Grindstone Creek Bridge during construction of utility bridge</li> </ul>
<ul style="list-style-type: none"> <li>• Requires approval from Conservation Halton, Bell Utilities, Union Gas and Canadian Pacific Railway</li> </ul>	

# Alternative #3 – Relocation of Some of the Existing Utilities

## Description:

For this alternative, the existing sanitary forcemain and watermain would be relocated subsurface (under Grindstone Creek) in advance of the bridge rehabilitation. Relocation of the other utilities (bell and sanitary sewer) would be placed on the utility bridge thus allowing for a somewhat expedited rehabilitation/replacement of the bridge.



Approximate Cost: \$3.8 million



Opportunities	Constraints
<ul style="list-style-type: none"> <li>• Somewhat reduced bridge closure time during rehabilitation thereby lessening impact to businesses, residents and traffic</li> </ul>	<ul style="list-style-type: none"> <li>• Higher Capital Cost</li> <li>• Short term partial closures of Grindstone Creek Bridge during construction of utility bridge</li> </ul>
<ul style="list-style-type: none"> <li>• Ease and cost of long term operation and maintenance of utilities is improved (or reduced)</li> </ul>	<ul style="list-style-type: none"> <li>• Requires approval from Conservation Halton and Canadian Pacific Railway</li> <li>• Temporary or permanent acquisition of property may be required .</li> </ul>

# Evaluation of Alternative

Evaluation Criteria	Alternative #1	Alternative #2	Alternative #3
<b>Natural Environment</b>			
• Impact on existing vegetation			
• Impact on erosion & flooding			
• Impact on fish & aquatic habitat			
• Impact on wildlife & terrestrial habitat			
• Impact on groundwater			
<b>Social/Cultural</b>			
• Impact on traffic & transit			
• Impact on businesses			
• Impact on residents (e.g. noise, disruption of services)			

Legend

Least Preferred      Most Preferred      Preferred Alternative

# Evaluation of Alternative


Evaluation Criteria	Alternative #1	Alternative #2	Alternative #3
<b>Economic/Financial</b>			
• Estimated construction cost – including bridge rehabilitation			
• Estimated operation & maintenance cost			
• Potential cost for property acquisition			
<b>Legal/Jurisdictional</b>			
• Need for property acquisition			
• Ease of approvals/potential for delays			
<b>Technical</b>			
• Impact on existing utilities			
• Impact on bridge rehabilitation			
• Ease of construction – including proposed bridge rehabilitation			
• Construction risks (e.g. deep tunnels)			
• Ease of maintenance			
• Coordination with other capital projects			

Legend

Least Preferred                      Most Preferred                      Preferred Alternative

# Archaeological Findings

A Stage 1: Archaeological Background Research report for the Grindstone Creek bridge study area was completed in 2015 by Historic Horizon Inc. This stage of the archaeological assessment involves background research and property inspection, in order to determine the potential for the presence of archaeological heritage resources and known cultural heritage resources.



## Key Findings

- The study area has intermittent archaeological potential in part of the creek ravine, around remaining 19<sup>th</sup> century buildings, and under old parking areas (as illustrated by green shading in the figure).
- A search of the Ontario Sites Database shows 42 registered archaeological sites or findspots within a one kilometre radius of the bridge, the majority being of Aboriginal origin.
- 19<sup>th</sup> century structures include:
  - Probable mills on the islands north and south of the bridge,
  - The Vances' house and barn, and
  - A structure on the east bank of the ravine.

## Recommendations and Next Steps

The proposed works will not result in subsurface impacts and therefore the Stage 2 archaeological assessment would not have to be completed before the conclusion of this Class EA study. This study will make a recommendation as to whether a Stage 2 study is required for areas that may have subsurface impacts.

## Next Steps and Contact Information

After this Public Information Centre, the study team will consider verbal and written comments in order to refine the project problems and opportunities.

For more information on this project, or to submit your comments or feedback, and to be placed on our mailing list, please contact:

**Winston Wang**, M.A., Sc., P. Eng.  
Project Manger, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, Ontario L8R 2K3  
T: 905.546.2424 extension 4092  
winston.wang@hamilton.ca

**Dave Maunder**, MSc., P. Eng.  
Project Manager  
Aquafor Beech Ltd  
#6-202 2600 Skymark Avenue  
Mississauga, Ontario L4W 5B2  
T: 905.629.0099 extension 290  
maunder.d@aquaforbeech.com

**Thank You for Participating**



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 13**

**Public Information Centre #2**

**Agency Consultation**

**April 2016**



Hamilton

City of Hamilton  
City Hall, 71 Main Street West  
Hamilton, Ontario,  
Canada L8P 4Y5  
www.hamilton.ca

Hamilton Water Division, Public Works Department  
Physical Address: 77 James Street North, Suite 400, Hamilton, Ontario, L8R 2K3  
Phone: 905-546-2424 ext. 2087 Fax: 905-546-4491  
Email: Sharon.MacPherson-Nemeth@hamilton.ca

April 9, 2016

«Title» «FirstName» «LastName»  
«JobTitle»  
«Company»  
«Address1»  
«Address2»  
«City», «State» «PostalCode»

**Re: Notice for Public Information Centre (PIC) #2  
Schedule 'B' Municipal Class Environmental Assessment Study for the  
Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual  
Design**

Dear «Title» «LastName»:

The City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment study (Class EA) for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge rehabilitation activities.

We have enclosed for your information a copy of the Notice for Public Information Centre #2 which will appear in the Flamborough Review on April 21 and April 28, 2016. If your agency/office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 25, 2016**.

For further information or if you wish to provide input regarding this project, please contact the undersigned at 905-546-2424 ext. 4092 or via email at ([winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)).

Yours truly,

Winston Wang, M. A. Sc., P. Eng.  
Project Manager, Water & Wastewater Planning



**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: \_\_\_\_\_
2. Ministry/Agency/Office: \_\_\_\_\_
3. Address: \_\_\_\_\_  
\_\_\_\_\_ Postal Code: \_\_\_\_\_  
Phone No.: \_\_\_\_\_  
Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes \_\_\_\_\_ No \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 14**

**Public Information Centre #2**

**Agency Contact List**

**April 2016**

**\*\*\*PLEASE MAKE SURE TO READ SPECIAL NOTES & INSTRUCTIONS FOR EACH PERSON BEFORE SENDING OUT NOTICES\*\*\***

Please email [robin.smith@hamilton.ca](mailto:robin.smith@hamilton.ca) if changes need to be made to this document

30-Jun-15

Last Name	First Name	Title	Job Title	Organization	Street Address	City and Province	Postal Code	Contact Information	Link to Documents/ Webpages	Special Notes and Instructions
<b>City of Hamilton Staff **TO BE SENT ELECTRONIC COPY OF MAILOUT**</b>										
Ariyo	John	Mr.	Manager, Community Initiatives	Neighbourhood and Community Initiatives	28 James Street North, 5th Floor	Hamilton, ON	L8R 2K1	905-546-2424 x1564		To be emailed a pdf copy of the mailout
Barnhart	Steve	Mr.	Manager of Forestry & Horticulture	Environmental Services	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x3919		To be emailed a pdf copy of the mailout
Bradford	Anna	Ms.	Director of Tourism and Culture	Planning and Economic Development	28 James St. N., 2nd Floor	Hamilton, ON	L8R 2K1	905-546-2424 x3967		To be emailed a pdf copy of the mailout
Brovac	George	Mr.	Manager, Accessible Transportation Services	Transit (HSR)	2200 Upper James	Mount Hope, ON	L0R 1W0	905-679-7305 x1666		in charge of hiring DARTS services
Browett	Brent	Mr.	Director, Public Health Services	City of Hamilton	110 King Street West	Hamilton, ON	L8P 4S6	905-546-2424 x2230		To be emailed a pdf copy of the mailout
Brown	Jack	Mr.	Division Director, Recreation Community & Emergency Services Department	City of Hamilton	Lister Block, 28 James St. N., 3rd Floor Mailing Address: PO Box 2040	Hamilton, ON	L8P 4Y5 (for mailing address)	905-546-2424 x2723		To be emailed a pdf copy of the mailout
Brown	Suzanne	Ms.	Director	Neighbourhood and Community Initiatives	28 James Street North, 5th Floor	Hamilton, ON	L8R 2K1	905-546-2424 x5598		To be emailed a pdf copy of the mailout
Caterini	Rose	Ms.	City Clerk	City Managers Office	71 Main Street West, 1st Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x5409		To be emailed a pdf copy of the mailout
Carter	Maxine	Ms.	Manager, Access & Equity	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y6	905-546-2424 x6419		To be emailed a pdf copy of the mailout
Chauvin	Dan	Mr.	Director of Woodward Upgrades	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8H 6P4	905-546-2424 x5988		To be emailed a pdf copy of the mailout
Cunliffe	Dave	Mr.	Deputy Fire Chief	Hamilton Fire Department	1227 Stone Church Road East	Hamilton, ON	L8W 2C6	905-546-2424 x3340		To be emailed a pdf copy of the mailout
DeCaire	Glen	Mr.	Commander in Charge	Hamilton Police Service				<a href="mailto:gdecaire@hamiltonpolice.on.ca">gdecaire@hamiltonpolice.on.ca</a>		To be emailed a pdf copy of the mailout
DeJager	Shawn	Mr.	Senior Project Manager	Hamilton Fire Department	1227 Stone Church Road East, 3rd Floor	Hamilton, ON	L8W 2C6	905-546-2424 x3378		To be emailed a pdf copy of the mailout
DiDomenico	Jennifer	Mr.	Manager of Policy and Programs	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x5596		To be emailed a pdf copy of the mailout
Dixon	David	Mr.	Director of Transportation	Public Works	2200 Upper James Street	Mount Hope, ON	L0R 1W0	905-546-2424 x1860		To be emailed a pdf copy of the mailout
Ehrenberg	Udo	Mr.	Manager of Infrastructure Planning & Systems Design	Hamilton Water	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3	90-546-2424 x2499		To be emailed a pdf copy of the mailout
Eisenberger	Fred	Mr.	Mayor	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x4200		To be emailed a pdf copy of the mailout
Everson	Neil	Mr.	Acting General Manager	Planning & Economic Development	71 Main St W 7th flr	Hamilton, ON	L8P 4Y5	905-546-2424 x2359		To be emailed a pdf copy of the mailout
Golden	Alissa	Ms.	Cultural Heritage Planner (Urban)	Planning & Economic Development	71 Main Street West, 5th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x1214	<a href="#">PLANNING Development Team Boundaries 2014.pdf</a>	Please see link for detailed map Please note for Rural, please contact both Alissa Golden and Chelsea Tyers To be emailed a pdf copy of the mailout
Grice	Andrew	Mr.	Director, Water & Wastewater Operations	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x1461		To be emailed a pdf copy of the mailout
			Manager, Early Years System Management	Social Development & Early Childhood Services Division	Lister Block, 28 James St. N., 6th Floor	Hamilton, ON	L8R 2K3	905-546-2424 x3590		To be emailed a pdf copy of the mailout
Hazell	Marty	Mr.	Senior Director, Parking and By-law Services	City of Hamilton	77 James Street North, Suite 250	Hamilton, ON	L8R 2K3	905-546-2424 x4588		To be emailed a pdf copy of the mailout
Hendry	Gillian	Ms.	Director, Housing Services	Community & Emergency Services	350 King Street East, Suite 110	Hamilton, ON	L8N 3Y3	905-546-2424 x4818		To be emailed a pdf copy of the mailout
Homerski	Philip	Mr.	Information and Business Advisor	Corporate Assets & Strategic Planning	77 James St N, Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x5620 Cell: 905-977-1494		To be emailed a pdf copy of the mailout
Janssen	Bill	Mr.	Director, Strategic & Business Planning	Planning & Economic Development	71 Mains St W 4th Flr	Hamilton, ON	L8P 4Y5	905-546-2424 x1261		To be emailed a pdf copy of the mailout
Johnson	Paul	Mr.	Director of Corporate Initiatives	City Managers Office	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x5639		To be emailed a pdf copy of the mailout

Kiddie	Melissa	Ms.	Natural Heritage Planner (Suburban)	Planning & Economic Development	71 Main Street W., 5th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x1290	<a href="#">PLANNING Development Team Boundaries 2014.pdf</a>	Please see link for detailed map Please note for Urban, please contact both Melissa Kiddie and Cathy Plosz To be emailed a pdf copy of the mailout
Kirkpatrick	Al	Mr.	Manager, Transportation Management	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x4173		To be emailed a pdf copy of the mailout
Lee-Morrison	Christine	Ms.	Manager, Transit Strategy and Infrastructure	Transit (HSR)	2200 Upper James Street	Mount Hope, ON	L0R 1W0	905-546-2424 x6390		To be emailed a pdf copy of the mailout
Lubrick	Kerry	Ms.	Director, Employment and Income Support	Community Services	181 Main St W 3rd floor	Hamilton, ON	L8P 4S1	905-546-2424 x4855		To be emailed a pdf copy of the mailout
Lukasik	Laura	Ms	Manager, Partnerships & Outreach	Hamilton Public Library	55 York Boulevard, P.O. Box 2700	Hamilton, ON	L8N 4E4	905-546-3200 x7861 llukasik@hpl.ca llukasik@hamilton.ca		To be emailed a pdf copy of the mailout
Maloney	Eileen	Ms.	Co-Ordinator Business Improvement Areas	Planning & Economic Development	71 Main St W 7th flr	Hamilton, ON	L8P 4Y5	905-546-2424 x2632		To be emailed a pdf copy of the mailout
			Administrative Assistant	Legal Services	45 Main Street East, Suite 408	Hamilton, ON	L8N 2B7			To be emailed a pdf copy of the mailout
Matthews-Malone	Betty	Ms.	Director of Operations	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x4622		To be emailed a pdf copy of the mailout
McCauley	Shane	Mr.	Manager, Customer Service and Community Outreach	Public Works	330 Wentworth Street North	Hamilton, ON	L8L 5W2	905-546-2424 x1020		To be emailed a pdf copy of the mailout
McKinnon	Dan	Mr.	Director of Hamilton Water	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905.546.2424 x5941		To be emailed a pdf copy of the mailout
McMullen (replacing Tony Tollis)	Brian	Mr.	City Treasurer	Corporate Services	71 Main St W 1st Flr	Hamilton, ON	L8P 4Y5	905-546-2424 x4549		To be emailed a pdf copy of the mailout
Murdoch	Craig	Mr.	Director of Environmental Services	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x4490		To be emailed a pdf copy of the mailout
Norman	Robert	Mr.	Director, Strategic Planning	Public Works	77 James St. N., Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x2298		To be emailed a pdf copy of the mailout
Norton	Glen	Mr.	Manager, Urban Renewal	Planning & Economic Development	71 Main Street West, 7th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x 5780		To be emailed a pdf copy of the mailout
Paparella	Guy	Mr.	Director of Growth Planning	Planning & Economic Development	71 main St W 6th flr	Hamilton, ON	L8P 4Y5	905-546-2424 x5807		To be emailed a pdf copy of the mailout
Plosz	Catherine	Ms.	Natural Heritage Planner (Rural)	Planning & Economic Development	71 Main St W 5th Flr	Hamilton, ON	L8P 4Y5	905-546-2424 x1231	<a href="#">PLANNING Development Team Boundaries 2014.pdf</a>	Please see link for detailed map Please note for Urban, please contact both Melissa Kiddie and Cathy Plosz To be emailed a pdf copy of the mailout
Posedowski	Bert	Mr.	Manager of Sustainable Initiatives	Hamilton Water	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x 3199		To be emailed a pdf copy of the mailout
Ppic	Emil	Mr.	Manager, Recycling & Waste Disposal	Public Works	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x4203		To be emailed a pdf copy of the mailout
Richardson	Elizabeth	Dr.	Medical Officer of Health	Pubic Health Services	1 Hughson St. N., 4th Floor	Hamilton, ON	L8R 3L5	905-546-2424 x3502		To be emailed a pdf copy of the mailout
Robichaud	Steve	Mr.	Director of Planning	Planning & Economic Development	71 Main Street West, 6th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x4281		To be emailed a pdf copy of the mailout
Seely	Le'Ann	Ms.	Manager, Landscape Architectural Services	Public Works	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3			To be emailed a pdf copy of the mailout
Sergi	Michelle	Ms.	Manager, Community Planning	Planning & Economic Development	71 Main St W 6th flr	Hamilton, ON	L8P 4Y5	905-546-2424 x1281		To be emailed a pdf copy of the mailout
Sergi	Tony	Mr.	Senior Director, Growth Management	Planning & Economic Development	71 Main St W 6th flr	Hamilton, ON	L8P 4Y5	905-546-2424 x2274		To be emailed a pdf copy of the mailout
Smith	Darrell	Mr.	Manager, Development Engineering	Planning & Economic Development	71 Main Street West, 5th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x1322		To be emailed a pdf copy of the mailout
Storey	Angela	Ms.	Manager of Business and Support Services	Public Works	77 James Street North, Suite 400	Hamilton, ON	L8R 2K3	905-546-2424 x6483		To be emailed a pdf copy of the mailout
Thorne	Jason	Mr	General Manager	Planning & Economic Development	71 Main Street West, 7th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x4339		To be emailed a pdf copy of the mailout
Tomasik	Helen Hale	Ms.	Executive Director Human Resources	City Managers Office	120 King St. W 9th Flr	Hamilton, ON	L8P 4V2	905-546-2424 x4155		To be emailed a pdf copy of the mailout

Tyers	Chelsey	Ms.	Cultural Heritage Planner (Suburban)	City of Hamilton	71 Main Street West, 5th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x1202	<a href="#">PLANNING Development Team Boundaries 2014.pdf</a>	Please see link for detailed map Please note for Rural, please contact both Alissa Golden and Chelsea Tyers To be emailed a pdf copy of the mailout
White	Martin	Mr.	Manager, Traffic Operations	Public Works	1375 Upper Ottawa St.	Hamilton, ON	L8W 3L5	905-546-2424 x4345		To be emailed a pdf copy of the mailout
Yong-Lee	Sally	Ms.	Manager, Infrastructure Planning	Planning & Economic Development	71 Main Street West, 7th Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x1428		To be emailed a pdf copy of the mailout
Zegarac	Mike	Mr.	General Manager, Finance & Corporate Services	Corporate Services	71 Main Street West, 1st Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2739		To be emailed a pdf copy of the mailout
<b>Councillors</b>										
Collins	Chad	Mr.	Councillor, Ward 5	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2716		To be emailed a pdf copy of the mailout
Conley	Doug	Mr.	Councillor, Ward 9	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x 2703		To be emailed a pdf copy of the mailout
Skelly	Donna	Mrs.	Councillor, Ward 7	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2706		To be emailed a pdf copy of the mailout
Farr	Jason	Mr.	Councillor, Ward 2	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2711		To be emailed a pdf copy of the mailout
Ferguson	Lloyd	Mr.	Councillor, Ward 12	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2704		To be emailed a pdf copy of the mailout
Green	Matthew	Mr.	Councillor, Ward 3	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x 2702		To be emailed a pdf copy of the mailout
Jackson	Tom	Mr.	Councillor, Ward 6	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2707		To be emailed a pdf copy of the mailout
Johnson	Aidan	Mr.	Councillor, Ward 1	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2416		To be emailed a pdf copy of the mailout
Johnson	Brenda	Ms.	Councillor, Ward 11	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x4513		To be emailed a pdf copy of the mailout
Merulla	Sam	Mr.	Councillor, Ward 4	City of Hamilton	71 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-4512		To be emailed a pdf copy of the mailout
Partridge	Judi	Ms.	Councillor, Ward 15	City of Hamilton	72 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2713		To be emailed a pdf copy of the mailout
Pasuta	Robert	Mr.	Councillor, Ward 14	City of Hamilton	73 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2705		To be emailed a pdf copy of the mailout
Pearson	Maria	Ms.	Councillor, Ward 10	City of Hamilton	74 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2701		To be emailed a pdf copy of the mailout
Vander Beek	Arlene	Ms.	Councillor, Ward 13	City of Hamilton	75 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x 2714		To be emailed a pdf copy of the mailout
Whitehead	Terry	Mr.	Councillor, Ward 8	City of Hamilton	76 Main Street West, 2nd Floor	Hamilton, ON	L8P 4Y5	905-546-2424 x2712		To be emailed a pdf copy of the mailout
<b>Other Municipalities</b>										
		Sir/Madam	Town Clerk	Town of Milton	43 Brown Street	Milton, ON	L9T 5H2	905-878-7252		
Belanger	Dave	Mr.	Manager - Water Supply Program	City of Guelph	29 Waterworks Place	Guelph, ON	N1E 6L9	519-837-5627 X251 Fax 519-822-8837 dbelange@city.guelph.on.ca		
Carman	Jayne	Ms.	County Clerk	Brant County	P.O. Box 160	Burford, ON	N0E 1A0	519-449-2451 Fax 519-449-2454		
Fletcher	Kris	Ms.	Regional Clerk, Clerks & Administrator's Office	Regional Municipality of Waterloo	150 Frederick Street, 1st Floor	Waterloo, ON	N2G 4J3	519-575-4561 Fax 519-575-4481		
Hammer	John	Mr.	Director, Transportation	Regional Municipality of Waterloo	150 Frederick Street, 1st Floor	Waterloo, ON	N2G 4J3	519-575-4401 Fax 905-575-4453		
Howarth	Tim	Mr.	Water Wastewater Technologist	The Corporation of Haldimand County	1162 Regional Road 8	Cayuga, ON	N0A 1E0	905-318-5962 x177 Fax 905-772-3779 thowarth@haldimandcounty.on.ca		
Lancaster	Janice	Ms.	City Clerk	Haldimand County	45 Munsee St. N.	Cayuga, ON	N0A 1E0			
Langley	Carolyn	Ms.	Regional Clerk	Township of West Lincoln	P.O. Box 400 318 Canborough St.	Smithville, ON	L0R 2A0	800-350-3876 Fax 905-957-3219 carolynlangley@westlincoln.com		
Law	Brenda	Ms.	Clerk / Treasurer	Township of Puslinch	7404 Wellington Rd. 34 - Aberfoyle RR #3	Guelph, ON	N1H 6H9	519-763-1226 Fax 519-763-5846		

Mitchell	Alex	Mr.	City Clerk	City of Cambridge	50 Dickson Street - 2nd Floor P.O. Box 669	Cambridge, ON	N1R 5W8	519-740-4680 clerks@city.cambridge.on.ca		
Mordue	Rodger	Mr.	CAO / Clerk	Township of North Dumfries	1171 Greenfield Road RR #4	Cambridge, ON	N1R 5S5	519-621-0340 Fax 519-623-7641		
Morgan	Angela	Ms.	City Clerk	City of Burlington	426 Brant St. P.O. Box 5013	Burlington, ON	L7R 3Z6	905-335-7600 ext.7702 Fax 905-335-7881		
			Regional Clerk	Regional Municipality of Niagara	2201 St. David's Road Box 1042	Thorold, ON	L2V 4T7	905-685-1571 x3226 Fax 905-687-4977		
Prno	John	Mr.	Director, EMS	Region of Waterloo, Public Health	99 Regina St. S., 6th Floor	Waterloo, ON	N2J 4V3	519-883-2315 Fax 519-880-9150		
Ranjan	Kumar	Mr.	Associate Director Transportation Planning Public Works	Niagara Region	2201 St. David's Road	Thorold, ON	L2V 4T7	905-685-1571 x3226 Fax 905-687-4977 pam.gilroy@regional.niagara.on.ca		
Robichaud	Lynn	Ms.	Environmental Co-ordinator	City of Burlington	426 Brant St. P.O. Box 5013	Burlington, ON	L7R 3Z6	905-335-7600 x7931 Fax 905-335-7880 robichaud@burlington.ca		
Scheidel	Keith	Mr.	Public Works Superintendent	Township of North Dumfries	1171 Greenfield Road RR #4	Cambridge, ON	N1R 5S5	519-621-7885 Fax 519-623-7641		
Southall	Wendy	Ms.	Chief of Police	Niagara Regional Police Service	68 Church Street	St. Catharines, ON	L2R 3C6			
van Scheyndel	Paul	Mr.	Fire Chief	Township of North Dumfries	1171 Greenfield Road RR #4	Cambridge, ON	N1R 5S5	519-632-7956 Fax 519-623-7641		
Vout	Katherine	Ms.	Town Clerk	Town of Grimsby	160 Livingston Avenue P.O. Box 159	Grimsby, ON	L3M 4G3	905-945-9634 x2003 Fax 905-945-5010 kvout@town.grimsby.on.ca		
Wallensfels	Monica	Ms.	Clerk	Region of Halton	1151 Bronte Road	Oakville, ON	L6M 3L1	905-825-6000		
Waugh	Donna	Ms.	County Clerk	County of Wellington	74 Woolwich Street	Guelph, ON	N1H 3Z9	800-663-0750 Fax 519-837-1909 donna.w@county.wellington.on.ca		
<b>Conservation Authority</b>										
Hunt	Brian	Mr.	Park Superintendent	Grand River Conservation Authority	P.O. Box 729 400 Clyde Road	Cambridge, ON	N1R 5W6	519-621-2761x237 bhunt@grandriver.ca		
McInnes	Suzanne	Ms.	Manager, Plan Review and Regulation	Niagara Peninsula Conservation Authority	250 Thorold Rd. W. - 3rd Floor	Welland, ON	L3C 3W2	(905) 788-3135 ext. 235 smcinnnes@conservation- niagara.on.ca		
Natolochny	Fred	Mr.	Manager of Watershed Resources	Grand River Conservation Authority	P.O. Box 729 400 Clyde Road	Cambridge, ON	N1R 5W6	519-621-2761 x2229 Fax 519-621-4844 fnatolochny@grandriver.ca		
Peck	Scott	Mr.	Director, Watershed Planning & Engineering	Hamilton Conservation Authority	838 Mineral Springs Road, Box 81067	Ancaster, ON	L9G 4X1	905-525-2181 x130 Fax: 905-648-4622 tspeck@conservationhamilton.ca		
Stone	Michael	Mr.	Manager, Watershed Planning Services	Hamilton Conservation Authority	838 Mineral Springs Road, Box 81067	Ancaster, ON	L9G 4X1	(905) 525-2181 ext 133 mstone@conservationhamilton.ca		
Veale	Barb	Ms.	Manager, Planning & Regulation Services	Conservation Halton	2596 Britannia Rd. W.	Burlington, ON	L7P 0G3	<a href="mailto:bveale@hrca.on.ca">bveale@hrca.on.ca</a>		
<b>Provincial Authorities</b>										
Cunningham	Robert	Mr.		Ministry of Agriculture and Food	1 Stone Rd. W., 2nd Floor	Guelph, ON	N1G 4Y2			
Duval	Elizabeth	Ms.		Ministry of Citizenship & Immigration	119 King St. W., 14th Floor	Hamilton, ON	L8P 4Y7	905-521-7346 Fax 905-521-7398		
Environmental Assessment & Approvals Branch			E/A Project Co-ordination Section	Ministry of the Environment	2 St. Clair Ave. W. 14th Floor	Toronto, ON	M4V 1L5	<a href="mailto:MEA.NOTICES.EAAB@ontario.ca">MEA.NOTICES.EAAB@ontario.ca</a>		To be emailed a pdf ONLY FOR NOTICE OF PROJECT COMPLETION. (no hardcopy)
Graham-Watson	Loraine	Ms.	Regional Director - Hamilton/Niagara Regional Office	Ministry of Community and Social Services	119 King St. W. 7th Floor	Hamilton, ON	L8P 4Y7	905-521-7844		
Head - Highway Engineering - Hamilton & Niagara				Ministry of Transportation	1201 Wilson Ave., Bldg. D., 3rd Floor	Downsview, ON	M4V 1L5	416-235-4540 Fax 416-235-3576 karen.law@mto.gov.on.ca		
		Sir/Madam	Consultation Unit	Ministry of Aboriginal Affairs	160 Bloor Street East, 9th Floor	Toronto, ON	M7A 2E6	Tel: (416) 326-4740 Fax: (416) 325-1066 MAA.EA.REVIEW@ontario.ca	www. Aboriginalaffairs.gov.on.ca	

Hagman	Ian	Mr.	District Manager, Guelph District Office	Ministry of Natural Resources	1 Stone Rd. W.	Guelph, ON	N1G 4Y2	519-826-4931 Fax 519-826-4929		
Slattery	Barbara	Ms.	Environmental Assessment & Planning Co-ordinator	Ministry of the Environment	119 King St. W., 12th Floor	Hamilton, ON	L8P 4Y7	905-521-7864 Fax 905-521-7806 barbara.ryter@ene.gov.on.ca		
Whalen	Rose	Mr.	Land Use and Water Specialist	Ministry of Natural Resources	1 Stone Rd. W.	Guelph, ON	N1G 4Y2	519-826-4910 Fax 519-826-4929		Contact her for land use specific questions only
Troje	Corwin	Mr.	Manager, Ministry Partnerships Unit	Ministry of Aboriginal Affairs Consultation Unit	160 Bloor Street East, 9th Floor	Toronto, ON	M7A 2E6			
Van Room	Pauline	Ms.	Highway Engineering Hamilton	Ministry of Transportation	1201 Wilson Ave; Bldg. D. 4th Floor	Downsview, ON	M4V 1L5			
Weeks	J. R.	Staff Sergeant		Ontario Provincial Police, Burlington Detachment	1160 North Shore Blvd. E., P.O. Box 5021, Str. "A"	Burlington, ON	L7R 3Y8			
Whitbread	Ken	Mr.	Manager	Niagara Escarpment Commission	232 A Guelph Street	Georgetown, ON	L7G 4B1			
Whittingham	Carlene	Ms.	Planner	Ministry of Municipal Affairs & Housing	777 Bay St., 13th Floor	Toronto, ON	M5G 2C8	P: 416-585-6062		See attachment "Local Government, Housing and One Window Planning Services (MSO) in the following folder for all Central staff: S:\Public Works\Environment & Sustainable Infrastructure\EA_WORKING_GROUP\Stand ard_Mailing_List
Zirger	Rosi		Heritage Planner	Ministry of Tourism, Culture & Sport	401 Bay Street, 17th Floor	Toronto, ON	M7A 0A7	416-314-7159 Fax 416-314-7175 rosi.zirger@ontario.ca		
<b>Federal Authorities</b>										
Environment Unit				Aboriginal Affairs and Northern Development Canada	25 St. Clair Avenue East 8th Flr	Toronto, ON	M4T 1M2	EACoordination_ON@inac-ainc.gc.ca		Please note that AANDC officials do not participate in environmental assessments that pertain to projects off-reserve, nor does the department track how other parties carry out their EAs. Only when a project intersects with reserve land, should the Environmental Unit of AANDC be contacted.
Consultation and Accommodation Unit				Aboriginal Affairs and Northern Development Canada	300 Sparks Street, Room 205	Ottawa, ON	K1A 0H4	<a href="mailto:UCA-CAU@aadnc-aandc.gc.ca">UCA-CAU@aadnc-aandc.gc.ca</a> <a href="http://sidait-atris.aadnc-aandc.gc.ca/atris_online/">This email will distribute any notice to appropriate staff within AANDC</a> <a href="http://sidait-atris.aadnc-aandc.gc.ca/atris_online/">http://sidait-atris.aadnc-aandc.gc.ca/atris_online/</a>		To facilitate a more timely response, specify in your communication that you would like an " <b>Aboriginal Consultation Information Response</b> " from the CIS. NOTE: bolded text should appear in subject heading of request email.
COSEWIC - Secretariat		Sir/Madam	c/o Canadian Wildlife Services	Environment Canada		Ottawa, ON	K1A 0H3	819-953-3215 Fax 819-994-3684 cosewic/cosepac@ec.gc.ca		
Dobos	Rob	Mr.	EA Section	Environment Canada	867 Lakeshore Blvd.	Burlington, ON	L7R 4A6			
Hall	John	Mr.	Remedial Action Plan (RAP)	Canadian Center for Inland Waters	867 Lakeshore Road P.O. Box 5050	Burlington, ON	L7R 4A6			
Knox	Louise	Ms.	Director, Ontario Region	Canadian Environmental Assessment Agency	55 St. Clair Ave E. Room 907	Toronto, ON	M4T 1M2	416-952-1575 Fax 416-952-1573 louise.knox@ceaa-acee.gc.ca		
Ministry of Health & Long Term Care		Sir/Madam	Integrated Policy & Planning Division		80 Grosvenor Street - 8th Floor, Hepburn Block	Toronto, ON	M7A 1R3			
Ministry of Public Infrastructure		Sir/Madam			7 Queen's Park Crescent, 6th Floor, Frost Bldg. South	Toronto, ON	M7A 1Y7	416-325-0424 Fax 416-325-8851 info@pir.gov.on.ca		
Dept. of Fisheries & Oceans		Sir/Madam		Dept. of Fisheries & Oceans	304 - 3027 Harvester Road	Burlington, ON	L7R 4K3	<a href="mailto:fisheriesprotection@dfo-mpo.gc.ca">fisheriesprotection@dfo-mpo.gc.ca</a> <a href="tel:1-855-852-8320">1-855-852-8320</a>		<b>EMAIL NOTICES ONLY; DFO has indicated that they would only like to receive notices or major, largescale projects</b>
National Heritage Information Centre		Sir/Madam			300 Water Street	Peterborough, ON	K9J 8M4			
Van de Valk	Jackie	Ms.	Rural Planner	Ministry of Agriculture, Food & Rural Affairs	6484 Wellington Rd. 7, Unit 10	Elora, ON	N0B 1S0			

Ontario Region		Sir/Madam		Industry Canada	151 Yonge St - 4th Floor	Toronto, ON	M5C 2W7	416-973-5000 Fax 416-973-8714	
Pachoi	Carol	Ms.	Retail Business Manager	Canada Post Commercial Service Centre	27 Legend Crt	Ancaster, ON	L9K 1J0	905-304-2225	
Shaw	Mike	Mr.	Environmental Assessment Projects Officer	Environment Canada	867 Lakeshore Blvd.	Burlington, ON	L7R 4A6		
Speller	Rachel	Ms.	Environment Officer-Environment Unit, Ontario Region	Lands and Trusts Services Env. Unit INAC	25 St. Clair Ave. E. 8th floor	Toronto, ON	M4T 1M2	416-973-5899 Fax 416-954-4328	
Waters	Susan	Ms.	Director, General Land and Environment Department	Aboriginal Affairs and Northern Development Land and Environment Department	10 Wellington St.	Gatineau, QC	K1A 0H4	Telephone: 819-997-8883 Fax: 819-953-3201 susan.waters@aandc.gc.ca	
Wood	Bruce	Mr.	Hamilton Port Authority		605 James St. N.	Hamilton, ON	L8L 1K1	905-525-4330 x237 (905)928-8872 (905)525-7258 bmatthews@hamiltonport.ca	
Wright	Mark	Mr.	Navigable Waterways Program	Transport Canada	100 South Front Street	Sarnia, ON	N7T 2M4		
			Environmental Coordinator	Transport Canada	4900 Yonge Street, 4th Floor (PHE)	North York, ON	M2N 6A5		
				Canadian Transportation Agency	15 Eddy Street	Hull, QC	K1A 0N9	1-888-222-2592 Fax 819-953-8353 cta.comment@cta-toc.gc.ca	

**First Nations**

Durand	Tina	Ms.	Secretary Political Sector	Huron-Wendat Nation Council	255 Place Chef Michel-Laveau	Wendake, QC	G0A 4V0	418-843-3767 1-877-712-3767 Fax: 418-842-1108	<a href="http://www.wendake.ca/">http://www.wendake.ca/</a>	
General	Paul	Mr.	Lands & Resources	Six Nations Eco-Centre	1721 Chiefswood Road	Oshweken, ON	N0A 1M0	519-445-0330 pgeneral@sixnations.ca		Email Notices
Hill	Ava	Chief	Director of Lands & Resources	Six Nations of the Grand River Territory	P.O. Box 5000, 1695 Chiefswood Road	Oshweken, ON	N0A 1M0	519-445-2201 Fax: 519-445-4208		
Hill	Leroy	Hohahes	Secretary to Haudenosaunee Conferacy Chiefs Council	Haudenosaunee Chiefs Council	2634 6th Line RR2	Oshweken, ON	N0A 1M0	905-765-1749 Cell: (519) 717-7326 Fax: 905-765-9193 Email: jocko@sixnationsns.com		
LaForme	Mark	Mr.	Director, Department of Consultation and Accomodation	Mississaugas of New Credit First Nation	6 First Line, R.R. #6	Hagersville, ON	N0A 1H0	Tel: (905) 768-4260 Fax: (905) 768-9751 Cell: (289) 527-6577 Email: Mark.Laforme@Newcreditfirstnation.com, doca@newcreditfirstnation.com		Email Notices
Sault	Fawn		Manager, Department of Consultation and Accomodation	Mississaugas of New Credit First Nation	6 First Line, R.R. #6	Hagersville, ON	N0A 1H0	Fawn.sault@newcreditfirstnation.com		2nd point of contact for mississaugas of new credit first nation, contact if cannot reach Mark Laforme

**First Nation's Non-Government Organizations (NGOs)**

				Metis National Council	4-340 MacLaren Street	Ottawa, ON	K2P 0M6			
Albert	Ashley	Ms.		Association of Iroquois and Allied Indians	387 Princess Avenue	London, ON	N6B 2A7	519-434-2761 Fax 519-679-1653 aalbert@aiai.on.ca		
Barberstock	Susan		Executive Director	Hamilton Regional Indian Centre	34 Ottawa Street North	Hamilton, ON	L8H 3Y7	905 548-9593 Fax: 905 545-4077 sbarberstock@hric.ca, mailunh@on.aibn.com		
Alibhai	Aly		Director of Land Resources Consultation (LRC)	The Métis Nation of Ontario	75 Sherbourne St. Unit 311	Toronto, ON	M5A 2P9	416-977-9881 ext 114 Alya@metisnation.org		
Ecker-Flagg	Cindilee	Ms.	Executive Director	Native Women's Centre	Rosedale Postal Outlet, 1900 King St. East PO Box 69036	Hamilton, ON	L8K 1W1	ed@nativewomenscentre.com		
Indigenous Studies Program				McMaster University	1280 Main Street West, Hamilton Hall Room 103	Hamilton, ON	L8S 4K1	905 525-9140 ext 27426 Fax: 905-540-8443 indig@mcmaster.ca		

Lannigan	Kathleen		Employment and Training Officer	Metis Nation of Ontario Training Initiative	445 Concession Street	Hamilton, ON	L9A 1C1	905 318-2336 Fax: 905 318-2207 kathleenl@metisnation.org		Send email to <a href="mailto:kathleenl@metisnation.org">kathleenl@metisnation.org</a> who will forward to appropriate person
Lavallee	Monique		Executive Director	Niwasia Aboriginal Early Learning Programs	1869 Main Street East	Hamilton, ON	L8H 1G2	905 549-4884 ext 222 Fax: 905 549-7337 monique@niwasiaheadstart.com		
Lenze	Christine		Executive Director	Urban Native Homes Incorporated	19 Albert Street	Hamilton, ON	L8M 2Y1	905 548-6974 ext 27 Fax: 905 548-6808 ed@unhinc.com		
Brown	Cassandra	Ms.	Program Manager	Hamilton Executive Directors Aboriginal Coalition	20 Kenilworth Avenue North	Hamilton, ON	L8H 4R3	289-389-2076 manager@hedac-aboriginal.com		Email Notices
Maracle	Sylvia			Ontario Federation of Indian Friendship	219 Front Street East	Toronto, ON	M5A 1E8	ofifc@ofifc.org		Email Notices
McAulay	Melanie		Executive Director	Sacajawea Non-Profit Housing Inc	19 Albert Street	Hamilton, ON	L8M 2Y1	905 544-3406 Fax: 905 544-1320 sacajawea@bellnet.ca, williamsc@nativewomenscentre.com		
McKnight	Constance	Ms.	Executive Director	De dwa da dehs nye-s Aboriginal Health Centre	678 Main St. East	Hamilton, ON	L8M 1K2	905 544-4320 Fax: 905 544-4247 cmcknight@dahac.com		
McLester	Ron		Program Manager	Mohawk College - Aboriginal Student Services	Fennell & West 5th Streets	Hamilton, ON	L8N 3T2	905 575-1212 ext 3892 Fax: 905 575-2336 ron.mclester@mohawkcollege.ca		
Padulo	Kathleen	Ms.	Environment Coordinator	Council of Ontario Chiefs	111 Peter Street, Suite 804	Toronto, ON	M5V 2H1	416-597-1266 kathleen.padulo@coo.org		

**BIAs and Neighbourhood Groups/Organizations**

Ainslie Wood/Westdale Community Association of Resident Homeowners Inc.	link:
Allison Park Community Association	<a href="http://www.hamilton.ca/CityDepartments/PlanningEcDev/Divisions/Planning/CommunityPlanning/NeighbourhoodPlans/NeighbourhoodAssociations.htm">http://www.hamilton.ca/CityDepartments/PlanningEcDev/Divisions/Planning/CommunityPlanning/NeighbourhoodPlans/NeighbourhoodAssociations.htm</a>
Ancaster BIA	
Ancaster Community Council	
Beasley Neighbourhood Association	
Berrisfield Community Council	
Bonnington, Buchanan, Mohawk, Southam Neighbourhood Association	Please review the link above for up to date names, and contact information. If you have any questions, contact Michelle Sergi.
Buchanan Park Sports Council	
Central Neighbourhood Association	
Crown Point Community Planning Team	
Concession Street BIA	
Delta West Community Association	
Downtown Hamilton BIA	
Dundas Community Council	
Durand Neighbourhood Association	
Eastmount Community Council	
Eleanor Community Council	
Federation of Urban Neighbourhoods of Ontario	
Friends of the Eramosa Karst	
Flamborough Community Council	
Fruitland Road Community Association for Safe and Healthy Neighbourhoods	
Gilkson Park Community Association	
Gourley Park Community Association	
Hamilton Beach Community Council	
Hamilton East Mountain Community Association	
International Village BIA	
Keith Renewal Committee	
Kirkendall Neighbourhood Association	
Landsdale Area Neighbourhood Association	
Locke Street BIA	
Main Street Esplanade BIA	
McQuesten Community Planning Team	
North Central Community Council	

North End Neighbours										
Ottawa Street BIA										
Pleasant View Rate Payers Association										
Quigley Road Area Planning Team										
Red Hill Valley Neighbourhoods Association										
Riverdale Planning Team										
Robert Land Community Association										
Rosedale Community Council										
Scenic Woods Neighbourhood Association										
Spring Valley Community Association										
South Centre Community Council										
South Sherman Community Planning Team										
South Stipeley Neighbourhood Association										
Stinson Community Association										
Stoney Creek BIA										
Strathcona Community Council										
Templemead Community Council										
The East Enders-Back to Basics										
The Friends of Gage Park										
The SOOT Group										
Waterdown BIA (PO Box 954, Waterdown, ON L0R 2H0)										
Waterdown South Residents' Association (Dimitri Benak, email: dimitri.benak@gmail.com, 69 Flanders Dr., Waterdown, ON L0R 2H7)										
Waterdown/Mill Street Heritage Committee (Andy MacLaren, Chair, email millstreetheritage@gmail.com)										
Westdale Village BIA										
<b>Other Related Community Groups-</b>										
Beland	David		Chairperson	Citizens for Citizens Ward Three Neighbourhoods	182 St. Clair Blvd.	Hamilton, ON	L8M 2P1	905-549-4407 dbeland@istar.ca		
Fevez	Andy		Chair	Glanbrook Conservation Committee	4251 Trinity Church Rd.	Hamilton, ON	L0R 1C0	905-679-6668 afevez@glanbrookconservation.on.ca		
Flint	Graham		Chairman	Lawson Park Ltd	PO Box 15 R.R.1	Freelton, ON	L0R 1K0	905-659-5417 info@stopthequarry.ca		
Langley	Scott	Mr.	Cartographer	Bruce Trail Conservancy	PO Box 857	Hamilton, ON	L8N 3N9	Phone: 905-529-6821 Fax: 905-529-6823 slangley@brucetrail.org		Physical/courier address: Rasberry House Arboretum Section Royal Botanical Gardens Old Guelph Rd. Dundas, ON L9H 5Y6
Lukasik	Lynda			Environment Hamilton	22 Wilson Street, Unit 4	Hamilton, ON	L8R 1G7	905-549-0900 contactus@environmenthamilton.org		
McLaughlin	Chris		Executive Director	Bay Area Restoration Council	LSB-B130F, McMaster University	Hamilton, ON	L8S 4K1	905-527-7111 cmclaughlin@hamiltonharbour.ca		
McLean	Don		Organizer	Citizens at City Hall (CATCH)				905-664-8796 info@hamiltoncatch.org		
Miller	Alison		Community Outreach/Volunteer Coordinator	Community Action Program for Children	150 Violet Dr.	Hamilton, ON	L8E 6B4	905-546-4295 capc@capc.hamilton.on.ca		
Moroz	Alex		Chair	Weaver Community Hub	Cathy Weaver Elementary School, 160 Wentworth St. N.	Hamilton, ON	L8L 5V7	905-973-4064 amoroz@cogeco.ca		
Murchie	Angela		President	Hamilton Wentworth Council of Home & School Associations				hwccouncil@gmail.com		
Plessl	Werner		Executive Director	Hamilton Waterfront Trust	47 Discovery Dr.	Hamilton, ON	L8L 8K4	905-523-4498 x22 wplessl@hamiltonwaterfront.com		
Stephenson	Sandra		Chair	Hamilton Community Foundation	120 King St. W., Suite 700	Hamilton, ON	L8P 4V2	information@hcf.on.ca		
<b>Utilities</b>										
Ardelli	Terri	Ms.	Land Analyst, Urban Development	TransCanada Pipelines	450-1st Street S.W.	Calgary, AB	T2P 5H1	403-920-7370 Fax 403-920-2329 terr_ardelli@transcanada.com		

Blakely	John	Mr.	Senior Right-of-Way Agent	Enbridge Pipelines Inc.	801 Upper Canada Drive P.O. Box 128	Sarnia, ON	N7W 1A3	(519)339-0507 Fax 905-547-5237		
Greco	Enzo	Mr.	Construction Project Manager	Union Gas	918 South Service Road	Stoney Creek, ON	L8E 5M4	Phone: (289) 649-2061 Cell: (905) 741-8395 Email: egreco@uniongas.com	www.uniongas.com	
Harten	Ron	Mr.	General Manager, Hamilton Community Energy	Hamilton Utilities Corporation	79 Bay Street North	Hamilton, ON	L8R 3P8			
Oriotis	Jim	Mr.		Hydro One	483 Bay Street, North Tower 15th Floor	Toronto, ON	M5G 2P5	jim.oriotis@hydroone.com		
Lane	Paul	Mr.		Sun Canadian Pipeline	830 Highway 6 North P.O. Box 470	Waterdown, ON	L0R 2H0	905-689-6641 x136 Fax 514-395-5613 plane@sun-canadian-com		
Leppert	Randy	Mr.	Planning Lead Hand Niagara/Hamilton	Cogeco Cable Inc	7170 McLeod Rd	Niagara Falls, ON	L2G 3H5	Phone: 289-296-6228 Cell: 905-351-3771 randy.leppert@cogeco.com		
Linder	Stefan	Mr.	Manager, Public Works Design & Construction	CN	4 Welding Way off Administration Road	Vaughan, ON	L4K 1B9	905-669-3264 email: Stefan.Linder@cn.ca		
Carello	Jack	Mr.	Manager - Public Works	Canadian Pacific Railway	1290 Central Parkway West, Suite 700	Mississauga, ON	L5C 4R3			
Milano	Bruno	Mr.	Planner/Designer	Source Cable	1090 Upper Wellington St	Hamilton, ON	L9A 3S6	Work # 905-318-4663 Cell # 905-971-2762		
Mitchell	Colleen	Ms.	Land Agent - Eastern Pipeline Operations	Imperial Oil Products & Chemical Division	100 - 5th Concession Rd. E.	Waterdown, ON	L0R 2H1	1-888-242-6660 x242 colleen.mitchell@esso.com		
Newman	Ann	Ms.	Crossings Co-ordinator, Eastern Region	Enbridge Pipelines Inc.	801 Upper Canada Drive P.O. Box 128	Sarnia, ON	N7W 1A3	(519)339-0503		
Ontario Power Generation	Sir/Madam				700 University Avenue	Toronto, ON	M5G 1X6	416-592-2555		
Jakubowski	Mark	Mr.	Acting Manager of Capital Projects	Horizon Utilities Corporation	55 John St. N., 6th Floor	Hamilton, ON	L8R 3M8			
Sutton	Eleanor	Ms.		Bell Canada	20 Hunter St. W.	Hamilton, ON	L8N 3H2	(905) 577-6093		
Winkley	John	Mr.	Regional Director - Marketing	Southern Ontario Railway	241 Stuart St. W.	Hamilton, ON	L8N 3P9			
<b>Hospitals</b>										
Buxton	Alan	Mr.	Manager of Engineering	Juravinski Hospital & Cancer Centre	711 Concession St.	Hamilton, ON	L8V 1C3	buxton@HHSC.ca		Call his assistant Joanne Snelling at 905-521-2100 ext. 75379
Donohue	Chuck	Mr.	Director, Facilities Management	McMaster University Medical Centre	559 Sanatorium Road, Room # 125K	Hamilton, ON	L9C 7W8			
Langstaff	Karen	Ms.	Director of Facilities	St. Joseph's Hospital	50 Charlton Ave. E.	Hamilton, ON	L8N 4A6			
MacIassac	Rob	Mr.	CEO of Hamilton Health Science	Hamilton Health Sciences	40 Wellington Street North	Hamilton, ON	L8R 1M8	905-522-3863		
Ryder	Marvin	Mr.	Chair, Board of Directors	Hamilton Health Sciences	1280 Main Street West, Hamilton Hall Room 215	Hamilton, ON	L8S 4M4	ryderm@mcmaster.ca		
Smith	Kevin	Dr.	CEO of St. Joseph's Health System	St. Joseph's Health System	Charlton Campus -50 Charlton Avenue East King Campus - 2757 King Street East West 5th Campus - 100 West 5th Street	Hamilton, ON				
<b>Schools</b>										
White	Todd	Mr.	Chair	Hamilton-Wentworth District School Board	20 Education Court	Hamilton, ON	L9A 0B9	289-237-1644		
Daly	Pat		Hamilton District Catholic School Board	90 Mulberry Street	P.O. Box 2012	Hamilton, ON	L8N 3R9			
Pace	P.		Hamilton District Catholic School Board	90 Mulberry Street	P.O. Box 2012	Hamilton, ON	L8N 3R9			
McKerrall	Dan	Mr.	Accommodation & Planning	Hamilton-Wentworth District School Board	100 Main St. W. P.O. Box 2558	Hamilton, ON	L8N 3L1			
Mckerlie	Ron	Mr.	President	Mohawk College	135 Fennell Avenue West P.O. Box 2034	Hamilton, ON	L8N 3T2			
Labrecque	S.			French Public School Board	116 Cornelius Parkway	Toronto, ON	M6L 2K5			

Beaudin	A.			French Catholic School Board	110 Drewry Avenue	North York, ON	M2M 1c8			
Sullivan	Terry	Mr.	McMaster University Security and Parking Services		1280 Main St. W. - CUC-102	Hamilton, ON	L8S 4K1	905.525.9140 x23372 sullivan@mcmaster.ca		
Cupido	Anthony	Mr.	Assistant Vice-President, Department of Facility Services	McMaster University	1280 Main Street West Campus Services Building, Room 109	Hamilton, ON	L8S 4M3			
<b>Transportation</b>										
Best	John	Mr.	Executive Director	Southern Ontario Gateway Council	140 King Street East, Suite 14	Hamilton, ON	L8N 1B2	905-667-0317		
Burke	Chris	Mr.	Acting Director of Service Planning	Metrolinx	97 Front Street West, 4th Floor	Toronto, ON	M5J 1E6			
Ceille	Kaye	Mrs.	President	Zipcar	129 Spadina Avenue	Toronto, ON	M5V 2L3	416-977-9008		
Chahal	Jagtar Singh	Mr.	Chairman & CEO	Hamilton Cab	430 Cannon Street East	Hamilton, ON	L8L 2C8	905-522-0748		Please note this is the general contact information
Leach	Dave	Mr.	President & Chief Executive Officer	Greyhound	36 Hunter Street East	Hamilton, ON	I8N 3W8	905-521-3088		Please note this is the general contact information
Rizzuto	Anthony F.	Mr.	President	Blue Line Taxi	160 John Street South	Hamilton, ON	L8N 2C4	905-525-2788		Please note this is the general contact information
Salsberg	Lisa	Mr.	Manager, Strategic Strategy and Policy	Metrolinx	97 Front St W, 4th Floor	Toronto, ON	M5J 1E6	416-202-5955 ext 25955 lisa.salsberg@metrolinx.com		
Seymour	Mark.	Mr.	Chairman	Ontario Trucking Association	555 Dixon Road	Toronto, ON	M9W 1H8	416-249-7401		Please note this is the general contact information
Sir/Madam				Canada Coach	791 Webber Avenue	Peterborough, ON	K9J 7B1	705-748-6411		
Sir/Madam				Community CarShare	175 Longwood Road South, Suite 304A	Hamilton, ON	L8P 0A1	905-543-4411		
Sir/Madam				Hamilton Cycling Committee						Email Notice to Daryl Bender (City of Hamilton contact)
Sir/Madam				John C. Munro Hamilton International Airport	9300 Airport Road, Suite 2206	Mount Hope, ON	L0R 1W0	905-679-1999		
Sir/Madam				Smart Commute Hamilton				smartcommute@hamilton.ca		
Wasik	Gene	Mr.	Executive Director	Social Bicycle (SoBi)	126 Catherine Street North	Hamilton, ON	L8R 1J4	289-768-2453		Please note this is the general contact information
<b>Other</b>										
Loomis	Keanin	Mr.	President & CEO	Hamilton Chamber of Commerce	120 King St. West Suite 507, Plaza Level	Hamilton, ON	L8P 4V2	(905) 522-1151		
Platts	Megan	Ms.	Manager, Government & External Relations	REALTORS Association of Hamilton-Burlington	505 York Blvd.	Hamilton, ON	L8R 3K4	905-529-8101 ext. 295 fax: 905-529-4349 email: meganp@rahb.ca		
Roshko	Allan J.	Mr.	President	Hamilton-Halton Home Builders Association	1112 Rymal Road East	Hamilton, ON	L8W 3N7	905-575-3344		
Runciman	Mark	Mr.	Chief Executive Officer	Royal Botanical Gardens	680 Plains Rd. West	Burlington, ON	L7T 4H4	905.527.1158		Website www.rbg.ca





- Mill St N
- Mill St N
- Mill St N
- Mill St N
- Dundas St E
- Reynold St
- Dundas St E
- Dundas St E
- Dundas St E
- George St
- Dundas St E
- George St
- George St
- Dundas St E
- First St
- First St
- James St
- Margaret St



■ Margaret St

■ Margaret St

■ Margaret St

■ Margaret St

■ Dundas St E

■ William St

■ William St

■ Margaret St

■ William St

■ William St

■ William St

■ Dundas St E

■ Dundas St E



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 15**

**Public Information Centre #2**

**Agency Communications**

**April 2016**

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Potential Dates of Public Information Center (PIC) #2  
**Date:** September-26-16 15:42:09  
**Attachments:** [image001.jpg](#)

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Friday, August 26, 2016 11:22 AM  
**To:** 'Dave Maunder'  
**Subject:** FW: Potential Dates of Public Information Center (PIC) #2

FYI.....for EA Report appendix.

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Morrison, Alison  
**Sent:** March-24-16 8:46 AM  
**To:** Wang, Winston  
**Cc:** Partridge, Judi  
**Subject:** RE: Potential Dates of Public Information Center (PIC) #2

Good morning Winston – Councillor Partridge is available Tuesday April 26, 6-8pm for the PIC2.  
Thanks,

*Mackenzie Boers  
Constituency Assistant  
Councillor Judi Partridge  
Ward 15 Flamborough*

*The Lobbyist Registry is effective August 1<sup>st</sup> 2015. Anyone who does not live or own a business in the Ward Councillor's riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information:  
[www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)*

---

**From:** Wang, Winston  
**Sent:** March-24-16 7:58 AM

**To:** Partridge, Judi  
**Cc:** Morrison, Alison  
**Subject:** RE: Potential Dates of Public Information Center (PIC) #2

Hi Councillor Partridge,

The City has decided the PIC2 for Grindstone Utility Relocation Class EA will be held on April 26 (Tuesday) at Knox Church from 6:00pm to 8:00pm. Hopefully it is good for you too.

See you there!

Winston

---

**From:** Wang, Winston  
**Sent:** March-23-16 7:25 AM  
**To:** Partridge, Judi  
**Cc:** Morrison, Alison  
**Subject:** RE: Potential Dates of Public Information Center (PIC) #2

Thanks Councillor! So, will every day in the week from **April 25 to April 29** be OK for you? I would guess that time will be 6:00pm to 8:00pm as usual??

Regards,  
Winston

---

**From:** Partridge, Judi  
**Sent:** March-22-16 2:01 PM  
**To:** Wang, Winston  
**Cc:** Morrison, Alison  
**Subject:** RE: Potential Dates of Public Information Center (PIC) #2

Hello Winston – Knox Church is the preferred location for the PIC – thanks so much

Councillor Judi Partridge  
Ward 15 East Flamborough  
Waterdown, Carlisle, Millgrove  
West to Sydenham Rd ~ North to Conc. 14  
City of Hamilton 905-546-2713  
Admin Alison Morrison 905-546-3944  
[www.hamilton.ca](http://www.hamilton.ca) [www.judipartridge.ca](http://www.judipartridge.ca)

The city of Hamilton Lobbyist Registry is now in effect. Anyone who does not live or own a business in the Ward Councillors riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information: [www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)

---

**From:** Wang, Winston

**Sent:** March-21-16 11:58 AM  
**To:** Partridge, Judi  
**Subject:** Potential Dates of Public Information Center (PIC) #2

Good Morning Councillor Partridge,

How are you doing?

I am touching base with you regarding the potential dates for the **second** Public Information Centre (PIC) for Grindstone Utility Relocation Class EA from **April 25 to April 29, 2016**. Please kindly let me know which date(s)/time are good for you during this last week of April. Also, please let me know which location(s) you prefer again as the PIC 2 venue as I know all PIC venues must meet **AODA requirements** according to the City's policy.

Thanks,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:50:48  
**Attachments:** [image001.jpg](#)  
[Notification of PIC 2.pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Tuesday, April 5, 2016 3:34 PM  
**Cc:** 'Dave Maunder'  
**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,



**Winston Wang, M.A.Sc., P.  
Eng.**


Project Manager, Water & Wastewater  
Planning  
Infrastructure Planning & Systems  
Design  
City of Hamilton | Public Works  
Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate future bridge replacement activities. This study includes public, First Nations and Aboriginal People, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

Two (2) PIC sessions will be held in association with this Study. PIC No. 2 will present the evaluation of the alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued April 21 and April 28, 2016.



**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: \_\_\_\_\_
2. Ministry/Agency/Office: \_\_\_\_\_
3. Address: \_\_\_\_\_  
\_\_\_\_\_ Postal Code: \_\_\_\_\_  
Phone No.: \_\_\_\_\_  
Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes \_\_\_\_\_ No \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:50:33  
**Attachments:** [image001.jpg](#)  
[Notification of PIC 2-signed.pdf](#)

---

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** Wednesday, April 6, 2016 7:38 AM  
**To:** 'Dave Maunder'  
**Cc:** [denich.c@aquaforbeech.com](mailto:denich.c@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Hi Dave,

Could you please respond to their comments?

Thanks,  
Winston

---

**From:** Minkin, Dan (MTCS) [<mailto:Dan.Minkin@ontario.ca>]  
**Sent:** April-05-16 4:22 PM  
**To:** Wang, Winston  
**Cc:** 'Dave Maunder'  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Thank you. Please find completed response form attached.

**Dan Minkin**

Heritage Planner  
Ministry of Tourism, Culture and Sport  
Culture Division | Programs and Services Branch | Heritage Program Unit  
401 Bay Street, Suite 1700  
Toronto, Ontario M7A 0A7  
Tel. 416.314.7147 | Fax. 416.314.7175

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** April 5, 2016 3:34 PM  
**Cc:** 'Dave Maunder'  
**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility

Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,



**Winston Wang, M.A.Sc., P.  
Eng.**


Project Manager, Water & Wastewater  
Planning  
Infrastructure Planning & Systems  
Design  
City of Hamilton | Public Works  
Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate future bridge replacement activities. This study includes public, First Nations and Aboriginal People, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

Two (2) PIC sessions will be held in association with this Study. PIC No. 2 will present the evaluation of the alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued April 21 and April 28, 2016.




**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: Dan Minkin
2. Ministry/Agency/Office: Ministry of Tourism, Culture and Sport
3. Address: 401 Bay Street, Suite 1700  
Toronto, ON Postal Code: M7A 0A7  
Phone No.: 416-314-7147  
Email: dan.minkin@ontario.ca

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):

General comments were sent Nov 20, 2016. Currently interested in whether any alternative solutions involve ground disturbance on land with archaeological potential; would require Stage 2 Archaeological Assessment during EA process if so, particularly if preliminary preferred alternative. Also, have the bridge and any other potentially impacted structures been screened for potential cultural heritage value or interest? Would require heritage impact assessment if deemed to have potential.

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes  No

Signature  Date April 5, 2016

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**From:** [Dave Maunder](mailto:Dave.Maunder@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:50:04  
**Attachments:** [image001.jpg](#)  
**Importance:** High

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Friday, April 8, 2016 7:57 AM  
**To:** 'Dave Maunder'  
**Cc:** denich.c@aquaforbeech.com  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Importance:** High

Hi Dave/Chris,

Please see the concerns from NEC below. My understanding is that NEC would like to see both the plan view and cross-section view of all alternatives so that they can make a decision if a Development Permit is required or not. I believe the PIC2 boards are not enough. That's why I have been requested those drawings for quite a while now. Could you provide me with your thoughts on this?

By the way, could you please also send me the PIC1 summary as the City needs to update the Project Website for the public and agencies?

Thanks,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Mott, Nancy (MNRF) [mailto:Nancy.Mott@ontario.ca]  
**Sent:** April-07-16 3:35 PM  
**To:** Wang, Winston  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Dear Winston:

The subject lands are partly in the Area of Development Control and a Development Permit from the Niagara Escarpment Commission may be required. As so little detailed information has been provided to us, we are unable to determine if the project might be exempt under our Regulation. Is it simply road and utility repair or more than that?

Can you provide a link to your website where we can view the alternative solutions? We need to assess whether the proposed construction is in conflict with the Niagara Escarpment Plan.

Thank you,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363

Fax: 905-873-7452

Cell: 289-839-0106

Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

**Please consider the environment before printing this email.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]

**Sent:** April 5, 2016 3:34 PM

**Cc:** 'Dave Maunder'

**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,

| **Winston Wang, M.A.Sc., P.**



**Eng.**

Project Manager, Water & Wastewater  
Planning

Infrastructure Planning & Systems  
Design

City of Hamilton | Public Works  
Department

77 James Street North, Suite 400

Hamilton, ON L8R 2K3

T: 905.546.2424 ext. 4092

[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Dave Maunder](mailto:Dave.Maunder@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:49:52  
**Attachments:** [image001.jpg](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Friday, April 8, 2016 9:03 AM  
**To:** 'Mott, Nancy (MNRF)'  
**Cc:** 'Dave Maunder'  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Good Morning Nancy,

Please see the project website for some background information and PIC 1 boards:

<https://www.hamilton.ca/city-planning/master-plans-class-eas/highway-5-grindstone-creek-utility-relocation>

This project is to assess the potential utility relocation alternatives away from the current Highway 5 Grindstone Creek Bridge. The utilities on/near the bridge include one 500 mm sewer forcemain, one 250mm gravity sanitary sewer, one 200mm watermain (which is buried under the creek as the City wants to upgrade it to 300mm at the same time), and Union Gas main and Bell ducts. A potential utility bridge may be proposed along existing bridge. Once this relocation has been done, the bridge will be replaced. So, my project is on the relocation part, not the bridge replacement part.

I am still waiting for the drawings from our consultants at Aquafor Beech for all alternatives to show where the potential utility relocation will be looked like and once I have these drawings, I will forward them to you for review and comment.

Regards,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Mott, Nancy (MNRF) [<mailto:Nancy.Mott@ontario.ca>]

**Sent:** April-07-16 3:35 PM

**To:** Wang, Winston

**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Dear Winston:

The subject lands are partly in the Area of Development Control and a Development Permit from the Niagara Escarpment Commission may be required. As so little detailed information has been provided to us, we are unable to determine if the project might be exempt under our Regulation. Is it simply road and utility repair or more than that?

Can you provide a link to your website where we can view the alternative solutions? We need to assess whether the proposed construction is in conflict with the Niagara Escarpment Plan.

Thank you,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363

Fax: 905-873-7452

Cell: 289-839-0106

Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

**Please consider the environment before printing this email.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]

**Sent:** April 5, 2016 3:34 PM

**Cc:** 'Dave Maunder'

**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,



**Winston Wang, M.A.Sc., P.  
Eng.**

Project Manager, Water & Wastewater  
Planning

Infrastructure Planning & Systems  
Design

City of Hamilton | Public Works  
Department

77 James Street North, Suite 400

Hamilton, ON L8R 2K3

T: 905.546.2424 ext. 4092

[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** September-26-16 13:49:34  
**Attachments:** [image001.jpg](#)  
[Bridge 451 Culture Heritage Assessment.pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Friday, April 8, 2016 11:09 AM  
**To:** 'Minkin, Dan (MTCS)'  
**Cc:** 'Dave Maunder'  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Good Morning Dan,

This is the link to the project website. In this website you can find our PIC1 boards to get a better understanding of the background information. Since the proposed works will not result in some sort of subsurface impacts; therefore, a Stage 2 archaeological assessment would not be completed before the conclusion of this study.

<https://www.hamilton.ca/city-planning/master-plans-class-eas/highway-5-grindstone-creek-utility-relocation>

One of the potential alternatives is to build a utility bridge side by side to the south east side. I am not sure if a Stage 2 archaeological assessment is needed to confirm the feasibility of building the utility bridge or the utility bridge is just steel beams welded and put on the land??

Dave: do you have any thoughts or ideas to add in this regard?

As for the potential cultural heritage value, it has been screened and the conclusion is that there is not heritage value with this bridge. Please see the attached file extracted from the City of Hamilton's Bridge Master Plan and hopefully you have already seen this report.

Thanks,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Minkin, Dan (MTCS) [<mailto:Dan.Minkin@ontario.ca>]  
**Sent:** April-05-16 4:22 PM  
**To:** Wang, Winston  
**Cc:** 'Dave Maunder'  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Thank you. Please find completed response form attached.

**Dan Minkin**

Heritage Planner  
Ministry of Tourism, Culture and Sport  
Culture Division | Programs and Services Branch | Heritage Program Unit  
401 Bay Street, Suite 1700  
Toronto, Ontario M7A 0A7  
Tel. 416.314.7147 | Fax. 416.314.7175

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** April 5, 2016 3:34 PM  
**Cc:** 'Dave Maunder'  
**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,



**Winston Wang, M.A.Sc., P.  
Eng.**

Project Manager, Water & Wastewater  
Planning  
Infrastructure Planning & Systems  
Design  
City of Hamilton | Public Works  
Department

77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

Municipal Heritage Bridges Checklist Part B – Cultural Heritage Assessment			
No.	Description	Yes	No
1	Does the proposed project involve a bridge construction in or after 1956?	X	
2	Does the project involve one of these four bridge types? Rigid frame, precast with concrete deck, culvert or simple support, or steel beam/concrete deck.	X	
3	Does the bridge or study area contain a parcel of land that is subject of a covenant or agreement between the owner of the property and a conservation body or level of government?		X
4	Does the bridge or study area contain a parcel of land that is listed on a register or inventory of heritage properties maintained by the municipality?		X
5	Does the bridge or study area contain a parcel of land that is designated under Part IV of the <i>Ontario Heritage Act</i> ?		X
6	Does the bridge or study area contain a parcel of land that is subject to a notice of intention to designate issued by a municipality?		X
7	Does the bridge or study area contain a parcel of land that is located within a designated Heritage Conservation District?		X
8	Does the bridge or study area contain a parcel of land that is subject to a Heritage Conservation District study area by-law?		X
9	Does the bridge or study area contain a parcel of land that is included in the MTCS list of provincial heritage properties?		X
10	Does the bridge or study area contain a parcel of land that is part of a National Historic Site?		X
11	Does the bridge or study area contain a parcel of land that is part of a UNESCO World Heritage Site?		X
12	Does the bridge or study area contain a parcel of land that is designated under the <i>Heritage Railway Station Protection Act</i> ?		X
13	Does the bridge or study area contain a parcel of land that is identified as a Federal Heritage Building by the Federal Heritage Building Review Office?		X
14	Does the bridge or study area contain a parcel of land that is the subject of a municipal, provincial or federal commemorative or interpretive plaque that speaks to the Historical significance of the bridge?		X
15	Does the bridge or study area contain a parcel of land that is in a Canadian Heritage River watershed?		X
16	Will the project impact any structures or sites (not bridges) that are over forty years old, or are important to defining the character of the area or that are considered a landmark in the local community?		X
17	Is the bridge or study area adjacent to a known burial site and/or cemetery?		X
18	Is the bridge considered a landmark or have a special association with a community, person or historical event in the local community?		X
19	Does the bridge or study area contain or is it part of a cultural heritage landscape?		X



**Bridge ID:** 451

**Street Name:** HIGHWAY NO. 5 E

**Location:** 120 metres east of MILL ST S

**Built Heritage Inventory Number:** 602451

**Longitude:** -79.890778      **Latitude:** 43.335168

**Former Municipality:** Flamborough

**Bridge Type:** Concrete **Number of Spans:** 3

**Construction Period:** Post 1955

**Construction Date if known:** 1966

**Description:**

Concrete piers support this multi-span concrete beam structure. There is a simple steel balustrade on the deck. The bridge has a straight horizontal soffit.

**CHER Required:** No

**Completed by:** James Sebele

**Rational for CHER Requirement:** Does not satisfy criteria provided in Part B of MCEA Checklist.



**Figure Reference:** 2.1

**Date of Site Visit:** November 27, 2014

**From:** [Mott, Nancy \(MNRF\)](#)  
**To:** [Wang, Winston](#)  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** April-08-16 15:02:09  
**Attachments:** [image001.jpg](#)  
[waterdown\\_study\\_area\\_dc\\_oct30\\_15.pdf](#)  
[waterdown\\_study\\_area\\_oct30\\_15.pdf](#)

---

Message I sent incomplete. Here is the full message:

As you can see from the attached maps, part of the study is within the Urban Area. Under our regulation (O.Reg. 828), “the maintenance, repair or renewal of sewers, pipes, mains, cables including fiber optic cables, wire or other apparatus connected with public utilities, including equipment shelters and lockers and the breaking open of any municipal road or highway or other land for this purpose” and “the construction or installation of sewers, pipes, mains, cables including fiber optic cables, wire or other apparatus connected with public utilities, including equipment shelters and lockers in an area designated as Urban Area in the Niagara Escarpment Plan” are exempt from development control. However, part of the subject lands are in the Escarpment Natural Area where only *essential* transportation and utility facilities are permitted.

Is Highway 5 still under MTO jurisdiction or is it under the City’s jurisdiction? If under MTO control, then no Development Permit would be required.

Regardless, we would be interested in more specific information about the location or re-location of the infrastructure to determine any effect in the NEP area.

Thank you,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363  
Fax: 905-873-7452  
Cell: 289-839-0106  
Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

**Please consider the environment before printing this email.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** April 8, 2016 9:03 AM  
**To:** Mott, Nancy (MNRF)  
**Cc:** 'Dave Maunder'  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Good Morning Nancy,

Please see the project website for some background information and PIC 1 boards:

<https://www.hamilton.ca/city-planning/master-plans-class-eas/highway-5-grindstone-creek-utility-relocation>

This project is to assess the potential utility relocation alternatives away from the current Highway 5 Grindstone Creek Bridge. The utilities on/near the bridge include one 500 mm sewer forcemain, one 250mm gravity sanitary sewer, one 200mm watermain (which is buried under the creek as the City wants to upgrade it to 300mm at the same time), and Union Gas main and Bell ducts. A potential utility bridge may be proposed along existing bridge. Once this relocation has been done, the bridge will be replaced. So, my project is on the relocation part, not the bridge replacement part.

I am still waiting for the drawings from our consultants at Aquafor Beech for all alternatives to show where the potential utility relocation will be looked like and once I have these drawings, I will forward them to you for review and comment.

Regards,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Mott, Nancy (MNRF) [<mailto:Nancy.Mott@ontario.ca>]

**Sent:** April-07-16 3:35 PM

**To:** Wang, Winston

**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

Dear Winston:

The subject lands are partly in the Area of Development Control and a Development Permit from the Niagara Escarpment Commission may be required. As so little detailed information has been provided to us, we are unable to determine if the project might be exempt under our Regulation. Is it simply road and utility repair or more than that?

Can you provide a link to your website where we can view the alternative solutions? We need to assess whether the proposed construction is in conflict with the Niagara Escarpment Plan.

Thank you,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363

Fax: 905-873-7452

Cell: 289-839-0106

Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

**Please consider the environment before printing this email.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]

**Sent:** April 5, 2016 3:34 PM

**Cc:** 'Dave Maunder'

**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,




**Winston Wang, M.A.Sc., P.  
Eng.**

Project Manager, Water & Wastewater  
Planning  
Infrastructure Planning & Systems  
Design  
City of Hamilton | Public Works  
Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092


| [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

# Area of Development Control




- Study Area
- Niagara Escarpment Plan Area
- Area of Development Control
- Roads
- Railway - Operational
- Watercourse
- Upper Tier Municipality
- Lower/Single Tier Municipality
- Lot and Concession Boundary
- Parcel Boundary

Area of Development Control Drawn for Convenience Only. Refer to the appropriate Ontario Regulation for an accurate interpretation of the Development Control Area.



Printed on Oct 30, 2015  
**THIS IS NOT A PLAN OF SURVEY**  
This map is illustrative only. Do not rely on it as being a precise indicator of routes, location of features, nor as a guide to navigation. Base derived from various sources.  
Map compiled and produced by the Geographic Information Systems (GIS) Department of the Niagara Escarpment Commission, Ministry of Natural Resources

# Niagara Escarpment Plan Designations



- Study Area
- Plan Designations**
- Escarpment Natural Area
- Escarpment Protection Area
- Urban Area
- Niagara Escarpment Parks and Open Space System
- Roads
- Railway - Operational
- Unevaluated Wetlands
- Watercourse
- Upper Tier Municipality
- Lower/Single Tier Municipality
- Lot and Concession Boundary
- Parcel Boundary

NOTE: The Niagara Escarpment Plan Designation boundaries shown on this map are approximate and subject to confirmation through Site Inspection and the application of the "Interpretation of Boundaries" section of the Niagara Escarpment Plan

0 100 200 300 400

Metres

Printed on Oct 30, 2015

**THIS IS NOT A PLAN OF SURVEY**

This map is illustrative only. Do not rely on it as being a precise indicator of routes, location of features, nor as a guide to navigation. Base derived from various sources.

Map compiled and produced by the Geographic Information Systems (GIS) Department of the Niagara Escarpment Commission, Ministry of Natural Resources



© 2015 Queen's Printer for Ontario. May Not be Reproduced without Permission.



**From:** [Wang, Winston](#)  
**To:** ["Dave Maunder"](#)  
**Subject:** FW: Project Update Regarding Grindstone Creek Bridge Utility Relocation Class EA - Alternatives and Preferred Solution  
**Date:** August-22-16 14:07:11  
**Attachments:** [image001.jpg](#)

---

FYI.....please put it in EA Report Appendix.

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Partridge, Judi  
**Sent:** April-18-16 12:58 PM  
**To:** Wang, Winston  
**Cc:** Judi Partridge; Partridge, Judi  
**Subject:** RE: Project Update Regarding Grindstone Creek Bridge Utility Relocation Class EA - Alternatives and Preferred Solution

Hello Winston, as per our phone conversation, please find an alternate time for this meeting as Councillor Partridge is committed to an event in her ward – thanks very much!

Councillor Judi Partridge  
Ward 15 East Flamborough  
Waterdown, Carlisle, Millgrove  
West to Sydenham Rd ~ North to Conc. 14  
City of Hamilton 905-546-2713  
Admin Alison Morrison 905-546-3944  
[www.hamilton.ca](http://www.hamilton.ca) [www.judipartridge.ca](http://www.judipartridge.ca)

The city of Hamilton Lobbyist Registry is now in effect. Anyone who does not live or own a business in the Ward Councillors riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information: [www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)

---

**From:** Wang, Winston  
**Sent:** April-18-16 11:24 AM  
**To:** Partridge, Judi  
**Subject:** Project Update Regarding Grindstone Creek Bridge Utility Relocation Class EA - Alternatives and Preferred Solution

Good Morning Councillor Partridge,

We would like to approach you before the Public Information Centre (PIC) 2 for my project “Highway 5 Grindstone Creek Bridge Utility Relocation Class Environmental Assessment and Conceptual Design”. We are planning to meet with you on **April 21, 2016 at 10am to 11:30am**, along with our Director Mark Bainbridge and Manager Udo Ehrenberg for updating you about the potential alternatives of utility relocation, and the preferred solution.

So we are wondering if you are available at this time? Or if other dates or times are better? If you are available, what is the meeting location?

I will follow up with your assistant regarding this meeting, even though it is short-noticed.

Regards,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Morrison, Alison](#)  
**To:** ["Barb Rusnak"](#)  
**Cc:** [Wang, Winston](#)  
**Subject:** RE: PIC#2 Notification for Grindstone Utility Relocation Class EA  
**Date:** April-22-16 08:38:28  
**Attachments:** [image001.jpg](#)

---

Thanks Barb, just wanted to ensure that you know about it!

*Alison Morrison*

*Administrative Assistant  
Councillor Judi Partridge  
Ward 15 Flamborough  
905-546-3944*

*The Lobbyist Registry is effective August 1<sup>st</sup> 2015. Anyone who does not live or own a business in the Ward Councillor's riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information:*

**[www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)**

---

**From:** Barb Rusnak [mailto:[info@waterdownbia.ca](mailto:info@waterdownbia.ca)]  
**Sent:** April-21-16 8:32 PM  
**To:** Morrison, Alison  
**Subject:** RE: PIC#2 Notification for Grindstone Utility Relocation Class EA

Hi Alison

I will be returning from Florida on the evening of May 3, but will follow up with the City re the study  
Thank you for forwarding the information.

Barb

---

**From:** Morrison, Alison [mailto:[Alison.Morrison@hamilton.ca](mailto:Alison.Morrison@hamilton.ca)]  
**Sent:** Thursday, April 21, 2016 12:40 PM  
**To:** 'Barb Rusnak' <[info@waterdownbia.ca](mailto:info@waterdownbia.ca)>  
**Subject:** FW: PIC#2 Notification for Grindstone Utility Relocation Class EA  
**Importance:** High

Hi Barb - FYI

*Alison Morrison*

*Administrative Assistant  
Councillor Judi Partridge  
Ward 15 Flamborough  
905-546-3944*

*The Lobbyist Registry is effective August 1<sup>st</sup> 2015. Anyone who does not live or own a business in the Ward Councillor's riding who wishes to communicate with that Councillor must first register as a Lobbyist. More information:*

[www.hamilton.ca/lobbyistregistry](http://www.hamilton.ca/lobbyistregistry)

---

**From:** Wang, Winston

**Sent:** April-21-16 11:51 AM

**To:** Morrison, Alison

**Subject:** PIC#2 Notification for Grindstone Utility Relocation Class EA

**Importance:** High

Hi Alison,

As per discussion, please forward this PIC2 notification to her to see if she is interested in attending our PIC#2. Please forward it to Waterdown BIA Chair.

Thanks,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning

Infrastructure Planning & Systems Design

City of Hamilton | Public Works Department

77 James Street North, Suite 400

Hamilton, ON L8R 2K3

T: 905.546.2424 ext. 4092

[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Wang, Winston](#)  
**To:** "Dave Maunder"  
**Cc:** [denich.c@aquaforbeech.com](mailto:denich.c@aquaforbeech.com)  
**Subject:** FW: Grindstone EA Newspaper Ad #2  
**Date:** April-29-16 11:40:53  
**Attachments:** [20160429103849.pdf](#)

---

FYI.....another ad for our PIC2.....

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

**From:** Wang, Winston  
**Sent:** April-29-16 10:39 AM  
**To:** Wang, Winston  
**Subject:**



Julia Lovett - Review

Grade 8 students at Spencer Valley Elementary School gave a presentation on anti-bullying to their schoolmates during Pink Shirt Day on Wed., April 13. During the assembly, the class shared a video and read stories from bully victims about their experiences. The students said that hearing the stories changed their views and they will be more proactive in helping others.

## CITY IN MOTION

### Hamilton's Transportation Master Plan Notice of Public Information Centre #4 (PIC)

The City of Hamilton is undertaking a review and update of the citywide Transportation Master Plan (TMP) in accordance with the Municipal Class Environmental Assessment (as amended 2011) process.

#### When?

On **Tuesday, April 26th 2016**  
two (2) identical sessions will be held communicating the project materials.

#### Where?

City Hall Council Chambers  
(mezzanine level)  
70 Main Street West

#### What will we be talking about?

- Highlights and findings of ongoing work
- Sharing what has been heard from the public
- Continued public engagement
- Getting your feedback on the study direction

#### Stay up-to-date

[www.hamilton.ca/TMP](http://www.hamilton.ca/TMP)



#### Session 1

**Part 1:** 2:00pm-3:30pm  
Display Boards Review

**Part 2:** 3:30-4:00pm  
Presentation

#### Session 2

**Part 1:** 6:00pm-7:30pm  
Display Boards Review

**Part 2:** 7:30-8:00pm  
Presentation

#### Contact:


Steve Molloy  
Project Manager  
City of Hamilton  
T: (905) 546-2424 x2975  
E: [tplanning@hamilton.ca](mailto:tplanning@hamilton.ca)



## Utility Relocation Schedule "B" Class Environmental Assessment

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate future bridge replacement activities. This study includes public, First Nations and Aboriginal People, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

Two (2) PIC sessions will be held in association with this Study. PIC No. 2 will present the evaluation of the alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

Please contact the Project Manager regarding disability accommodation requirements.

This Notice Issued April 21, and April 28, 2016



## Utility Relocation Schedule "B" Class Environmental Assessment

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate future bridge replacement activities. This study includes public, First Nations and Aboriginal People, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

Two (2) PIC sessions will be held in association with this Study. PIC No. 2 will present the evaluation of the alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
 80 Mill Street North,  
 Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
 City of Hamilton  
 77 James Street North, Suite 400  
 Hamilton, ON L8R 2K3  
 Phone: 905-546-2424 ext. 4092  
 Fax: 905-546-4491  
 Email: Winston.Wang@hamilton.ca

Please contact the Project Manager regarding disability accommodation requirements.

This Notice Issued April 21, and April 28, 2016



## Fraudsters continue to target seniors

by Laura Lennie  
 METROLAND WEST MEDIA GROUP

While crimes against seniors are down overall, fraud-related incidents continue to rise, according to the latest Hamilton police statistics.

An annual report presented to the police services board April 21 shows there were 555 crimes against seniors – defined as 60 and older – in 2015. That's down from 588 incidents in 2014.

But there were 82 fraud-related crimes last year compared to 62 in 2014. The incidents resulted in 15 of the 29 charges laid last year by the crimes against seniors unit.

Det. Sgt. Dave Dunbar told the board schemes like the grandparent scam remain a concern in

Hamilton.

The scam, believed to be run out of Quebec, typically entails con artists posing as grandchildren to get seniors to send money to help them out of an alleged legal jam, like a car accident, while out of town. The con artists use open-ended questions, tricking seniors into divulging information such as the names of their grandchildren. Money is then requested and sent through wire transfer services.

Dunbar said the recent Canada Revenue Agency and immigration scams also are a major problem.

The CRA scam involves individuals claiming to be representatives from the Canada Revenue

see Awareness pg. 18

# FREE Compost



The City of Hamilton is giving away compost for your lawn, garden, and plants. Some locations are giving away woodchips too. Bring your own pails, shovel, and elbow grease. **While quantities last.**

DATE	LOCATION	DETAILS
April 25-30, 2016	Valley Park (ball park parking lot) 970 Paramount Dr., Stoney Creek	COMPOST & WOODCHIPS April 25-29 (8 am – 5 pm) April 30 (8 am – 12 pm)
April 30, 2016	Ancaster Public Works Yard 501 Shaver Rd., Ancaster	COMPOST ONLY 8 am – 12 pm
April 30, 2016	Dundas Public Works Yard 189 King St. East, Dundas	COMPOST & WOODCHIPS 8 am – 12 pm
May 7, 2016	Joe Sams Leisure Park 752 Centre Rd., Waterdown	COMPOST & WOODCHIPS 8 am – 12 pm
May 7, 2016	Rymal Road Public Works Yard 308 Rymal Rd. East, Hamilton	COMPOST & WOODCHIPS 8 am – 12 pm
May 14, 2016	Rennie/Brampton Public Works Yard 2200 Brampton St., Hamilton	COMPOST & WOODCHIPS 8 am – 12 pm
May 14, 2016	Jones Road Public Works Yard 349 Jones Rd., Stoney Creek	COMPOST & WOODCHIPS 8 am – 12 pm

**The compost and woodchips are for residential use only. They are NOT available for commercial use.**

Residents are encouraged to bring a monetary donation in support of the United Way.



United Way  
 Burlington &  
 Greater Hamilton  
 uwaybh.ca



Hamilton

www.hamilton.ca/waste  
 info@hamilton.ca  
 (905) 546-CITY (2489)

**From:** [Dave Maunder](#)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Highway 5 Grindstone Bridge Utility Relocation Class EA - Preferred Alternative  
**Date:** September-26-16 15:41:34  
**Attachments:** [image001.jpg](#)  
[Grindstone\\_plan V2.pdf](#)  
[Grindstone\\_sections.pdf](#)

---

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** Tuesday, May 10, 2016 3:18 PM  
**To:** 'Mott, Nancy (MNRF)'  
**Cc:** 'Dave Maunder'  
**Subject:** Highway 5 Grindstone Bridge Utility Relocation Class EA - Preferred Alternative

Good Afternoon Nancy,

**FYI**.....attached is the preferred alternative for Highway 5 Grindstone Creek Bridge Utility Relocation. The City had 2 Public Information Centres (PIC's) already and is now in the process of gathering inputs and comments for the Class EA report writing. So, if you have any other questions or concerns, please let us know.


By the way, it is a fact that highway #5 belongs to the Ministry of Transportation of Ontario.

Thanks,




**Winston Wang, M.A.Sc., P. Eng.**


Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)




# GRINDSTONE CREEK UTILITY BRIDGE

## CITY OF HAMILTON





ELEVATION



SECTION

SECTION AND ELEVATION

# GRINDSTONE CREEK UTILITY BRIDGE

## CITY OF HAMILTON

**From:** [Mott, Nancy \(MNRF\)](#)  
**To:** [Wang, Winston](#)  
**Cc:** "[Dave Maunder](#)"; [Kilian, Martin \(MNRF\)](#)  
**Subject:** RE: Highway 5 Grindstone Bridge Utility Relocation Class EA - Preferred Alternative  
**Date:** May-12-16 09:39:44  
**Attachments:** [image001.jpg](#)

---

Hello:

Thank you for the update. If the proposed works would be undertaken by or on behalf of MTO, then a Development Permit would not likely be required. We request however that prior to construction, you apply for a Development Permit and we can issue a formal Exemption for your records.

Best regards,

Nancy

Nancy Mott, MCIP, RPP  
Senior Strategic Advisor  
Niagara Escarpment Commission

Tel: 905-877-8363  
Fax: 905-873-7452  
Cell: 289-839-0106  
Email: [nancy.mott@ontario.ca](mailto:nancy.mott@ontario.ca)

**Please consider the environment before printing this email.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** May 10, 2016 3:18 PM  
**To:** Mott, Nancy (MNRF)  
**Cc:** 'Dave Maunder'  
**Subject:** Highway 5 Grindstone Bridge Utility Relocation Class EA - Preferred Alternative

Good Afternoon Nancy,

**FYI**.....attached is the preferred alternative for Highway 5 Grindstone Creek Bridge Utility Relocation. The City had 2 Public Information Centres (PIC's) already and is now in the process of gathering inputs and comments for the Class EA report writing. So, if you have any other questions or concerns, please let us know.

By the way, it is a fact that highway #5 belongs to the Ministry of Transportation of Ontario.

Thanks,



**Winston Wang, M.A.Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design  
City of Hamilton | Public Works Department

77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092  
[winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

**From:** [Katie Jane Harris](#)  
**To:** [Wang, Winston](#)  
**Cc:** [Dave Maunder \(maunder.d@aquaforbeech.com\)](mailto:maunder.d@aquaforbeech.com)  
**Subject:** Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
**Date:** June-14-16 17:19:26  
**Attachments:** [June 14, 2016 comments \(2\).pdf](#)

---

Good Afternoon,

Please see attached, Conservation Halton's comments regarding the Schedule 'B' EA for the Highway 5 Bridge in Waterdown and its proposed utility relocation.

If you have any questions, please do not hesitate to ask.

Best Regards,

Katie Jane

**Katie Jane Harris, B.E.S.**

Environmental Planner

**Conservation Halton**

2596 Britannia Road West, Burlington, ON L7P 0G3

905.336.1158 ext. 2231 | Fax 905.336.7014 | [kjharris@hrca.on.ca](mailto:kjharris@hrca.on.ca)

[conservationhalton.ca](http://conservationhalton.ca)

*Thank you for thinking about the environment before printing this e-mail. If you are not an intended recipient, you must not disclose, copy, or distribute its contents or use them in any way. Please advise the sender immediately and delete this e-mail.*



905.336.1158  
Fax: 905.336.7014  
2596 Britannia Road West  
Burlington, Ontario L7P 0G3  
[conservationhalton.ca](http://conservationhalton.ca)

Protecting the Natural  
Environment from  
Lake to Escarpment

June 14, 2016

Mr. Winston Wang, M. A. Sc. P. Eng.  
Water & Wastewater Planning  
City of Hamilton  
71 Main Street West  
Hamilton, ON  
L8P 4Y5

**BY MAIL AND BY EMAIL**

Dear Mr. Wang:

**Re: Schedule 'B' Municipal Class Environmental Assessment (EA)  
Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
Conservation Halton File: MPR 686**

Conservation Halton's initial comments provided on November 2, 2015 noted that development within Conservation Halton's regulated area can be restricted and, in some cases, not permitted subject to Conservation Halton's regulatory policies as approved by the Board of Directors. Pursuant to Policy 3.51, Public Infrastructure, it is recognized that certain utilities and services such as watermains, storm and sanitary sewers, natural gas or oil pipelines, hydro and communication corridors, footpaths/trails and transportation links will, from time to time, be required to cross hazardous lands, valleylands, wetlands or shorelines. As such, it must be demonstrated through the EA process that there are no reasonable alternatives.

Staff have reviewed the *Public Information Centre #2 Utility Relocation Schedule "B" Class Environmental Assessment Boards*, prepared by Aquafor Beech, dated May 3, 2016, as well as the *Bridge 451 – Highway 5 East, 120m east of Mill Street South, Ecological Characterization & Natural Heritage Assessment*, prepared by Dougan and Associates, dated September 2015, received May 10, 2015 and offer the following comments.

It is understood that the draft EA will be provided for review. The draft EA is to include technical study/studies in order to assess presented alternatives prior to selecting a preferred alternative.

## Regulatory Comments under Ontario Regulation 162/06

Staff note that only limited information has been presented at this time, however please see the following comments as they pertain to Conservation Halton's regulatory requirements.

- 1) Staff note that a geotechnical assessment (study) is required for all alternatives to address slope stability and constructability.
- 2) In alternatives where a utility bridge is proposed, the span of the utility bridge is to be based on a geotechnical analysis of slope stability. This will impact bridge span and cost of construction, which may influence the evaluation matrix. The assessment is to consider the proposed utility bridge and future bridge reconstruction. Bridge abutments are to be placed outside of the slope hazard. If this is not feasible, the span is to be maximized to extent possible. Please ensure to provide supporting analysis in the draft EA.
- 3) As discussed in the pre-consultation held on May 10, 2016, the draft EA is to include drawing(s) outlining top of bank, floodplain, and stable slope line (based on input from qualified Professional Geotechnical Engineer).
- 4) Please explain how risks such as spills (pollution) have been considered in the review. The only impact listed is during construction i.e. "construction risks (e.g. deep tunnels)."
- 5) *PIC Boards, pg. 7*: Please note that the condition of the riparian habitat in the vicinity of Bridge 451 is dense and offers excellent thermal mitigation and cover. Conservation Halton staff recommends minimizing any disturbance to the valley and riparian vegetation. The rating in the Evaluation of Alternatives table of "impact on existing vegetation" should be partly based on the estimated area of disturbance as well as any increased public access to the valley system which could degrade the riparian area.
- 6) *PIC Board, pg. 10, Alternative #2*: Verification is required to confirm there is no impact to hydraulics (conveyance and Regulatory flood elevations) at the EA stage.
- 7) *PIC Boards, pg. 10, Alternative #2*: When evaluating the options in the EA please quantify any intrusion into the valley that is required/possible. Additional concerns that should be discuss for each option in the EA include appropriate erosion and sediment control measures, how future maintenance could impact the creek, and staging of the proposed work.

This option increases the number of valley crossings (two bridges) which is not desirable from an aquatic ecology perspective. One piece of infrastructure typically limits the potential area of impact.

- 8) *PIC Boards, pg. 11, Alternative #3*: The methods proposed to relocate the forcemain and watermain subsurface will need to be clearly stated in the EA and evaluated for potential impacts to the aquatic ecosystem. Any environmental mitigation methods recommended should also be defined.

This option increases the amount of infrastructure in the valley bottom which is not desirable from an aquatic ecology perspective. One piece of infrastructure typically limits the potential area of impact.

- 9) *PIC Boards, pg. 11, Alternative #3*: This alternative may require input from Fluvial Geomorphologist to support any utility crossing under Grindstone Creek, depending on depth of crossings considered.
- 10) *PIC Boards, pg. 12*: ‘Impact on Erosion & Flooding’ is ranked the same for all alternatives. Ranking should take into consideration:
  - i. Likely relocation of existing storm sewer outfall for Alternative #2; and
  - ii. Potential creek crossing of partial or all utilities for Alternative #3.
- 11) *PIC Boards, pg. 12*: The ranking of the alternatives based on impact on fish and aquatic habitat is expected to change based on the detailed evaluation in the EA. The factors to consider include:
  - Number of separate valley crossings;
  - Area of riparian disturbance;
  - Potential impacts due to accessing the utilities to complete future work;
  - Frequency and potential impact (valley or riparian area disturbance) of maintenance and emergency works;
  - Public access to the valley; and,
  - Mitigation measures recommended and the ease of their implementation.
- 12) *PIC Boards, page 13*: “Ease of Approvals/Potential for delays” is ranked the same for all alternatives. The basis is unclear. Ranking should take into consideration geotechnical requirements associated with each alternative.

#### **Advisory Comments under Hamilton/CH Memorandum of Agreement**

- 11) It is noted that a temporary redirection of traffic will be required as part of the proposed alternatives. Staff note with the relocation of traffic to a less urbanized road, there may be the potential for increased wildlife/vehicle collisions. Staff recommend that if mitigation measures are feasible to be implemented to reduce potential indirect impacts to the natural environment, they are considered.
- 12) *PIC Boards, pg. 7*: The Natural Heritage Assessment should also highlight that the bridge is located within the Grindstone Valley Environmentally Significant Area (ESA).
- 13) *PIC Boards, pg. 7*: Based on the review of the Ecological Characterization & Natural Heritage Assessment, staff recommend that bat habitat be assessed as per the Bat and Bat Habitat Surveys of Treed Habitats developed by Guelph District in May 2016.

14) *PIC Boards, pg. 7*: Based on the review of the Ecological Characterization & Natural Heritage Assessment, staff would like to know whether the bridge was assessed for nests such as those of cliff swallows?

15) Staff advise that mitigation measures to limit the spread of invasive species should be considered during the construction period.

### **Future Bridge 451 Replacement**

Conservation Halton is of the understanding that in the future, the Highway 5 bridge that crosses Grindstone Creek in this location will be replaced. It is expected that at that time, the bridge replacement will be classified as a Schedule A+ EA.

As part of the current Schedule B EA, a geotechnical assessment is required for all alternatives to address slope stability and constructability. It is strongly recommended that during this geotechnical investigation, the future bridge replacement is incorporated into the geotechnical analysis to ensure that a like-for-like replacement is an acceptable approach and will not cause future risk to the structure and/or the public (i.e. stability, flooding, etc.).


Similarly, environmental characterization for this EA should evaluate the bridge and immediate vicinity, as the future bridge replacement has the potential to disturb wildlife using it as a nesting/roosting site, and access for replacement may also disturb habitat/vegetation that is sensitive to the future activities.

### **Conclusion**

In summary, Conservation Halton looks forward to reviewing the Draft EA.

Staff trust the above is of assistance and would be pleased to meet with the Town to discuss our comments, should that be required.

Best Regards,



Katie Jane Harris  
Environmental Planner

cc: Dave Maunder, Aquafor Beech, via email

**From:** [Wang, Winston](#)  
**To:** "Katie Jane Harris"  
**Cc:** [Dave Maunder \(maunder.d@aquaforbeech.com\)](mailto:maunder.d@aquaforbeech.com)  
**Subject:** RE: Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
**Date:** June-20-16 13:34:37

---

Good Afternoon Katie Jane,

The following are the responses to address those concerns raised in Conservation Halton's letter for my project: [Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design](#).

- 1) We do not feel that a geotechnical study is required at the EA stage. We will make note of the requirement and ensure the geotechnical study is completed prior to, or as part of the detail design. The sizing, depth and type of abutments will take into consideration the items noted in HCA's letter.
- 2) See 1) above
- 3) We have requested the flood lines and top of bank. As noted above, the requirement for a stable slope line will be noted in the EA, as will a description as to the type of assessment required.
- 4) We will address in the EA
- 5) Will consider comment
- 6) Will consider comment, based on discussion in meeting the Regional level is well below the bottom of the proposed bridge.
- 7) Will consider comment in EA
- 8) Will consider comment in EA
- 9) Alternative 3 is not being brought forward as the preferred alternative
- 10) Will consider comment in EA
- 11) Factors provided seem too complex for this project but will consider the comment
- 12) See 1), 2) and 3) above
- 13) Advisory comments will be reviewed and incorporated as appropriate

Thanks and have a wonderful day!

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning

Infrastructure Planning & Systems Design Section

Hamilton Water, Public Works Department, City of Hamilton

77 James Street North, Suite 400, Hamilton, ON L8R 2K3

Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Katie Jane Harris [mailto:[kjharris@hrca.on.ca](mailto:kjharris@hrca.on.ca)]  
**Sent:** June-14-16 5:19 PM  
**To:** Wang, Winston

**Cc:** Dave Maunder (maunder.d@aquaforbeech.com)

**Subject:** Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design

Good Afternoon,

Please see attached, Conservation Halton's comments regarding the Schedule 'B' EA for the Highway 5 Bridge in Waterdown and its proposed utility relocation.

If you have any questions, please do not hesitate to ask.

Best Regards,

Katie Jane

**Katie Jane Harris, B.E.S.**

Environmental Planner

**Conservation Halton**

2596 Britannia Road West, Burlington, ON L7P 0G3

905.336.1158 ext. 2231 | Fax 905.336.7014 | [kjharris@hrca.on.ca](mailto:kjharris@hrca.on.ca)

[conservationhalton.ca](http://conservationhalton.ca)

*Thank you for thinking about the environment before printing this e-mail. If you are not an intended recipient, you must not disclose, copy, or distribute its contents or use them in any way. Please advise the sender immediately and delete this e-mail.*

**From:** [Dave Maunder](mailto:maunder.d@aquaforbeech.com)  
**To:** [he.s@aquaforbeech.com](mailto:he.s@aquaforbeech.com)  
**Subject:** FW: Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design  
**Date:** September-26-16 14:06:17

---

---

**From:** Katie Jane Harris [mailto:kjharris@hrca.on.ca]  
**Sent:** Wednesday, July 6, 2016 12:27 PM  
**To:** Wang, Winston  
**Cc:** 'Dave Maunder (maunder.d@aquaforbeech.com)'  
**Subject:** RE: Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design

Good Afternoon Winston,

The technical review team have had an opportunity to review the concise response provided by the City relating to our comment letter dated June 14, 2016 and offer the following:

Should the City choose to defer a geotechnical study to detailed design:

- Conservation Halton is of the opinion that it is in the City's best interest to complete a Geotechnical Study at the Environmental Assessment stage, in order to confirm the preferred alternative and understand the requirements for the bridge span as well as the costs associated with construction. A similar/like-for-like span may not be appropriate;
- Based on information provided to date, Conservation Halton cannot advise whether or not we will be in a position to issue a permit for the proposed works;
- Conservation Halton needs a commitment that comments will be addressed appropriately at detailed design, with the understanding that modifications to select the preferred alternative and/or design may be required based on the outcome(s) of the Geotechnical Study in order to meet Regulatory requirements. *(This may or may not lead to re-opening of the EA.)*

Similarly, while a good deal of the City's responses noted that the comment "would be considered in the EA", staff would like to reiterate that all environmental factors (both terrestrial and aquatic) as well as hazards should be properly assessed prior to selecting a preferred approach.

With that in mind, a staking of the physical top of bank will be required in associated with the geotechnical assessment – a reference point is required to identify where the stable top of bank is in relation to the physical, and as per CH policy, "physical top of bank will be established in the field in conjunction with Conservation Halton staff". When the City is ready, please contact me and I will attend on site with the City's retained Ontario Land Surveyor to complete that task.

I trust the above provides the direction the City was seeking.

If you have any questions, please do not hesitate to contact me.

Best Regards,

Katie Jane

**Katie Jane Harris, B.E.S.**

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** July-06-16 9:46 AM  
**To:** Katie Jane Harris  
**Cc:** 'Dave Maunder' ([maunder.d@aquaforbeech.com](mailto:maunder.d@aquaforbeech.com))  
**Subject:** RE: Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design

Good Morning Katie Jane,

Please confirm item 1) below regarding the need for a geotechnical study as both the City and Aquafor Beech Ltd are in the opinion that this should be “completed prior to, or as a component of the detailed design”.

Thank you,

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Wang, Winston  
**Sent:** June-20-16 1:35 PM  
**To:** 'Katie Jane Harris'  
**Cc:** Dave Maunder ([maunder.d@aquaforbeech.com](mailto:maunder.d@aquaforbeech.com))  
**Subject:** RE: Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design

Good Afternoon Katie Jane,

The following are the responses to address those concerns raised in Conservation Halton's letter for my project: [Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design](#).

- 1) We do not feel that a geotechnical study is required at the EA stage. We will make note of the requirement and ensure the geotechnical study is completed prior to, or as part of the detail design. The sizing, depth and type of abutments will take into consideration the items noted in HCA's letter.
- 2) See 1) above
- 3) We have requested the flood lines and top of bank. As noted above, the requirement for a

stable slope line will be noted in the EA, as will a description as to the type of assessment required.

- 4) We will address in the EA
- 5) Will consider comment
- 6) Will consider comment, based on discussion in meeting the Regional level is well below the bottom of the proposed bridge.
- 7) Will consider comment in EA
- 8) Will consider comment in EA
- 9) Alternative 3 is not being brought forward as the preferred alternative
- 10) Will consider comment in EA
- 11) Factors provided seem too complex for this project but will consider the comment
- 12) See 1), 2) and 3) above
- 13) Advisory comments will be reviewed and incorporated as appropriate

Thanks and have a wonderful day!

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Katie Jane Harris [<mailto:kjharris@hrca.on.ca>]  
**Sent:** June-14-16 5:19 PM  
**To:** Wang, Winston  
**Cc:** Dave Maunder ([maunder.d@aquaforbeech.com](mailto:maunder.d@aquaforbeech.com))  
**Subject:** Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design

Good Afternoon,

Please see attached, Conservation Halton's comments regarding the Schedule 'B' EA for the Highway 5 Bridge in Waterdown and its proposed utility relocation.

If you have any questions, please do not hesitate to ask.

Best Regards,  
Katie Jane

**Katie Jane Harris, B.E.S.**  
Environmental Planner

**Conservation Halton**  
2596 Britannia Road West, Burlington, ON L7P 0G3  
905.336.1158 ext. 2231 | Fax 905.336.7014 | [kjharris@hrca.on.ca](mailto:kjharris@hrca.on.ca)  
[conservationhalton.ca](http://conservationhalton.ca)

**From:** [Wang, Winston](mailto:Wang.Winston)  
**To:** "Dave Maunder"  
**Subject:** FW: PIC \_ Envelopes  
**Date:** August-22-16 14:02:14

---

Dave: could you please prepare the image of the envelope, which was sent door-to-door to residents within 200 m radius around the bridge, as an example of notification in the **EA Report Appendix**?

**Winston Wang, M. A. Sc., P. Eng.**

Project Manager, Water & Wastewater Planning  
Infrastructure Planning & Systems Design Section  
Hamilton Water, Public Works Department, City of Hamilton  
77 James Street North, Suite 400, Hamilton, ON L8R 2K3  
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

---

**From:** Dave Maunder [<mailto:maunder.d@aquaforbeech.com>]  
**Sent:** April-20-16 3:00 PM  
**To:** Wang, Winston  
**Cc:** [denich.c@aquaforbeech.com](mailto:denich.c@aquaforbeech.com)  
**Subject:** RE: PIC \_ Envelopes

Thanks

---

**From:** Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]  
**Sent:** April-20-16 2:58 PM  
**To:** 'Dave Maunder'  
**Cc:** [denich.c@aquaforbeech.com](mailto:denich.c@aquaforbeech.com)  
**Subject:** RE: PIC \_ Envelopes

Sounds good; but with Sharon's suggestion to put their names, along with the addresses, the owners/tenants will be more likely to open them. So I will try to get those names with each address for you tomorrow.

---

**From:** Dave Maunder [<mailto:maunder.d@aquaforbeech.com>]  
**Sent:** April-20-16 2:49 PM  
**To:** Wang, Winston  
**Cc:** [denich.c@aquaforbeech.com](mailto:denich.c@aquaforbeech.com)  
**Subject:** PIC \_ Envelopes

Winston, for the hand delivered notices I would put the City logo on the front of the envelope with the following;

Public Open House Grindstone Creek Bridge Utility Bridge  
May 3,2016  
Please refer to contents inside

Please confirm acceptance. We will then prepare s



**Highway 5 – Grindstone Creek Bridge Utility Relocation Class  
Environmental Assessment and Conceptual Design**

**Appendix D – 16**

**Public Information Centre #2**

**Public Communications**

**April 2016**

**From:** [REDACTED]  
**To:** [Wang, Winston](mailto:Wang.Winston)  
**Subject:** RE: Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design  
**Date:** April-08-16 17:10:17  
**Attachments:** [image001.jpg](#)  
[Notification of PIC 2-signed.pdf](#)

---

Hi Winston,

Completed form attached. Thanks,

[REDACTED]

---

**From:** Wang, Winston [mailto:Winston.Wang@hamilton.ca]  
**Sent:** April-05-16 3:34 PM  
**Cc:** 'Dave Maunder' <maunder.d@aquaforbeech.com>  
**Subject:** Notice of Public Information Centre 2 for Highway 5 Grindstone Bridge Utility Relocation Class EA and Conceptual Design

To Whom It May Concern,

As you have been notified earlier, the City of Hamilton has initiated a Schedule 'B' Municipal Class Environmental Assessment (Class EA) study for the Highway 5 Grindstone Creek Bridge Utility Relocation and Conceptual Design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities as part of future bridge replacement activities.

I have enclosed for your information a copy of the second Notice of Public Information Centre (PIC), which will appear in **Flamborough Review** on **April 21 and April 28, 2016**. If you or your office has any comments or input regarding this project, we invite you to complete and return the attached Response Form by **May 6, 2016**.

Thanks,



**Winston Wang, M.A.Sc., P.  
Eng.**


Project Manager, Water & Wastewater  
Planning  
Infrastructure Planning & Systems  
Design  
City of Hamilton | Public Works  
Department  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
T: 905.546.2424 ext. 4092



## Highway 5 Grindstone Creek Bridge Utility Relocation Schedule "B" Class Environmental Study

### Project Background

The City of Hamilton has initiated a Schedule 'B' Class Environmental Assessment (EA) study for the Highway 5 Grindstone Creek Utility Relocation and Conceptual design. The purpose of this Class EA is to identify and evaluate the alternative solutions to permit the replacement and potential relocation of existing water, wastewater, hydro and telecommunications utilities to facilitate future bridge replacement activities. This study includes public, First Nations and Aboriginal People, and review agency consultation, evaluation of alternatives, assessment of the impacts of the proposed works, and identification of measures to mitigate any adverse impacts. Upon completion of the study a project File documenting the planning and decision making process followed, will be prepared and made available for public review.



### The Study Process

This Study will follow the planning and design process as defined in the *Municipal Engineers Association Municipal Class Environmental Assessment document (October 2000, as amended in 2007 & 2011)*.

### Public Information Centre (PIC) No. 2

Two (2) PIC sessions will be held in association with this Study. PIC No. 2 will present the evaluation of the alternative solutions and identify recommended solutions and is scheduled for:

**Date:** May 3, 2016  
**Time:** 6:00 pm to 8:00 pm  
**Location:** Knox Presbyterian Church  
80 Mill Street North,  
Waterdown, ON L0R 2H0

### We would like to hear from you

We are interested in hearing any comments or concerns you may have with respect to this study. Comments received through the course of the study will be considered in selecting the preferred solution. Information will be collected in accordance with the Municipal Freedom of Information and Protection of Privacy Act. With the exception of personal information, all comments will become part of the public record. If you would like more information or would like to be placed on the Study mailing list, please contact:

### Winston Wang, M. A. Sc., P. Eng.

Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3  
Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**Please contact the Project Manager regarding disability accommodation requirements.**

This Notice Issued April 21 and April 28, 2016.



**RESPONSE FORM**  
**City of Hamilton**  
**Municipal Class Environmental Assessment Study**  
**Highway 5 Grindstone Creek Bridge Utility Relocation**  
**And Conceptual Design**

1. Contact Name: \_\_\_\_\_
2. Ministry/Agency/Office: \_\_\_\_\_
3. Address: \_\_\_\_\_  
\_\_\_\_\_ Waterdown \_\_\_\_\_ Postal Code: \_\_\_\_\_  
\_\_\_\_\_
- Phone No.: \_\_\_\_\_
- Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):
- I understand that the bridge replacement will not occur until such time as the other \_\_\_\_\_  
road improvements in Waterdown have been completed (i.e. N-S and E-W corridors) \_\_\_\_\_
- Based on the information provided on the City website, the projected construction \_\_\_\_\_  
completion dates range up to 2020 and "unknown". Can you please confirm \_\_\_\_\_  
whether the Dundas Street bridge replacement can be delayed until 2020 or longer? \_\_\_\_\_
5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes  No

Signature \_\_\_\_\_ Date April 8th, 2016

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

**From:** [REDACTED]  
**To:** [Wang, Winston](#)  
**Subject:** May 3rd - Knox Church  
**Date:** April-12-16 10:44:46  
**Attachments:** [001.jpg](#)

---

Please accept our registration.

[REDACTED]



Hamilton

**RESPONSE FORM**  
City of Hamilton  
Municipal Class Environmental Assessment Study  
Highway 5 Grindstone Creek Bridge Utility Relocation  
And Conceptual Design

1. Contact Name: \_\_\_\_\_

2. Ministry/Agency/Office: \_\_\_\_\_

3. Address: \_\_\_\_\_

WATERDOWN Postal Code: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Email: \_\_\_\_\_

4. Please note specific comments and/or concerns (please attach additional sheets if necessary):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Do you wish to be notified for continued involvement in the project process, up to and including project implementation? Yes  No

Signature \_\_\_\_\_

Date APRIL 5/2016

Please return this form to:

**Winston Wang, M. A. Sc., P. Eng.**  
Project Manager  
City of Hamilton  
77 James Street North, Suite 400  
Hamilton, ON L8R 2K3

Phone: 905-546-2424 ext. 4092  
Fax: 905-546-4491  
Email: [Winston.Wang@hamilton.ca](mailto:Winston.Wang@hamilton.ca)

*Thank you for your participation in this study.*

**From:** [REDACTED]  
**To:** [Wang, Winston](mailto:Wang, Winston)  
**Subject:** Re: Hwy 5 Grindstone Creek Bridge Utility Relocation, sch B class env study  
**Date:** April-27-16 11:20:57

---

Thank you for the speedy response

Sent from my iPad

> On Apr 27, 2016, at 10:52 AM, Wang, Winston <Winston.Wang@hamilton.ca> wrote:

>

> Hi [REDACTED]

>

> Yes, the previous PIC display boards are available at the following link to the project information. The latest PIC boards will be uploaded after May 3. In addition, we will put you on the Study Mailing List

>

> <https://www.hamilton.ca/city-planning/master-plans-class-eas/highway-5-grindstone-creek-utility-relocation>

>

> If you have any further questions, please let me know.

>

> Regards,

>

> Winston Wang, M. A. Sc., P. Eng.

> Project Manager, Water & Wastewater Planning

> Infrastructure Planning & Systems Design Section

> Hamilton Water, Public Works Department, City of Hamilton

> 77 James Street North, Suite 400, Hamilton, ON L8R 2K3

> Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: [winston.wang@hamilton.ca](mailto:winston.wang@hamilton.ca)

>

> This message is solely for the use of the intended recipient(s) named above and may contain privileged and/or confidential information. If you are not the intended recipient(s) or have received this message in error, please be advised that any retransmission, dissemination, distribution, copying, conversion to hard copies, or other use of this information without the express written permission is strictly prohibited and please delete it from your system. Please think of the environment before printing it. Thank you!

>

>

> -----Original Message-----

> From: [REDACTED]

> Sent: April-27-16 10:42 AM

> To: Wang, Winston

> Subject: Hwy 5 Grindstone Creek Bridge Utility Relocation, sch B class env study

>

> Dear sir

>

> Re notice of Public Open House May 3, 2016 - April 21, 2016

>

> We will be out of the country that day, will information being presented be available for review on a website?

>

> Please place us on the Study Mailing List

>

>

>

>

>

>

>

>

>

>

>

>

>

> Kindly acknowledge receipt of this communication.

>

> best regards

>

>

>

>

> Sent from my iPad