



APPENDIX 8

Tree Preservation Details



TEMPORARY TREE PROTECTION FENCING (PLAN VIEW, NTS)

October



- NOTES:**
1. THE AREA WITHIN THE DRIFLINE OF ALL EXISTING TREES SHALL BE PROPERLY PROTECTED WITH TEMPORARY FENCING.
 2. THE AREA WITHIN THE PROTECTIVE FENCING SHALL REMAIN UNDISTURBED AND SHALL NOT BE USED FOR STORAGE OF BUILDING MATERIALS OR EQUIPMENT ACCESS AND STORAGE OR PROJECT RELATED GARBAGE.
 3. TREE PROTECTION MEASURES SHALL REMAIN UNTIL THE COMPLETION OF FINE GRADING AND SOODING OR SEEDING

ELEVATION

ALTERNATIVE CROSS SECTION FROZEN CONDITIONS

CROSS SECTION POST AND WIRE FENCE SECTION

TEMPORARY TREE PROTECTION FENCING (POST SECTION AND ELEVATION, NTS)

October 2003



Hamilton
SITe PLAN
GUIDELINES




FIGURE 1

NOTES:

1. SILT FENCE HEIGHT TO BE 600 ABOVE GROUND, CONSTRUCTED OF FABRIC WITH MINIMUM TENSILE STRENGTH OF 54.43 kg (MIRAFI ENVROFENCE, TERRAFIX TERRAFENCE OR APPROVED EQUIVALENT).
2. SILT FENCE TO HAVE FACTORY ATTACHED FENCE POSTS.
3. REFER TO DRAWING FOR LOCATION OF SILT FENCE.




FIGURE 2




FIGURE 3